

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**A TO Z TIRE
813 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF809					12/30/2011	0	HL1B

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

ADVANTAGE SALES & MARKETING**3700 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2053					12/30/2011	0	HL1B

5730 W AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2054					12/30/2011	0	HL1B

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

AFC SUSHI @UNITED 529**5807 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1321					12/30/2011	0	HL1B

ALDACOS TACOS
3623 SW 6TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF821	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/30/2011	3	HL1B
			Clean the top of the refrigerator freezer & the drink cooler.				
	EHF21	COS	MANUAL WARE WASHING		12/30/2011		
			Wipe down solution at 0ppm at inspection.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**B & B FOOD STORE
2701 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF793	EHF25	COS	FOOD CONTACT SURFACES		12/30/2011	6	HL1B
			Pickle tong hold not cleaned.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		12/30/2011		
			No soap in restroom.Soap is required at all times in the restroom.				
	EHF28	COS	ALL OTHER VIOLATIONS		12/30/2011		
			Ceiling in walk in cooler has dust buildup.Clean.b)Blower cover in small reach in cooler needs to be cleaned. c)Personal foods stored with store foods.Store separately and mark personal foods as such.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**BAHAMA BUCKS
5509 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1106					1/3/2012	0	HFOL

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**BAYMONT INN & SUITES
3411 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1118	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/30/2011	15	HL1B
			QA sanitizer test strips needed to check the concentration of the red sanitizer.				
	EHF27	H10DAY	ESTABLISHMENT PERMIT		12/30/2011		
			Last inspection report not posted. (second violation).				
	EHF25	COS	FOOD CONTACT SURFACES		12/30/2011		
			a. The coffee nozzle must be taken apart and cleaned daily. b. The milk tube must be cut at a sharp angle no longer than an inch or according to instructions on dispenser.				
	EHF24	COS	THERMOMETERS		12/30/2011		
			a. All metal stem thermometers were not accurate. b. A thermometer was needed in the butter cooler.				
	EHF20	COS	TOXIC ITEMS		12/30/2011		
			Unlabeled chemical spray bottle.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

BAYMONT INN & SUITES

HF1118	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED	12/30/2011	15	HL1B
--------	-------	---------	-----------------------------	------------	----	------

A certified food manager is needed by 2-10-12. A food-handling employee must take the class and be able to answer questions about food safety and sanitation.

BRAUMS ICE CREAM #182

1700 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
-----------------	-----------------------	--------------------	--------------------	-----------------	------------------------	-----------------	------------------------

HF301	EHF25	H10DAY	FOOD CONTACT SURFACES		12/30/2011	3	HL1B
-------	-------	--------	-----------------------	--	------------	---	------

Clean floor,walk in freezer,cos,night crew neglected hot hold for bacon,grilled chicken etc.cos Tea urn nozzles.Clean,defrost & repair defrost freezer.Display reach ins

	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/30/2011		
--	-------	---------	----------------------	--	------------	--	--

a)Ice cream directly on floor of walk in freezer.cos b)Clean ceiling vents.d)Replace missing ceiling tiles.

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

BRAUMS ICE CREAM #60

1900 S GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF601	EHF25	COS	FOOD CONTACT SURFACES		1/4/2012	3	HL1B
			Needed to clean specific surfaces in a reach in cooler.COS				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/4/2012		
			Product stored on floor of walk in freezer.COS b.Replace broken door gaskets on same above reach in cooler.c.Clean tops of stainless steel equipment where needed.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**BUFFALO WILD WINGS
5416 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1527	EHF28	IN	ALL OTHER VIOLATIONS		12/29/2011	3	HFOL
			a)corrected				
	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		12/29/2011		
			Handwash sink in kitchen is broken & must be repaired by next inspection.				
	EHF15	IN	EQUIPMENT ADEQUATE		12/29/2011		
			corrected				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**BURGER KING #952
1800 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF413	EHF13	COS	HACCP PLAN/TIME		1/4/2012	23	HL1B
			HACCP plan calls for 4 hour expiration on tomatoes. Tomatoes sliced at 3pm were marked to be used until 8pm. That time does not comply with the written HACCP.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		1/4/2012		
			Gap on back door has visible daylight showing through. Gap must be sealed to prevent insects and rodents from entering the building.				
	EHF20	COS	TOXIC ITEMS		1/4/2012		
			First Aid meds stored about onions and printer cartridges stored on ice machine. All toxic items must be stored away from the kitchen area and food items.				
	EHF10	COS	SOUND CONDITION		1/4/2012		
			Container of vanilla syrup stored with no lid in dry storage. All food containers in dry storage must be covered.				
	EHF21	COS	MANUAL WARE WASHING		1/4/2012		
			Dishes are being stacked wet. The proper order for manual warewashing is scrape, wash, rinse, sanitize, air dry. Dishes must be air dried before stacking.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

BURGER KING #952

HF413	EHF24	COS	THERMOMETERS	1/4/2012	23	HL1B
-------	-------	-----	--------------	----------	----	------

Thermometer not found in cooling unit. Thermometers must be placed in visible sight in all cooling units.

	EHF28	COS	ALL OTHER VIOLATIONS	1/4/2012		
--	-------	-----	----------------------	----------	--	--

A.) gaps in ceiling in kitchen must be sealed b.) air vents and ceiling must be cleaned of dust. c.) tops of all equipment must be cleaned of dust. d.) jacket found on food items. personal items should not be stored on food product. e.) gaskets to wal

	EHF25	COS	FOOD CONTACT SURFACES	1/4/2012		
--	-------	-----	-----------------------	----------	--	--

A.) Ice machine needs to be cleaned inside on top. B.) Tea nozzles must be cleaned daily. Lots of buildup found in tea nozzles. C. Splatter above condiment hold must be cleaned. D.) utensil tubs must be cleaned of debris

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

CANYONVIEW ESTATES RETIREMENT

7404 WALLACE BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1968	EHF25	IN	FOOD CONTACT SURFACES corrected		1/3/2012	9	HL1B
	EHF28	IN	ALL OTHER VIOLATIONS A)corrected b) corrected C)corrected d)post current food managers card.		1/3/2012		
	EHF21	IN	MANUAL WARE WASHING corrected		1/3/2012		
	EHF02	COS	COLD HOLDING Whole eggs found left out at 83°F, eggs must stay below 41° at all times.		1/3/2012		
	EHF07	COS	ADEQUATE HAND WASHING Employee did not wash hands before putting on gloves & working with food.		1/3/2012		

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

CANYONVIEW ESTATES RETIREMENT

HF1968	EHF15	IN	EQUIPMENT ADEQUATE		1/3/2012	9	HL1B
			corrected				

**CRYSTAL PISTOL
907 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2184	EHF28	COS	ALL OTHER VIOLATIONS		1/3/2012	0	H PREOPEN
			Covered trash needed in west womens restroom				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

DENNYS #8557
9601 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1966	EHF25	COS	FOOD CONTACT SURFACES		1/4/2012	6	HL1B
			Needed to clean: a.Canopener and holder, b.inside surface of ice maker lid,c.employee handsink in cooks line area.COS				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/4/2012		
			a.Clean the top of the dish machine.b.Clean floors under shelving in the kitchen prep area and where needed.				
	EHF24	COS	THERMOMETERS		1/4/2012		
			Hobart across from grill needed a thermometer.COS				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

DIANAS TAMALES BURRITOS & MORE**701 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF269	EHF25	H10DAY	FOOD CONTACT SURFACES		1/4/2012	8	HL1B
			A.Need to clean: a.canopener and assembly. b.clean the flour bin, c.replace the corn starch bin, d.clean behind cooking equipment.				
	EHF03	COS	HOT HOLDING		1/4/2012		
			a.Burritos ranged in hot hold from 131 to 135+ppm. Reheated at inspection.COS b.The tamales were at 127 degrees. Reheated at inspection.COS				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		1/4/2012		
			Clean the shelves in back dry storage. Remove any all items that are not being used and are not going to be used.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

DOLLAR TREE STORES #2905**5752 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1151	EHF10	COS	SOUND CONDITION		12/30/2011	4	HL1B	
			Sunny D juice crown around screwtop cap crushed.Pulled from shelf.					

EL TROPICO**1105 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1856					1/3/2012	0	HL1B

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**ELOTES CON RITMO
1210 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2025					12/29/2011	0	HL1B

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

FAMOUS DAVES
8518 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1837	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/4/2012	25	HL1B
			A) Condenser leak in walk in freezer.				
	EHF25	COS	FOOD CONTACT SURFACES		1/4/2012		
			A) Dirty dishes found on the clean dish rack, B) Broken dishes found on the clean dish rack, C) Dirty knives on magnet found, D) Scoops with no handles, E) Brush found fully submerged in glaze, F) Bulk lids broken, G) Dirty pans found in the mop sink				
	EHF10	COS	SOUND CONDITION		1/4/2012		
			A) Several Dented cans found.				
	EHF12	COS	CROSS CONTAMINATION		1/4/2012		
			A) Employee seen grabbing trashcan with gloves and then working with food without changing gloves.				
	EHF07	COS	ADEQUATE HAND WASHING		1/4/2012		
			A) Employees seen not washing hands when changing gloves.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

FAMOUS DAVES

HF1837	EHF08	COS	GOOD HYGIENIC PRACTICES		1/4/2012	25	HL1B
			A) Employee drink found without lid and straw, B) Small child found running around in kitchen, kitchen is only for staff who are on duty.				
	EHF16	COS	HAND WASH FACILITIES ADEQUATE		1/4/2012		
			A) Hand sink found without any hot water, must have hot and cold running water.				
	EHF21	COS	MANUAL WARE WASHING		1/4/2012		
			A) Dish machine found not sanitizing, B) Wipe down sanitizer found at 0ppm, must be 150-400ppm as label states. **Dish machine corrected before end of inspection.				

**GROUND CAFE THE
600 S TYLER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1675					1/3/2012	0	HL1B

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

HAGY LEARNING CENTER

1301 STREIT DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD63	EHF25	H10DAY	FOOD CONTACT SURFACES		12/29/2011	3	HL1B
			a.Clean and keep clean the inside bottom surfaces of the reach in coolers and freezer.b.Clean and keep clean the canopener blade and holder where it is inserted.				
	EHF28	H60 DAY	ALL OTHER VIOLATIONS		12/29/2011		
			Please post your current permit to operate. If you have lost it, you are required to obtain a duplicate from our office at 821 S. Johnson for \$25 and post it.				
	EHF21	IN	MANUAL WARE WASHING		12/29/2011		
			Continue manual sanitizing of equipment, utensils, dishes, and flatware until the dish machine is repaired.In				
	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		12/29/2011		
			You now have a certified food manager.In				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

HASTINGS HARDBACK CAFE

5512 GEM LAKE RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1097					12/30/2011	0	HL1B

HOMEWOOD SUITES BY HILTON

8800 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF965	EHF21	IN	MANUAL WARE WASHING Corrected.		1/3/2012	0	HFOL

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT**JOE TACO TAQUERIA
7312 WALLACE BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1260	EHF21	IN	MANUAL WARE WASHING		1/3/2012	0	HFOL
			A) Corrected, B) Corrected, C) Corrected.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/3/2012		
			A) Corrected, B) Corrected, C) Corrected, D) Fix leaking hand sink in dish area				
	EHF25	IN	FOOD CONTACT SURFACES		1/3/2012		
			A) Corrected, B) Corrected, C) Corrected, D) Corrected.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**JUDYS PLACE
2700 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF836	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/3/2012	15	HL1B
			a)Blower covers in both walk in coolers needed to be cleaned.b)Ice maker filter needs to be cleaned.c)Foods in walk in should be covered.				
	EHF25	COS	FOOD CONTACT SURFACES		1/3/2012		
			a)Hot hold water not changed daily.b)Handle to tot scoop touch food products.c)Bulk food scoops need to have handles.d)Ice cream scoop stored on cardboard.e)Utensil tubs not clean.f)Ice scoop handle touching ice.g)Refrigerator door gaskets need to be cle				
	EHF12	COS	CROSS CONTAMINATION		1/3/2012		
			Broken eggs stored in container with good eggs.				
	EHF13	COS	HACCP PLAN/TIME		1/3/2012		
			No HACCP dates or expired HACCP dates on food products requiring dates & 7 day usage.				
	EHF10	COS	SOUND CONDITION		1/3/2012		
			Seam dented can on shelf in storage.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**LES DISCOUNT STORE
903 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1567	EHF25	COS	FOOD CONTACT SURFACES		12/29/2011	6	HL1B
			Shelves in reach in coolers need to be cleaned.				
	EHF24	COS	THERMOMETERS		12/29/2011		
			No thermometer in cold hold unit.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/29/2011		
			Personal foods stored on store foods.Store separately. b)Paper towel dispenser in restroom not working.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

LOVES TRAVEL STOP #261**8615 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF614	EHF28	IN	ALL OTHER VIOLATIONS		1/4/2012	3	HL1B
			2 corrections from previous inspection				
	EHF20	COS	TOXIC ITEMS		1/4/2012		
			Spray bottles not labeled				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

PACIFIC RIM

2061 PARAMOUNT BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF9	EHF20	H10DAY	TOXIC ITEMS		1/4/2012	20	HL1B
			Medication stored on food prep table.All medications should be stored away from foods or food prep areas.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		1/4/2012		
			Back door screen has holes.Seal screen to prevent insects entering.				
	EHF10	COS	SOUND CONDITION		1/4/2012		
			a)Seam dented cans on shelves for use.Dented cans may allow air to enter the can & must not be used.Dented cans must be stored in a designated location marked DO NOT USE.b)Products marked keep refrigerated found not refrigerated.				
	EHF09	COS	APPROVED SOURCE/LABELING		1/4/2012		
			Non easily identifiable foods not labeled.All non easily identifiable foods must be labeled to prevent misuse.				
	EHF24	H10DAY	THERMOMETERS		1/4/2012		
			Thermometers missing from several cold hold units.Thermometers required in all cold hold units.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

PACIFIC RIM

HF9	EHF25	H10DAY	FOOD CONTACT SURFACES	1/4/2012	20	HL1B
-----	-------	--------	-----------------------	----------	----	------

a)Personal coat touching clean aprons.Store personal items away from foods or food working items.b)Tubs holding sauces & sugars from cooks working table need to be cleaned.c)Used spoon with food attached stored in stagnant water at room temp.Working spoo

	EHF28	H10DAY	ALL OTHER VIOLATIONS	1/4/2012		
--	-------	--------	----------------------	----------	--	--

a)Persons not authorized to work in kitchen found in kitchen.b)Broken plates stored in kitchen.Broken dishes are not an easily cleanable surface.Items not used for operation of kitchen may not be stored in kitchen.c)Floor has holes in tile.Floor holes co

**PALOMINO LOUNGE
606 N FILLMORE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF550					1/3/2012	0	HL1B

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT**PIC N SAVE
3301 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1100	EHF28	COS	ALL OTHER VIOLATIONS		1/3/2012	0	HL1B	
			Boxes of single use items such as cups need to be stored off of floor					

**SALVATION ARMY
400 S HARRISON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF416	EHF28	COS	ALL OTHER VIOLATIONS		1/4/2012	0	HL1B	
			Box of frozen shrimp on floor of walk in freezer.					

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

SANCHEZ BAKERY
1010 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF88	EHF28	COS	ALL OTHER VIOLATIONS		12/29/2011	3	HL1B
			Shells from eggs should not be returned to egg tray. Discard shells.				
	EHF25	COS	FOOD CONTACT SURFACES		12/29/2011		
			Utensil drawers need to be cleaned. b)Mixers need to be cleaned below motor.				

3508 SE 11TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2110	EHF09	COS	APPROVED SOURCE/LABELING		1/3/2012	4	HL1B
			Spray bottle blue liquid not labeled.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT**SCHLOTZSKYS DELI****1612 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF517	EHF28	COS	ALL OTHER VIOLATIONS		1/3/2012	0	HL1B	
			Foods stored in walk in cooler should be covered.					

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**TACOS EL TULE
3623 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM279	EHF03	COS	HOT HOLDING		12/29/2011	12	HL1B
			Pork found at 108°F hold at 135° or above.Reheated.				
	EHF11	COS	PROPER HANDLING RTE		12/29/2011		
			Employee handling onions with bare hands.				
	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		12/29/2011		
			Food manager card expired.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**TAMMES TENDER TOUCH TOO
1009 S HIGHLAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD64					12/30/2011	0	HL1B

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**THAI EXPRESS
3314 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1093	EHF28	COS	ALL OTHER VIOLATIONS		12/29/2011	20	HL1B
			A.) Water in steam bath at hold needs to be changed and pan cleaned every day. Heavy buildup was found. B.) Leaks in 3 compartment sink and bathroom sink need to be fixed. C.) Silverware being stored in wicker basket. Must be stored in a sanitary				
	EHF24	COS	THERMOMETERS		12/29/2011		
			Thermometer not found in a refrigeration unit. Thermometers must be in every unit and in plain visible sight.				
	EHF25	COS	FOOD CONTACT SURFACES		12/29/2011		
			Bag of chiles found in a mop bucket. Food must be stored in a sanitary area with other sanitary items to prevent cross contamination.				
	EHF07	COS	ADEQUATE HAND WASHING		12/29/2011		
			Employees handling food seen not washing hands. Hands must be washed properly before putting on gloves.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		12/29/2011		
			Drink found without a straw or lid. All drinks must have a straw and a lid to prevent cross contamination.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

THAI EXPRESS

HF1093	EHF19	COS	RODENTS/ANIMALS/OPENINGS	12/29/2011	20	HL1B
--------	-------	-----	--------------------------	------------	----	------

Gap under back door. This gap needs to be sealed to prevent infestation of rodents or insects.

	EHF15	COS	EQUIPMENT ADEQUATE	12/29/2011		
--	-------	-----	--------------------	------------	--	--

Refrigeration unit found above 41 degrees. All cooling units must be able to hold food at 41 degrees F or below.

**THE 806
2812 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1557	EHF25	IN	FOOD CONTACT SURFACES		12/30/2011	0	HL1B
Dining tables are clean.In							

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

TOOT N TOTUM #43

3522 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF96	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/30/2011	0	HL1B	
			a)Clean edge of venthood.b)Handwashing sign needed near restrooms,c)Clean by wall behind table & grill.d)Clean any build up on freezer doors.					

TOOT N TOTUM #75

100 TASCOSA RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF991	EHF24	COS	THERMOMETERS		12/29/2011	3	HL1B	
			Metal stem thermometer in walk in cooler showing 80 degrees.Thermometer was recalibrated at the inspection to show accurate temperature in the walk in cooler.					

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**TOOT N TOTUM #84
4041 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF343	EHF23	H10DAY	SEWAGE/WASTEWATER Leak under handsink.		12/30/2011	7	HL1B
	EHF12	COS	CROSS CONTAMINATION Bag chili stored under leaking drain with wastewater contact on bag nozzle.		12/30/2011		
	EHF28	H90 DAY	ALL OTHER VIOLATIONS Gasket and door edge of walk-in cooler need to be cleaned. Several dirty fans and blower covers need to be cleaned.		12/30/2011		

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**TX CHICKEN BOWL
3011 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF708	EHF28	COS	ALL OTHER VIOLATIONS		1/3/2012	0	HL1B
			A) Spanish/English hand washing sign's needed in employees bathroom, B) All scoops must have handles, C) Covered trashcans needed in womens bathroom, D) Clean air vent by togo window, 2 correction from last inspection.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

UNITED SUPERMARKET #529

5807 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1653	EHF20	COS	TOXIC ITEMS		12/30/2011	3	HL1B
			Spray bottle of unknown chemical in spraybottle not labeled.				
HF460	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/30/2011	0	HL1B
			a. The hot water pedal needs to be adjusted at the hand sink in the bakery (second violation) b. Clean fan guards in walk in coolers. c. Clean under pallets and under racks in walk-in coolers.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT**USA AUTO AUCTION
3208 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF546	EHF25	COS	FOOD CONTACT SURFACES		1/3/2012	3	HL1B	
			Coffee nozzels not cleaned properly. Disassemble nozzle and then wash rinse and sanitize.					

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**WAFFLE HOUSE #534
2110 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1295	EHF25	IN	FOOD CONTACT SURFACES	A) Corrected, B) Corrected.	1/3/2012	0	HFOL
	EHF24	IN	THERMOMETERS	A) Corrected	1/3/2012		
	EHF23	IN	SEWAGE/WASTEWATER	A) Corrected	1/3/2012		
	EHF21	IN	MANUAL WARE WASHING	A) Corrected, B) Corrected, C) Corrected.	1/3/2012		
	EHF14	IN	WATER SUPPLY	A) Corrected.	1/3/2012		

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

WAFFLE HOUSE #534

HF1295

EHF28

IN

ALL OTHER VIOLATIONS

1/3/2012

0

HFOL

A) Corrected, B) Corrected., C) Corrected, D) Corrected, E) Corrected, F) Corrected, G) Employee smoking needs to be done out side and not in the back preperation room.

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

**WATERMILL EXPRESS
2507 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1243					12/29/2011	0	HL1B

307 E HASTINGS AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1175					12/29/2011	0	HL1B

3409 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF527					12/29/2011	0	HL1B

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

WATERMILL EXPRESS

4239 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF454					12/29/2011	0	HL1B

5800 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF55					12/29/2011	0	HL1B

907 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

WATERMILL EXPRESS

HFC107					12/29/2011	0	HL1B
--------	--	--	--	--	------------	---	------

WATERMILL EXPRESS #276

2315 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF227					12/29/2011	0	HL1B

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT**WATERMILL EXPRESS #277****4400 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

HF225					12/29/2011	0	HL1B
-------	--	--	--	--	------------	---	------

12/29/2011

WATERMILL EXPRESS UNIT 264**2704 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

HF457					12/29/2011	0	HL1B
-------	--	--	--	--	------------	---	------

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT**WATERMILL EXPRESS UNIT 266****3601 SW 15TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF656					12/29/2011	0	HL1B

WATERMILL EXPRESS UNIT 268**3510 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF641					12/29/2011	0	HL1B

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT

WIENERSCHNITZEL

4431 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF560	EHF28	COS	ALL OTHER VIOLATIONS		12/29/2011	12	HL1B
			a.) gaskets need to be cleaned on walk in freezer and refrigerator. B.) door needs to be cleaned on walk in freezer on inside. C.) Ice scoop must be stored in a container clean to sight and touch.				
	EHF25	COS	FOOD CONTACT SURFACES		12/29/2011		
			Bins holding single serve items such as lids, plastic silverware, etc. need to be cleaned. Some single serve items were found dirty or lying in dirty bins.				
	EHF15	H30 DAY	EQUIPMENT ADEQUATE		12/29/2011		
			A.) Freezer needs to be fixed to prevent condensation buildup B.) Refrigerator needs new shelves to prevent cross contamination.				
	EHF21	COS	MANUAL WARE WASHING		12/29/2011		
			A.) Rags found in buckets without sanitizer. Cannot use soapy water to store rags in sanitizer bucket. B.) Dishes must be air dried properly before being stacked				
	EHF24	COS	THERMOMETERS		12/29/2011		
			Refrigeration unit found without a thermometer. All units must have a thermometer in visible site.				

Food Establishment Public Inspection Report

From 12/29/11 thru 1/4/12

ESTABLISHMENT**WILD CARD
715 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1950	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		12/29/2011	3	HFOL
			a full time supervisory employee must take & pass the food manager certification course within 45 days.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/29/2011		
			a)Post last inspection report.b)Seal all bare wood in lower bar.All surfaces need to be non-porous & easily cleanable.				