

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**575 PIZZERIA
2803 CIVIC CIR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1355					9/18/2012	0	HL1B

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**ALL OF US
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT6038	EHF11	COS	PROPER HANDLING RTE		9/14/2012	5	HL1B FOOD	
			Preparing RTE food with bare hands. Gloves or utensils must be used.					
HFT6038	EHF21	H 2 HOUR	MANUAL WARE WASHING		9/16/2012	3	HL1B FOOD	
			No sanitizer available. Must be corrected by next inspection					

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12**

ESTABLISHMENT

AMARILLO CHAMBER COOKOFF**1004 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT3727	EHF19	H 2 HOUR	RODENTS/ANIMALS/OPENINGS		9/13/2012	9	HL1B FOOD
			Prep area was screened set up on grass. No floor. Trailer kitchen and prep door open. No screens.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/13/2012		
			Animal found in prep area while food prep was being done. Informed cook team to remove animal and not to bring it back.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

AMARILLO GERMAN ROASTED NUTS**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6034	EHF21	COS	MANUAL WARE WASHING Bleach sanitizer to weak.		9/16/2012	3	HL1B FOOD
HFT6034					9/14/2012	0	HL1B FOOD
HFT6034					9/19/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

ARAMARK DINING HALL**2402 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC123	EHF25	COS	FOOD CONTACT SURFACES		9/19/2012	11	HL1B
			Tea nozzles in catering needed to be cleaned. b)Several utensils in kitchen needed to be cleaned.				
	EHF02	COS	COLD HOLDING		9/19/2012		
			Sliced meat on serving line was at 45 to 48 degrees. Cold hold PHF must be at 41 or below.				
	EHF18	H10DAY	INSECT CONTAMINATION		9/19/2012		
			Roaches found in kitchen.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

ARCHIES CONCESSIONS

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6005					9/14/2012	0	HL1B FOOD
HFT6005	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/14/2012	4	HL1B FOOD
			Soap needed at handsink. Do not store bananas against freezer walls.				
HFT6005					9/19/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

B MAX CONCESSIONS

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6006	EHF14	COS	WATER SUPPLY		9/15/2012	4	HL1B FOOD
			Hot water heater was turned off. You must have hot water at all times when open.				
HFT6006	EHF24	COS	THERMOMETERS		9/14/2012	8	HL1B FOOD
			Need 2 thermometers.				
	EHF25	COS	FOOD CONTACT SURFACES		9/14/2012		
			a)Clean or replace coffee/tea nozzles. b)Wipe down solution bleach water at 100ppm. c)Keep door closer on when open.				
HFT6006					9/18/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

BOYDSTON BROTHERS CONCESSION

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6007	EHF21	COS	MANUAL WARE WASHING Sanitizer must be at 100ppm.		9/16/2012	3	HL1B FOOD
HFT6007					9/19/2012	0	HL1B FOOD
HFT6008					9/16/2012	0	HL1B FOOD
HFT6008	EHF21	H 2 HOUR	MANUAL WARE WASHING Sanitizer over 200ppm.		9/19/2012	6	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

BOYDSTON BROTHERS CONCESSION

Inspection Number	Establishment	Inspection Type	Violation Category	Date	Count	Category
HFT6008	EHF19	H 2 HOUR	RODENTS/ANIMALS/OPENINGS	9/19/2012	6	HL1B FOOD
Flies in booth. Fly strips may be hung at night & removed before food prep.						
HFT6008	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS	9/13/2012	3	HL1B FOOD
Clean air conditioner vents located inside booth.						
HFT6009	EHF02	H 2 HOUR	COLD HOLDING	9/14/2012	5	HL1B FOOD
Hot dog franks at 50°F.						
HFT6009	EHF28	COS	ALL OTHER VIOLATIONS	9/13/2012	3	HL1B FOOD
Repair screen.						

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

BOYDSTON BROTHERS CONCESSION

Inspection ID	Establishment ID	Inspection Type	Category	Date	Score	Comments
HFT6009	EHF21	H 2 HOUR	MANUAL WARE WASHING	9/18/2012	3	No test strips - sanitizer dirty,change regularly.
HFT6010				9/13/2012	0	
HFT6010	EHF02	H 2 HOUR	COLD HOLDING	9/14/2012	5	Hot dog frankfurters at 50°F.
HFT6010	EHF21	COS	MANUAL WARE WASHING	9/18/2012	3	Sanitizer too weak.

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

BOYDSTON BROTHERS CONCESSION

Inspection ID	Code	Category	Item	Date	Count	Description
HFT6011				9/13/2012	0	HL1B FOOD
HFT6011	EHF24	H 2 HOUR	THERMOMETERS	9/14/2012	5	HL1B FOOD
			No thermometer to check temps.			
HFT6012	EHF24	H 2 HOUR	THERMOMETERS	9/14/2012	9	HL1B FOOD
			No thermometer in refrigerator.			
	EHF14	COS	WATER SUPPLY	9/14/2012		
			No backflow preventer.			
HFT6012	EHF28	COS	ALL OTHER VIOLATIONS	9/13/2012	3	HL1B FOOD
			Clean air conditioner vent.			

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**BOYDSTON BROTHERS CONCESSION**

HFT6012				9/19/2012	0	HL1B FOOD
HFT6013				9/14/2012	0	HL1B FOOD
HFT6013	EHF28	COS	ALL OTHER VIOLATIONS Fix gasket on reach-in cooler.	9/13/2012	3	HL1B FOOD
HFT6013				9/18/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

BOYDSTON BROTHERS CONCESSION

HFT6014				9/14/2012	0	HL1B FOOD
HFT6014	EHF28	COS	ALL OTHER VIOLATIONS Clean exhaust fans.	9/13/2012	3	HL1B FOOD
HFT6014	EHF21	COS	MANUAL WARE WASHING No sanitizer left in bucket.	9/18/2012	8	HL1B FOOD
	EHF02	COS	COLD HOLDING Hotdogs at 49°F.Moved to freezer.Refrigerator turned down.Must be 41°F or colder.	9/18/2012		

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**BOYDSTON CONCESSIONS****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6044	EHF19	H 3 DAYS	RODENTS/ANIMALS/OPENINGS	Ants present, treat as needed.	9/13/2012	3	HL1B FOOD
HFT6044					9/14/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**BROTHAS GRILL
910 N FILLMORE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2062	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED Corrected.		9/18/2012	0	HFOL

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**BSR VENDING
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6015					9/13/2012	0	HL1B FOOD
HFT6015					9/14/2012	0	HL1B FOOD
HFT6015					9/19/2012	0	HL1B FOOD
HFT6016					9/13/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**BSR VENDING**

HFT6016	9/15/2012	0	HL1B FOOD
HFT6016	9/18/2012	0	HL1B FOOD
HFT6017	9/13/2012	0	HL1B FOOD
HFT6017	9/16/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**BUFFALO WILD WINGS
9511 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2019	EHF15	IN	EQUIPMENT ADEQUATE		9/19/2012	0	HFOL
			a)Corrected. b) Corrected.				

**CANYON HEALTHCARE
15 HOSPITAL DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC210	EHF10	COS	SOUND CONDITION		9/19/2012	4	HL1B
			Dented can on rack.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

CARRANZA M/2 GUYS BURGERS/FRIE**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6063					9/14/2012	0	HL1B FOOD
HFT6063	EHF03	COS	HOT HOLDING		9/17/2012	11	HL1B FOOD
			Hot dogs found at 115°, reheated to 165°.				
	EHF23	COS	SEWAGE/WASTEWATER		9/17/2012		
			Wastewater holding tank found overflowing onto ground. Booth closed until sewage clean up.				
	EHF21	COS	MANUAL WARE WASHING		9/17/2012		
			Worker seen rinsing utensil off in handsink. Discussed proper warewashing and they made up 3 comp sink wash-rinse-sanitize.				

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12****ESTABLISHMENT****CARRANZA M/INTRNATIONAL COOKHS****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6062	EHF19	H 2 HOUR	RODENTS/ANIMALS/OPENINGS		9/14/2012	3	HL1B FOOD
			Door must be self closing. Door must be fixed before opening.				
HFT6062	EHF23	COS	SEWAGE/WASTEWATER		9/17/2012	6	HL1B FOOD
			3 comp sink and handsink back up into sinks when drained. Booth shut down until sinks drain properly.				
	EHF19	H 2 HOUR	RODENTS/ANIMALS/OPENINGS		9/17/2012		
			Fly control needs to be addressed.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**CARRANZA MARINA/CANDY LANE****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6060	EHF23	COS	SEWAGE/WASTEWATER	Hanksink needs to be unclogged.	9/14/2012	0	HL1B FOOD
HFT6060	EHF23	COS	SEWAGE/WASTEWATER	Handsink clogged. Waste resevoir is full & needs to be dumped.	9/17/2012	9	HL1B FOOD
	EHF19	COS	RODENTS/ANIMALS/OPENINGS	Service window left open.	9/17/2012		
	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS	Floors need to be mopped.	9/17/2012		

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12****ESTABLISHMENT****CARRANZA MARINA/PIZZA PARLOR****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6061	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS		9/14/2012	7	HL1B FOOD
			Endcaps needed on 2 lighting fixtures.				
	EHF14	H 2 HOUR	WATER SUPPLY		9/14/2012		
			No hot water. This was corrected at 7:30 pm and establishment was opened 9/14/12.				
HFT6061	EHF25	COS	FOOD CONTACT SURFACES		9/17/2012	0	HL1B FOOD
			Single use lids dirty. Sanitizer too weak.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**CHANS CONCESSION
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6018	EHF05	IN	RAPID REHEATING Chicken must be cooked to 165°minimum.		9/14/2012	0	HL1B FOOD
HFT6018					9/15/2012	0	HL1B FOOD
HFT6018					9/18/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**CHILDS PLAY
2707 S BIVINS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD56					9/18/2012	0	HL1B

**CONNER HOUSE
2 COTTONWOOD LN**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC203					9/19/2012	0	HL1B

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

COWBOY TATERS OF TEXAS**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6019	EHF25	H 2 HOUR	FOOD CONTACT SURFACES	Clean inside freezer,clean & sanitize mixer,clean & calibrate all thermometers. Do not store cups or single service items on cloth. Store sanitized items separate from non-sanitized items. Lemonade nozzles dirty,rewash & sanitize.	9/13/2012	3	HL1B FOOD
HFT6019					9/15/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**CRABTREE CONCESSIONS**

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6053	EHF28	COS	ALL OTHER VIOLATIONS		9/14/2012	3	HL1B FOOD
			Lightshields needed over flourescent bulbs at the end of the booth.				
HFT6053	EHF12	COS	CROSS CONTAMINATION		9/17/2012	8	HL1B FOOD
			Popcorn scoop handle found in product.				
	EHF23	COS	SEWAGE/WASTEWATER		9/17/2012		
			Wastewater found running onto ground. Booth closed until repaired.				
HFT6054	EHF25	COS	FOOD CONTACT SURFACES		9/14/2012	3	HL1B FOOD
			Clean & sanitize ice bin. Clean under mat by door. Paint small area by cotton candy machines on side of cart.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

CRABTREE CONCESSIONS

Item ID	Code	Category	Description	Date	Count	Notes
HFT6054	EHF25	IN	FOOD CONTACT SURFACES	9/17/2012	0	HL1B FOOD Area by cotton candy machine painted.
HFT6055	EHF25	COS	FOOD CONTACT SURFACES	9/14/2012	7	HL1B FOOD Clean soda chest so that it is free of dirt.
	EHF14	COS	WATER SUPPLY	9/14/2012		Must have hot water in both sinks before you can open.
HFT6055	EHF28	COS	ALL OTHER VIOLATIONS	9/17/2012	3	HL1B FOOD No sanitizer in wipe-down solution. Lightshields needed.

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**CURLY Q TATOR
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6000					9/13/2012	0	HL1B FOOD
HFT6000	EHF21	COS	MANUAL WARE WASHING		9/16/2012	3	HL1B FOOD
			Bleach water must be at 100ppm.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**D-1 TEAFCS
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6042					9/19/2012	0	HL1B FOOD
HFT6042					9/19/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**DA SHACK
714 N FILLMORE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2301	EHF28	IN	ALL OTHER VIOLATIONS Corrected.		9/17/2012	0	HFOL
	EHF24	IN	THERMOMETERS Corrected.		9/17/2012		
	EHF19	IN	RODENTS/ANIMALS/OPENINGS Corrected.		9/17/2012		
	EHF17	IN	HAND WASH WITH SOAP/TOWELS Corrected.		9/17/2012		
	EHF15	IN	EQUIPMENT ADEQUATE Corrected.		9/17/2012		

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

DOLLAR GENERAL #4285**3412 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF725	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/18/2012	11	HL1B
			a)Paper towels are needed in the employee restroom for the handsink.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		9/18/2012		
			a)Employee food being stored in refrigerator with food for sale. Employee food should not be mixed in with product for sale. Customers should not have access to employee food and drink.				
	EHF10	COS	SOUND CONDITION		9/18/2012		
			a)Cans dented on the seam of the can out on the shelves for sale. Remove these cans from service.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**DOLLAR GENERAL STORE #7285****403 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF54	EHF15	IN	EQUIPMENT ADEQUATE Corrected.		9/17/2012	0	HFOL
	EHF19	IN	RODENTS/ANIMALS/OPENINGS Corrected.		9/17/2012		
	EHF24	IN	THERMOMETERS Corrected.		9/17/2012		

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**DOLLAR TREE #05085
3300 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2290	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2012	0	H PREOPEN	
			a)Replace all missing ceiling tiles. b)English/spanish handwashing signs needed in employee restrooms.					

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

DRESCHERS CONCESSION**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6064	EHF23	COS	SEWAGE/WASTEWATER		9/14/2012	7	HL1B FOOD
			Hoses leaking. Remove fly strips from food service areas.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/14/2012		
			Towels needed at handsink.				
HFT6064					9/15/2012	0	HL1B FOOD
HFT6064					9/18/2012	0	HL1B FOOD

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12****ESTABLISHMENT****DRESCHERS CONCESSION**

HFT6065	EHF19	COS	RODENTS/ANIMALS/OPENINGS	9/15/2012	8	HL1B FOOD
			Flies in booth. Keep screens closed when not serving people.			
	EHF12	COS	CROSS CONTAMINATION	9/15/2012		
			Ice scoop laying in ice.			
HFT6065	EHF25	COS	FOOD CONTACT SURFACES	9/14/2012	6	HL1B FOOD
			Ice bin needed cleaned and sanitized.			
	EHF19	COS	RODENTS/ANIMALS/OPENINGS	9/14/2012		
			Many flies in booth.			
HFT6065				9/18/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**DURAZO ALBERTO
2617 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFX66	EHF27	COS	ESTABLISHMENT PERMIT		9/17/2012	3	HL1B
			Permit not in vehicle. Must keep permit and last inspection in vehicle at all times when vending.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/17/2012		
			Watermelon cut open on stand. Must not give out samples. Only for display.				

EDIBLE ARRANGEMENTS**300 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT3728					9/15/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**EL TEJAVAN
3801 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF339	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/19/2012	0	HFOL
			a)Corrected. b)Replace torn gasket on make table cooler.				
	EHF25	IN	FOOD CONTACT SURFACES		9/19/2012		
			C and D corrected.				
	EHF15	IN	EQUIPMENT ADEQUATE		9/19/2012		
			A and B corrected.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**FAST EDDIES BILLIARDS**

1619 S KENTUCKY ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1364	EHF12	COS	CROSS CONTAMINATION		9/19/2012	14	HL1B
			Ice paddle stored on floor. Keep the paddle in a sanitary location.				
	EHF09	COS	APPROVED SOURCE/LABELING		9/19/2012		
			Two spray bottles chemical not labeled. All chemicals must be labeled.				
	EHF24	COS	THERMOMETERS		9/19/2012		
			No thermometer in refrigerator. All cold hold units must have a thermometer.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/19/2012		
			No paper towels at hand wash sink. Paper towels are required at all times at hand wash sink.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2012		
			Ice bin (large plastic can on wheels) must have a lid to cover the ice when not in use. b)Freezer door and gasket are dirty. Clean regularly.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**FEATHER HUT
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6028					9/13/2012	0	HL1B FOOD
HFT6028					9/14/2012	0	HL1B FOOD
HFT6028					9/18/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**FOOD BOX
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6020	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/16/2012	6	HL1B FOOD
			Keep screen door closed.				
	EHF21	COS	MANUAL WARE WASHING		9/16/2012		
			Bleach water too weak.				
HFT6020	EHF28	COS	ALL OTHER VIOLATIONS		9/14/2012	3	HL1B FOOD
			Bottle not labeled.				
HFT6020	EHF21	COS	MANUAL WARE WASHING		9/19/2012	8	HL1B FOOD
			a)Bleach water found too weak. b)Discussed proper warewashing of coke nozzles,tea nozzles & utensils.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

FOOD BOX

HFT6020	EHF12	COS	CROSS CONTAMINATION Ice scoop found handle down in ice bin.	9/19/2012	8	HL1B FOOD
HFT6021				9/14/2012	0	HL1B FOOD
HFT6021	EHF21	COS	MANUAL WARE WASHING Bleach water must be at 100ppm.	9/16/2012	0	HL1B FOOD
HFT6021				9/19/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

FRIENDZ COCKTAIL LOUNGE & GRIL**711 SW 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1860	EHF18	H10DAY	INSECT CONTAMINATION		9/19/2012	3	HFOL
			An excessive amount of flies were observed in kitchen area;a licensed pest management company or pest control applicator must be contacted so flies can be controlled.If not corrected by 9/29/12,a \$50 reinspection fee will be charged until corrected.				
	EHF25	IN	FOOD CONTACT SURFACES		9/19/2012		
			A and F corrected.				
	EHF28	IN	ALL OTHER VIOLATIONS		9/19/2012		
			Corrected.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**FUDGE LADY OF TEXAS
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6036					9/16/2012	0	HL1B FOOD
HFT6036					9/14/2012	0	HL1B FOOD
HFT6036					9/19/2012	0	HL1B FOOD

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12****ESTABLISHMENT****GOLDEN LOTUS RESTAURANT****2417 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2037	EHF25	H10DAY	FOOD CONTACT SURFACES		9/18/2012	13	HL1B
			Condiment containers found sticky to touch from food residue. 10 days to correct. Containers should be cleaned when empty.				
	EHF16	COS	HAND WASH FACILITIES ADEQUATE		9/18/2012		
			Air-drying utensils in hand-sink. Hand-sink may not be used to air-dry utensils. Employees must have access to hand-sink at all times during operation.				
	EHF09	COS	APPROVED SOURCE/LABELING		9/18/2012		
			Improper date-marking on container of cooked beef. Employee stated that the product had been prepared 24 hrs. previous to inspection.				
	EHF20	COS	TOXIC ITEMS		9/18/2012		
			Employee's personal medicine stored above food prep area.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**GRAND DISCOUNT
1619 N GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1071	EHF21	H10DAY	MANUAL WARE WASHING		9/13/2012	6	HL1B
			No sanitizer used when cleaning soda nozzles. Must wash, rinse, and sanitize soda nozzles every night or every 24 hrs. B)No sanitizer present in wipe down solution. C)No test strips available for sanitizing solution.				
	EHF25	COS	FOOD CONTACT SURFACES		9/13/2012		
			Excessive mold growth found on soda nozzles. Must be cleaned every 24 hrs.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/13/2012		
			Box of single-use cups stored on floor. Must store 6 inches off floor.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**HCB NUTRITION
2015 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2303	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/17/2012	0	H PREOPEN
			Box of single-use items stored on floor. All food related items must be stored 6 inches off floor.				
	EHF24	H10DAY	THERMOMETERS		9/17/2012		
			Thermometer needed in refrigerator.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		9/17/2012		
			Door sweep needed on back door.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

HOOP CONCESSIONS INC

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6022					9/14/2012	0	HL1B FOOD
HFT6022					9/14/2012	0	HL1B FOOD
HFT6023					9/14/2012	0	HL1B FOOD
HFT6023	EHF21	COS	MANUAL WARE WASHING		9/15/2012	7	HL1B FOOD
			Bleach water must be at 100ppm.				

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12**

ESTABLISHMENT

HOOP CONCESSIONS INC

HFT6023	EHF07	COS	ADEQUATE HAND WASHING	9/15/2012	7	HL1B FOOD
---------	-------	-----	-----------------------	-----------	---	-----------

Personnel must wash hands for at least 20 seconds before putting on gloves. Handwashing is done in handwashing sink only. Servers inside booth must wear hair restraints.

HFT6023				9/18/2012	0	HL1B FOOD
---------	--	--	--	-----------	---	-----------

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

KFC**316 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF993	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		9/19/2012	3	HL1B
			Gasket on back door needs to be replaced. B)Back door was found unlatched allowing a gap to exist. Must keep door latched when not in use.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2012		
			Dust accumulation found on ceiling of walk-in refrigerator in front of blowers.				

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12****ESTABLISHMENT****KIBBY BRANDON/FUNNEL CAKE#2****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6051	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS		9/14/2012	6	HL1B FOOD
			Lightshields & endcaps needed on lights.				
	EHF23	H 2 HOUR	SEWAGE/WASTEWATER		9/14/2012		
			Wastewater leak at trailer.				
HFT6051	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/17/2012	6	HL1B FOOD
			Window open w/o air curtain turned on.Fly strip found hanging in booth while food was being prepared.Explained that strips can be put out at night when closed & taken down when you open.Wipe all surfaces down with sanitizer.Fly control must be addressed.				

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12**

ESTABLISHMENT

KIRKLAND COURT HEALTH & REHABI**1601 KIRKLAND DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1696	EHF10	COS	SOUND CONDITION		9/19/2012	7	HL1B	
			Dented cans in store room. Seam dented cans are not allowed. b)Food products marked keep refrigerated found not refrigerated.					
	EHF25	COS	FOOD CONTACT SURFACES		9/19/2012			
			Shelf bottom above cooktop is covered in dry food splatter.Clean shelf daily to prevent bacteria from contaminating foods cooking on cooktop. Sanitized items stored in drawer with non sanitized. Keep separated. Inside handles on coolers need to be clean.					

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**LIFE FELLOWSHIP
2817 SE 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1330	EHF25	COS	FOOD CONTACT SURFACES		9/13/2012	6	HL1B
			Microwave ovens have splatter on inside top. Can opener blade found with food attached. Blade must be cleaned every 4 hours if used.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/13/2012		
			Clean fan.				
	EHF21	COS	MANUAL WARE WASHING		9/13/2012		
			Sanitizer found too strong in dish sink. Use test strips to ensure 50ppm chlorine for dishes and 100 ppm chlorine for table and counter wipedown.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**LONG JOHN SILVERS****725 N PIERCE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1682	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		9/13/2012	3	HFOL

Establishment has receipt from pesticide application dated 9/12/12 & fly population has decreased. Replace door sweeps at front of restaurant to help prevent future fly nuisance. Door sweeps must reach ground level so that no light can be seen under door.

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

MARTINEZ PAT/CORNDOG STAND**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT6057					9/14/2012	0	HL1B FOOD	
HFT6057	EHF28	COS	ALL OTHER VIOLATIONS		9/17/2012	3	HL1B FOOD	
			Coke box cabinet on outside of booth needs to be protected from public.Pushed back against booth.					

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**MARTINEZ PAT/MIDWAY GRILL****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6059	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS		9/14/2012	16	HL1B FOOD
			Endcaps needed on 2 lights.				
	EHF25	H 2 HOUR	FOOD CONTACT SURFACES		9/14/2012		
			Clean can opener blade.				
	EHF19	H 2 HOUR	RODENTS/ANIMALS/OPENINGS		9/14/2012		
			Get rid of flies.				
	EHF23	H 2 HOUR	SEWAGE/WASTEWATER		9/14/2012		
			Wastewater line not in cleanout.				
	EHF14	H 2 HOUR	WATER SUPPLY		9/14/2012		
			Water leak at trailer.				

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12**

ESTABLISHMENT

MARTINEZ PAT/MIDWAY GRILL

HFT6059	EHF23	H24 HOUR	SEWAGE/WASTEWATER	9/17/2012	9	HL1B FOOD
---------	-------	----------	-------------------	-----------	---	-----------

Ice bin for bottled water discharging water onto ground. Valve closed. Must have hose drain by tomorrow.
Coke machine-Sprite nozzle leaking. Repair.

	EHF19	H 2 HOUR	RODENTS/ANIMALS/OPENINGS	9/17/2012		
--	-------	----------	--------------------------	-----------	--	--

a)Window by grill as open. Closed.Discussed screening opening.cos b)Fly control must be addressed.

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12****ESTABLISHMENT****MARTINEZ PAT/PITSTOP STAND****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6056	EHF25	COS	FOOD CONTACT SURFACES	Soda nozzles needed to be cleaned.	9/14/2012	6	HL1B FOOD
	EHF28	COS	ALL OTHER VIOLATIONS	Lightshields missing end caps.	9/14/2012		
HFT6056	EHF19	COS	RODENTS/ANIMALS/OPENINGS	Have windows closed when not in use.	9/15/2012	3	HL1B FOOD
HFT6056	EHF19	H 2 HOUR	RODENTS/ANIMALS/OPENINGS	Fly control needs to be addressed.	9/19/2012	16	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

MARTINEZ PAT/PITSTOP STAND

HFT6056	EHF12	COS	CROSS CONTAMINATION	9/19/2012	16	HL1B FOOD
			Ice scoop found handle down in ice bin.			
	EHF25	COS	FOOD CONTACT SURFACES	9/19/2012		
			a)Coke machine nozzles & equipment found dirty. Must be cleaned daily. b)Lemonade & tea tea urn nozzles must be cleaned daily.			
	EHF24	H 2 HOUR	THERMOMETERS	9/19/2012		
			Thermometer needed in freezer.			

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

MARTINEZ PAT/TURKEY LEG STAND

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6058					9/14/2012	0	HL1B FOOD
HFT6058					9/17/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**MARTINEZ ROSA
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6048					9/16/2012	0	HL1B FOOD
HFT6048					9/14/2012	0	HL1B FOOD
HFT6048					9/19/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**MARTYS CONCESSIONS**

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6041	EHF28	H24 HOUR	ALL OTHER VIOLATIONS		9/14/2012	3	HL1B FOOD
			Concrete floor will need to be sealed and baseboard around wall.				
HFT6041	EHF28	H24 HOUR	ALL OTHER VIOLATIONS		9/16/2012	6	HL1B FOOD
			Concrete floor needs sealed, baseboards needed around wall.				
	EHF25	H 2 HOUR	FOOD CONTACT SURFACES		9/16/2012		
			Don't store utensils with food residue outside of warmer & put back in without cleaning.				
HFT6045					9/14/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

MARTYS CONCESSIONS

Inspection Number	Establishment Name	County	Category	Date	Score	Comments
HFT6045	EHF19	COS	RODENTS/ANIMALS/OPENINGS	9/15/2012	3	Flies in booth.
HFT6046				9/14/2012	0	HL1B FOOD
HFT6046				9/17/2012	0	HL1B FOOD
HFT6047	EHF08	COS	GOOD HYGIENIC PRACTICES	9/14/2012	4	Eating in booth.

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

MARTYS CONCESSIONS

HFT6047	9/14/2012	0	HL1B FOOD
---------	-----------	---	-----------

HFT6047	9/18/2012	0	HL1B FOOD
---------	-----------	---	-----------

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**MCDONALDS
1720 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1602	EHF28	COS	ALL OTHER VIOLATIONS		9/13/2012	0	HL1B	
			Condiment containers found not clean. b)Small drip at hand sink. Repair as needed.					

5620 W AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1954	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/19/2012	6	HL1B	
			Keep thermometers in warmest part of coldhold units. Gaskets to two coolers need to be replaced. Gap at ceiling tiles above icemaker needs to be sealed. One broken plastic top to food container. Do not use any broken plastic food equipment.					
	EHF25	H10DAY	FOOD CONTACT SURFACES		9/19/2012			
			Condiment trays in kitchen have food spills. Keep containers clean. Handles to make table cooler have food buildup. Clean daily. Ice scoop holder at drive up window dirty.					
	EHF20	COS	TOXIC ITEMS		9/19/2012			
			Spray bottle chemical found stored hanging on single service food rack. Never store chemicals where food related items are stored.					

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

MCDONALDS

**MOMMA LUS
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6025					9/14/2012	0	HL1B FOOD
HFT6025					9/13/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

NATURES GOURMET GARDEN**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT6037					9/14/2012	0	HL1B FOOD	
HFT6037	EHF21	COS	MANUAL WARE WASHING		9/16/2012	3	HL1B FOOD	
			Sanitizer water must be prepared when you open. You need chlorine test strips for your sanitizer water.					
HFT6037					9/19/2012	0	HL1B FOOD	

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**NEMETH PAUL
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6049	EHF28	COS	ALL OTHER VIOLATIONS		9/14/2012	9	HL1B FOOD
			Wood floor needs to be sealed. Food storage with no protection from elements.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/14/2012		
			Opening needs screen & service windows.				
HFT6049	EHF21	COS	MANUAL WARE WASHING		9/17/2012	10	HL1B FOOD
			3 comp sink found full of chemical bottles. Discussed proper warewashing.				
	EHF23	COS	SEWAGE/WASTEWATER		9/17/2012		
			Wastewater found discharging onto ground, booth closed until repaired. Area disinfected. Found sewage leaking from tank again, booth closed, drain hose ran to sewer area disinfected.				
	EHF07	COS	ADEQUATE HAND WASHING		9/17/2012		
			Handsink found with container of sugar. Handsink not accessible.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

NEMETH PAUL

HFT6049	EHF10	COS	SOUND CONDITION Soda bottle stored in ice for food.	9/19/2012	8	HL1B FOOD
	EHF21	H 2 HOUR	MANUAL WARE WASHING Bleach water below 200ppm.	9/19/2012		

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**NU CASTLE DINER
518 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF177	EHF02	COS	COLD HOLDING		9/18/2012	5	HL1B
			Eggs found at 51 degrees F. Eggs must be surrounded by ice if not in refrigerator.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/18/2012		
			Purse stored on prep table. b)Utensil container not clean. c)New gasket needed on ice machine. d)Store room floor needs tiles replaced. e)Sm.fan needs to be cleaned.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

OUR LADY OF GUADALUPE**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6040	EHF03	COS	HOT HOLDING		9/15/2012	8	HL1B FOOD
			Center pans on hot hold table were at 128-115°. Hot hold must be 135° or above.				
	EHF23	COS	SEWAGE/WASTEWATER		9/15/2012		
			Wastewater leaking on ground. Make sure tank is emptied or connect to drain.				
HFT6040	EHF25	COS	FOOD CONTACT SURFACES		9/14/2012	7	HL1B FOOD
			Replace utensils with melted handles that are not easily cleanable.				
	EHF14	COS	WATER SUPPLY		9/14/2012		
			Water supply has insufficient pressure. Must be fixed before opening.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

OUR LADY OF GUADALUPE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6040	EHF24	H 2 HOUR	THERMOMETERS		9/19/2012	8	HL1B FOOD
			Thermometer needed to check food temps.				
	EHF21	H 2 HOUR	MANUAL WARE WASHING		9/19/2012		
			Bleach water below 200ppm.				

PALO DURO HIGH COMMERCIAL LAB**1400 N GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1115	EHF28	IN	ALL OTHER VIOLATIONS		9/19/2012	0	HFOL
			Corrected.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**PALO DURO HIGH SCHOOL**

1400 N GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF682	EHF19	IN	RODENTS/ANIMALS/OPENINGS	Corrected. Hole repaired.	9/17/2012	0	HFOL

PAPA JOHNS PIZZA #1504

3415 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF744	EHF25	COS	FOOD CONTACT SURFACES	a)Chipped pizza cutter in service. Dispose of any utensils that get chipped or begin to get worn.	9/18/2012	3	HL1B
	EHF28	COS	ALL OTHER VIOLATIONS	a.) Wash, rinse, sanitize the bin that holds clean utensils in the back. It has debris in the bottom of it.	9/18/2012		

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**PAPA MURPHYS
6032 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2304	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/18/2012	0	HL1B

You will need to have someone take Food Manager class within 45 days. Next class is October 10 and test October 12.

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

PARADISE AMUSE/FUNNEL CAKE#1**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6050					9/14/2012	0	HL1B FOOD
HFT6050	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/17/2012	6	HL1B FOOD
			Air curtain found not on. Employee turned on.				
	EHF21	COS	MANUAL WARE WASHING		9/17/2012		
			Sanitizer found at 200ppm. Remade to 100ppm.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**PARADISE AMUSE/FUNNEL CAKE#3**

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6052	EHF14	COS	WATER SUPPLY		9/14/2012	7	HL1B FOOD
			No backflow device on hose.				
	EHF25	COS	FOOD CONTACT SURFACES		9/14/2012		
			Soda guns need to be cleaned.				
HFT6052	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/17/2012	9	HL1B FOOD
			Window opened w/o air curtain turned on.				
	EHF23	H 2 HOUR	SEWAGE/WASTEWATER		9/17/2012		
			Wastewater leaking onto ground. Ice bin drain discharging under booth. Leak must be stopped or routed to drain by opening tomorrow.				
	EHF21	COS	MANUAL WARE WASHING		9/17/2012		
			Sanitizer too strong.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

PARADISE AMUSE/FUNNEL CAKE#3**PATS YUM YUM HUT
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6026					9/14/2012	0	HL1B FOOD
HFT6026	EHF11	COS	PROPER HANDLING RTE		9/15/2012	9	HL1B FOOD
			Employees must wear gloves when handling the finished cotton candy.				
	EHF09	COS	APPROVED SOURCE/LABELING		9/15/2012		
			Employees must wash hands after using cell phones.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

PIERRES TRANDAFIR CONCESSION**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6001	EHF14	COS	WATER SUPPLY		9/13/2012	9	HL1B FOOD
			Backflow prevention device needed.				
	EHF24	COS	THERMOMETERS		9/13/2012		
			Thermometer needed in cooler.				
HFT6001	EHF11	COS	PROPER HANDLING RTE		9/15/2012	5	HL1B FOOD
			Handling pita bread with bare hands. Must use gloves or utensils.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**POTATO FACTORY
2808 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2026	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2012	0	HL1B	
			a)Label bulk items out of the original container. b)Purchase sanitizer test strips.					

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**RAGLEY CONCESSIONS
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6043					9/16/2012	0	HL1B FOOD
HFT6043					9/14/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**RESTAURANTE LOS HERMANOS RAMIR****5009 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF3	EHF28	COS	ALL OTHER VIOLATIONS		9/18/2012	9	HL1B
			A.)Food stored in freezer without cover.				
	EHF25	COS	FOOD CONTACT SURFACES		9/18/2012		
			A)Microwave found dirty. B)Scoop handle stored below food level in container. C)Glasses stored on dirty surface. D)Can opener found dirty. E)Vent hood filters missing.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/18/2012		
			No paper towels at hand-sink in kitchen. No paper towels in women's restroom. Must provide approved sanitary towels.				
	EHF21	COS	MANUAL WARE WASHING		9/18/2012		
			Wipe-down sanitizer containing no sanitizer. Must be 100 ppm.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**RIBS & ROUX
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6027					9/13/2012	0	HL1B FOOD
HFT6027					9/14/2012	0	HL1B FOOD
HFT6027					9/18/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

RIVER ROAD BOOSTER CLUB**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6029					9/13/2012	0	HL1B FOOD
HFT6029					9/18/2012	0	HL1B FOOD
HFT6029					9/14/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**ROYAL PIG DINER
2734 WESTHAVEN CIR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFK114	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2012	0	H PREOPEN	
			a)Post Royal Pig Diner name & permit number on unit. b)Wipe down all food contact surfaces in unit before catering.					

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**SANDY TRAIL FARM
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT6067	EHF28	H24 HOUR	ALL OTHER VIOLATIONS		9/15/2012	3	HL1B FOOD	
			No permit. When you sell in Potter or Randall Co you will need to get a permit from our office.					
HFT6067	EHF28	IN	ALL OTHER VIOLATIONS		9/19/2012	0	HL1B FOOD	

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**SOUTHWEST OPTIMIST CLUB**

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6030	EHF28	COS	ALL OTHER VIOLATIONS Fix lightshield end caps.		9/13/2012	3	HL1B FOOD
HFT6030	EHF21	H 2 HOUR	MANUAL WARE WASHING Bleach water must be at 100ppm.		9/15/2012	8	HL1B FOOD
	EHF02	H 2 HOUR	COLD HOLDING Reach in cooler found at 60°.Cooler must be at 41° or below.		9/15/2012		
HFT6030	EHF25	COS	FOOD CONTACT SURFACES Chili cheese nozzle needs to be cut at an angle to let food drain. Discussed clean tea nozzle daily wash-rinse-sanitize-air dry.		9/19/2012	3	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

ST MATTHEW UNITED METHODIST CH**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6031					9/13/2012	0	HL1B FOOD
HFT6031	EHF02	H 2 HOUR	COLD HOLDING		9/16/2012	5	HL1B FOOD
			Cooler found at 50°. Make sure it is 41° or below.				
HFT6031					9/19/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**SUGARS CONCESSION
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6002					9/14/2012	0	HL1B FOOD
HFT6002					9/18/2012	0	HL1B FOOD
HFT6002					9/13/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

SUGARS CONCESSIONS

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT6003	EHF25	H 2 HOUR	FOOD CONTACT SURFACES		9/13/2012	3	HL1B FOOD	
			a)Clean soda nozzles & soda machine. cos b)Replace gaskets on two small reach in coolers.					
HFT6003	EHF11	H 2 HOUR	PROPER HANDLING RTE		9/15/2012	5	HL1B FOOD	
			Employees must be wearing gloves when cutting up lemons for drinks. Servers must wear hair restraints inside booth. Do not store ice scoop on soda fountain grill.					
HFT6004					9/13/2012	0	HL1B FOOD	
HFT6004	EHF14	COS	WATER SUPPLY		9/15/2012	4	HL1B FOOD	
			Water hose with spray nozzle was laying on ground. Always keep off ground.					

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**SUGARS CONCESSIONS**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6004	EHF21	COS	MANUAL WARE WASHING	Sanitizer too weak.	9/18/2012	6	HL1B FOOD

	EHF19	COS	RODENTS/ANIMALS/OPENINGS	Air curtain not on. Self-closer not on.	9/18/2012		
--	-------	-----	--------------------------	---	-----------	--	--

SUNSHINE VALLEY CHILD CARE
4618 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD22	EHF24	COS	THERMOMETERS	Probe-type thermometer needing calibration.	9/19/2012	3	HL1B

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

SUPER MERCADO LOS OLIVOS

3803 NE 24TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1324	EHF10	COS	SOUND CONDITION		9/19/2012	12	HL1B
			Bulk dry-good bags of cane sugar and salt left open and exposed in back room. Must be kept closed to prevent contamination.				
	EHF02	COS	COLD HOLDING		9/19/2012		
			Eggs found at 50 degrees. Must be kept at 41 degrees or below.				
	EHF25	COS	FOOD CONTACT SURFACES		9/19/2012		
			Scoop for flour found without handle. B)Handle of salt scoop found below food level in container.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/19/2012		
			Dust build-up found on ceiling of produce walk-in refrigerator. cos B)Light shields missing above produce display.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

TAMMES TENDER TOUCH TOO**1009 S HIGHLAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFD64	EHF28	H60 DAY	ALL OTHER VIOLATIONS		9/18/2012	0	HL1B	
			a)Store all medications in refrigerator in a second container. b)Ensure all microwave bowls say they are for use in microwave. c)Clean spills in cabinet. d)Ensure gloves are used to cover long painted nails.					

THAI GARDEN
5017 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2280	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		9/18/2012	0	HFOL	
			Food manager acquired.					

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12**

ESTABLISHMENT

THUNDERING BUFFALOS GRILL & SA**2811 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC278	EHF24	COS	THERMOMETERS		9/19/2012	6	HL1B
			Reachin on cooks line needed thermometer.				
	EHF25	COS	FOOD CONTACT SURFACES		9/19/2012		
			a)Ice machine needed to be cleaned. b)Utensil trays needed to be cleaned. c)Potato slicer needed to be cleaned. d)Warewashing machine needed to be cleaned.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

TIMBER WOLF TRADING/WILD WEST**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6035					9/14/2012	0	HL1B FOOD
HFT6035	EHF21	H 2 HOUR	MANUAL WARE WASHING		9/16/2012	3	HL1B FOOD
			Sanitizer water must be at least 100ppm.				
HFT6035					9/19/2012	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**TORNADO TATERS, LP
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6032					9/14/2012	0	HL1B FOOD
HFT6032	EHF21	H 2 HOUR	MANUAL WARE WASHING		9/15/2012	3	HL1B FOOD
			Bleach water must be at 100ppm. Keep utensil stored inside of product with the handle up. Servers inside booth must wear hair restraints.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

UNITED SUPERMARKET #523**5601 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1679	EHF18	IN	INSECT CONTAMINATION Corrected.		9/19/2012	0	HFOL
	EHF28	H90 DAY	ALL OTHER VIOLATIONS Seal all bare wood shelves and cabinets in coffee shop.		9/19/2012		

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**WAFFLE HOUSE #491
1807 S LAKESIDE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1299	EHF25	H24 HOUR	FOOD CONTACT SURFACES		9/13/2012	36	HL1B
			8 locations found dirty. Tea & soda nozzles found moldy, nozzles must be taken apart & cleaned daily using wash, rinse, sanitize & air dry process.				
	EHF28	H24 HOUR	ALL OTHER VIOLATIONS		9/13/2012		
			Clean dust from lamps located over grill area. All food & single service items must be stored at least 6" off of the floor. cos. Repair or replace sagging ceiling tiles. Mop sink needs to be cleaned.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/13/2012		
			No paper towels were available at handsink in kitchen area.				
	EHF18	H24 HOUR	INSECT CONTAMINATION		9/13/2012		
			Live roaches found in back kitchen area. Establishment has an excessive amount of flies. A licensed pest control company or pest control applicator must be contacted to help minimize the presence of pests inside of the establishment.				
	EHF02	COS	COLD HOLDING		9/13/2012		
			Eggs sitting over grill found at 65°. Eggs were thrown away. Milk found at 48° in reach-in cooler. Milk was thrown away. Sliced tomatoes in make table cooler next to grill were found at 60°. Tomatoes were thrown away.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

WAFFLE HOUSE #491

HF1299	EHF07	COS	ADEQUATE HAND WASHING	9/13/2012	36	HL1B
			Multiple employees observed not washing hands before putting on gloves.			
	EHF08	COS	GOOD HYGIENIC PRACTICES	9/13/2012		
			Employee observed dumping tea into the handsink. Handsinks are for handwashing only.			
	EHF10	COS	SOUND CONDITION	9/13/2012		
			Apple pie in reach-in cooler found with mold growing on it. Pie was thrown away.			
	EHF12	COS	CROSS CONTAMINATION	9/13/2012		
			Condensation inside of reach-in cooler found dripping into open box of hash browns. Hash browns were thrown away.			
	EHF23	H24 HOUR	SEWAGE/WASTEWATER	9/13/2012		
			Ice machine is leaking wastewater onto floor; ice machine must be repaired or replaced.			
	EHF20	H24 HOUR	TOXIC ITEMS	9/13/2012		
			Chlorine wipe down solution found at over 200 ppm.			

Food Establishment Public Inspection Report**From 9/13/12 thru 9/19/12****ESTABLISHMENT****WAFFLE HOUSE #491**

HF1299	EHF23	H10DAY	SEWAGE/WASTEWATER	9/14/2012	6	HL1B
--------	-------	--------	-------------------	-----------	---	------

Ice machine is leaking wastewater onto floor; ice machine must be repaired or replaced.

	EHF18	H10DAY	INSECT CONTAMINATION	9/14/2012		
--	-------	--------	----------------------	-----------	--	--

a) Live roaches found in back kitchen area. b) Establishment has an excessive amount of flies. A licensed pest control co or pest control applicator must be contacted.

	EHF25	IN	FOOD CONTACT SURFACES	9/14/2012		
--	-------	----	-----------------------	-----------	--	--

Corrected.

	EHF28	IN	ALL OTHER VIOLATIONS	9/14/2012		
--	-------	----	----------------------	-----------	--	--

a) Corrected. c) Corrected. d) correction

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

WENDYS OLD FASHION BURGER 4106**5638 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1181	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2012	7	HL1B
			Air vents above service counter and prep sink need to be cleaned. b)Condiment bins not clean. c)Back door gap must be sealed. d)Do not use any broken plastic containers/lids. e)Replace broken floor tiles. f)Clean kitchen floor behind ice machine.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		9/19/2012		
			Open employee drink on counter with food items. All employee drinks in kitchen must have a lid and straw.				
	EHF21	COS	MANUAL WARE WASHING		9/19/2012		
			No sanitizer in sanitizing sink. Unit is not dispensing sanitizer properly.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**WEST TEXAS PROVISIONS****314 S FANNIN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1619	EHF28	IN	ALL OTHER VIOLATIONS		9/18/2012	0	HL1B	
			4 corrections from previous inspection					

WHATABURGER #902
3620 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1228	EHF18	H10DAY	INSECT CONTAMINATION		9/13/2012	3	HINVEST	
			Establishment has an excessive amount of flies. A licensed pest control company or pest control applicator must be contacted in order to minimize the presence of flies in the establishment.					

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT

**WHISKERS
1219 SW 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1278	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/19/2012	0	HFOL

Post current food establishment permit. E & F corrected. There is a hole in wooden door on side of bldg; must be repaired or replaced. Establishment needs current fd mgr; an employee must attend course or establishment could be issued a fine.

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**WIGGINS CONCESSION****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6033					9/13/2012	0	HL1B FOOD
HFT6033	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS		9/16/2012	3	HL1B FOOD
			Food employees must wear hair restraints.				

Food Establishment Public Inspection Report

From 9/13/12 thru 9/19/12

ESTABLISHMENT**WILD BILLS
3514 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1909	EHF14	COS	WATER SUPPLY		9/18/2012	4	HL1B	
			Hot water was turned off to hand washing sink in bar, sink must have hot and cold water at all times.					

**WORLD FAMOUS POPCORN FACTORY
7701 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2177	EHF29	IN	RECOGNITION		9/13/2012	0	HL1B	
			Store is in perfect shape & everything is spotless. Excellent job!					