

Food Establishment Public Inspection Report
From 4/11/13 thru 4/17/13

ESTABLISHMENT

7 BAR AND GRILL
3130 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2023	EHF02	IN	COLD HOLDING		4/17/2013	7	HL1B
			A)Turkey holding at 38 degrees.				
	EHF03	IN	HOT HOLDING		4/17/2013		
			A)Taco meat holding at 170 degrees. B)Meat balls holding at 180 degrees.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		4/17/2013		
			A)Employee seen using hand sink to clean dishes, hand sinks are for hand washing only. B)Employee food must remain out of the kitchen.				
	EHF16	COS	HAND WASH FACILITIES ADEQUATE		4/17/2013		
			A)Hand sink in kitchen was blocked by a cutting board, hand sinks must remain open and clear at all times.				
	EHF28	COS	ALL OTHER VIOLATIONS		4/17/2013		
			A)Lemons and limes must be rinsed off prior to cutting.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**7 BAR AND GRILL****ABC LEARNING CENTER I****5901 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD30					4/12/2013	0	HL1B

ACADEMY SPORTS AND OUTDOORS**4400 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1065					4/17/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

ACCDC ST JOSEPH CAMPUS**4108 S BONHAM ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD35					4/11/2013	0	HL1B

AFC SUSHI @ UNITED #526**2530 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1320	EHF21	COS	MANUAL WARE WASHING		4/17/2013	6	HL1B
			a)Quat sanitizer less than 200 ppm in wipedown bucket.				
	EHF25	COS	FOOD CONTACT SURFACES		4/17/2013		
			a)Knife with a broken tip being used. Dispose of all utensils that are broken.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**AIRPORT SHELL
9525 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1021	EHF28	IN	ALL OTHER VIOLATIONS Corrected.		4/16/2013	0	HFOL

**ANDERSON MERCHANDISERS
421 SE 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF722	EHF02	H24 HOUR	COLD HOLDING		4/17/2013	5	HFOL
Food in make table temped at 50F. Food was thrown out. A \$50 reinspection fee will be charged if problem is not corrected by 04/18/2013.							

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

AUSTIN MIDDLE SCHOOL

1808 WIMBERLY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF667	EHF23	IN	SEWAGE/WASTEWATER		4/16/2013	0	HFOL
			a)Corrected.				

B & B ENTERPRISES

5809 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1544					4/12/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**BIG TEXAN STEAK RANCH
7701 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF478	EHF28	H45 DAY	ALL OTHER VIOLATIONS		4/12/2013	0	HFOL
			Gasket on reach-in glass salad cooler is ripped & needs to be replaced. Gasket on salad reach-in make table cooler door is ripped & needs to be replaced. Metal clean dish racks are rusty & have peeling paint; must be finished or replaced.c)d)e) corrected.				
	EHF15	IN	EQUIPMENT ADEQUATE		4/12/2013		
			Corrected.				

**BIVINS ELEMENTARY
1500 S FANNIN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF650	EHF28	IN	ALL OTHER VIOLATIONS		4/11/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**BLUE SKY
4201 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF976	EHF08	COS	GOOD HYGIENIC PRACTICES		4/16/2013	4	HL1B	
			A)Employee seen chewing gum, gum is not allowed.					

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**BURGER KING #2185
4317 TECKLA BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF425	EHF19	H 3 DAYS	RODENTS/ANIMALS/OPENINGS		4/11/2013	3	HFOL
			Back door has not been sealed. Establishment has 3 days to repair. A grate has not been put over floor drain. This will allow rodents in the building. A \$50 reinspection fee has been charged & must be pd by noon on 4/15/13. Another \$50 if not corrected.				
HF425	EHF19	IN	RODENTS/ANIMALS/OPENINGS		4/16/2013	0	HFOL
			Bottom of back door has been sealed. b) Floor drain has been sealed.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

CAFE MARIZON ON POLK ST**6151 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2228	EHF12	COS	CROSS CONTAMINATION		4/15/2013	4	HL1B	
			Ice scoop was laying in ice at soda fountain, stand in ice with handle up.					

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13****ESTABLISHMENT****CARINOS ITALIAN
8400 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1041	EHF08	COS	GOOD HYGIENIC PRACTICES		4/15/2013	12	HL1B
			Dishes found in handsink, handsinks are for handwashing only.				
	EHF02	COS	COLD HOLDING		4/15/2013		
			a)Chicken holding at 57°. (Discarded).b)Heavy cream holding at 65°. (Rapidly chilled).				
	EHF24	COS	THERMOMETERS		4/15/2013		
			Cooler found without a thermometer. b)Broken thermometer found in dessert cooler.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

CHILIS GRILL & BAR
3810 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF519	EHF02	IN	COLD HOLDING		4/16/2013	6	HL1B
			A)Raw chicken holding at 38 degrees. B)Tomatoes holding at 40 degrees.				
	EHF03	IN	HOT HOLDING		4/16/2013		
			A)Fried chicken holding at 138 degrees.				
	EHF22	H60 DAY	MANAGER KNOWLEDGE/CERTIFIED		4/16/2013		
			A)Food manager card has expired, must renew up to 60 days expired for \$35, after 60 days cost is \$40.				
	EHF25	COS	FOOD CONTACT SURFACES		4/16/2013		
			A)Several dishes found with food debris still on them. B)Clean knives found with food debris.				

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13****ESTABLISHMENT****CHILI'S GRILL & BAR
5016 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1456	EHF21	H5DAYS	MANUAL WARE WASHING		4/17/2013	3	HL1B
			A)Dish machine not sanitizing, must be fixed by 4-22-13.				
	EHF02	IN	COLD HOLDING		4/17/2013		
			A)Chicken holding at 37 degrees. B)Beef holding at 40 degrees.				
	EHF28	H5DAYS	ALL OTHER VIOLATIONS		4/17/2013		
			A)Condensor unit in walk in is freezing up and dripping on food, must be fixed by 4-22-13.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

CHURCHS CHICKEN #592

2002 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF980	EHF24	COS	THERMOMETERS		4/17/2013	10	HL1B
			a)No thermometer in cold hold unit.				
	EHF21	COS	MANUAL WARE WASHING		4/17/2013		
			a)0 ppm bleach registered in sanitizer in 3 compartment sink.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		4/17/2013		
			a)Dirty utensil in handsink. Do not place dirty items in handsink.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

CITY VIEW ELEMENTARY

3404 KNOLL DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1833					4/11/2013	0	HFOL

CP S SPORTS BAR 1803 S LAKESIDE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2387	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/12/2013	3	HL1B
			Post current food establishment permit. b)Cover exposed insulation in ceiling above kitchen area.				
	EHF25	COS	FOOD CONTACT SURFACES		4/12/2013		
			Clean inside of reach-in cooler. b)Clean ice scoop holster.				

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13**

ESTABLISHMENT

CURTIS FLEMMING LEARNING CTR**3001 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD62	EHF21	COS	MANUAL WARE WASHING		4/11/2013	3	HL1B
			a)Bleach water below 50 ppm. Must be at least 50 ppm to sanitize.				
	EHF28	COS	ALL OTHER VIOLATIONS		4/11/2013		
			a)Clean out utensil holders. b)Clean out light casing in venthood. c)Single service items need to come up 6" off the ground.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**CUSTOM CATERING
6010 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2389	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/15/2013	3	HL1B	
			Ceiling tiles need to be smooth and easily cleanable. Replace all by next inspection.					
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		4/15/2013			
			Food manager needed within 45 days.					

**CUSTOM FOOD GROUP
1000 SW 7TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF322	EHF28	COS	ALL OTHER VIOLATIONS		4/17/2013	0	HL1B	
			Clean ice buildup around fan blowers in walk-in freezer. Clean dust from fan blowers & wall in walkin cooler.Clean ice buildup from shelves in reach-in freezer.Replace missing ceiling tile.All food & single use items must be stored at least 6" off floor.					

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13****ESTABLISHMENT****DENNYS RESTAURANT #6674****1710 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF392	EHF25	COS	FOOD CONTACT SURFACES		4/16/2013	6	HL1B
			Clean: microwaves behind grill, shelf above steam table, inside glass dessert cooler, inside reach in cabinets beneath grill, wall behind steam table & fryer area. Single use items stored on dirty surface, items thrown away. Spoons stored in dirty bin.				
	EHF21	H10DAY	MANUAL WARE WASHING		4/16/2013		
			Quaternary ammonia sanitizer dispenser located over 3 compartment sink is broken and leaking sanitizer; dispenser must be repaired or replaced.				
	EHF28	H60 DAY	ALL OTHER VIOLATIONS		4/16/2013		
			a)Clean fryer venthood. b)Metal shelves in reach-in glass are no longer easily cleanable and need to be repaired or replaced. c)Seal hole in ceiling located above water heater.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**DIVERSE NUTRITION**

3506 SE 27TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2305	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/16/2013	3	HL1B
			Store all single service articles at least 6" off floor. Cups on floor in back room. cos b)Do not store any potentially hazardous food in refrigerator unless the temperature can be better regulated. Temp is 45-48°F. No PHF in refrigerator at inspection.				
	EHF21	COS	MANUAL WARE WASHING		4/16/2013		
			No sanitizer for ware washing.				

**EASTRIDGE GROCERY
5200 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1813	EHF28	COS	ALL OTHER VIOLATIONS		4/16/2013	0	HL1B
			Boxes of food items need to be stored 6" off the floor.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**EL TEJAVAN
3420 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF613	EHF28	COS	ALL OTHER VIOLATIONS		4/16/2013	10	HL1B
			A)Clean blower covers. B)Replace AC vent cover by dish area. C)Buy a copy of food establishment permit \$25.				
	EHF21	H10DAY	MANUAL WARE WASHING		4/16/2013		
			A)Dish machine found not sanitizing, must be fixed to sanitize at 50ppm within 10 days.				
	EHF25	COS	FOOD CONTACT SURFACES		4/16/2013		
			A)Tea nozzels dirty. B)Soda gun dirty. C)Clean can opener blade. D)Clean all cooler door handles.				
	EHF13	COS	HACCP PLAN/TIME		4/16/2013		
			A)All potentially hazardous foods held longer than 24 hours must have preparation dates on them.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**EL VAQUERO
2200 SE 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF325	EHF15	H24 HOUR	EQUIPMENT ADEQUATE		4/16/2013	3	HL1B	
			The glass door refrigerator in the kitchen is too hot. Food temperatures are 45-47°F. Adjust to make colder.					
HF325	EHF15	IN	EQUIPMENT ADEQUATE		4/17/2013	0	HFOL	
			Refrigerator at 39°F.					

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

ELIZABETH J BIVINS CULINARY**6700 KILLGORE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1380	EHF25	COS	FOOD CONTACT SURFACES		4/11/2013	3	HL1B
			Clean food debris off of cabinet handles.				

EVOCATION COFFEE ROASTERS CO**4132 BUSINESS PARK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2222					4/11/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

FAMILY DISCOUNT #2

2601 CANYON DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2094	EHF28	COS	ALL OTHER VIOLATIONS		4/15/2013	0	HL1B	
			Single use items such as cups need to be stored off of floor.					

FANNIN MIDDLE SCHOOL

4623 S RUSK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF676	EHF25	COS	FOOD CONTACT SURFACES		4/12/2013	3	HL1B	
			Clean gaskets and door of reach-in pizza make table cooler. b)Tape found inside make table cooler; tape cannot be used on a food contact surface because it is not easily cleanable.					

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

FAT CAT FISH MARKET

1309 DUMAS DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1063	EHF28	H10DAY	ALL OTHER VIOLATIONS		4/17/2013	17	HL1B
			Grease needs to be cleaned off of vent hood.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		4/17/2013		
			Water leaking from roof of walk in cooler.				
	EHF21	COS	MANUAL WARE WASHING		4/17/2013		
			No sanitizer in 3 compartment sink.				
	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		4/17/2013		
			Hand sink in kitchen out of order.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		4/17/2013		
			No paper towels at hand sink at drink station.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**FAT CAT FISH MARKET**

HF1063	EHF03	COS	HOT HOLDING	4/17/2013	17	HL1B
--------	-------	-----	-------------	-----------	----	------

Beans temped at 70 F. They were thrown out. Food has to remain below 41F or above 135F.

FOOTPRINTS DAYSCHOOL**4333 SW 51ST AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD9					4/15/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

FURRBIES
210 SW 6TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1332					4/16/2013	0	HL1B

HAPPY ICE
4504 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM420	EHF27	H10DAY	ESTABLISHMENT PERMIT		4/17/2013	0	H PREOPEN

Permit numbers needed on two sides of the stand, at least 2 inches tall.

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13****ESTABLISHMENT****HENKS BAR B QUE ON ROUTE 66****2601 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2365	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		4/12/2013	0	HFOL
			Corrected from previous inspection.				

HERITAGE CONVALESCENT CENTER**1009 CLYDE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF597	EHF21	COS	MANUAL WARE WASHING		4/16/2013	6	HL1B
			Dishwasher not sanitizing properly.				
	EHF25	COS	FOOD CONTACT SURFACES		4/16/2013		
			Tea nozzles need to be cleaned.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**ICHIBAN RESTAURANT
3309 WIMBERLY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2153	EHF25	COS	FOOD CONTACT SURFACES		4/16/2013	3	HOTHER

Wipe down all exposed food contact surfaces to ensure fogging chemical is completely gone before opening.

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**JACOBOS CAFE
3701 OLSEN BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2361	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		4/17/2013	0	HFOL
			a)Food manager acquired.				
HF2361	EHF08	COS	GOOD HYGIENIC PRACTICES		4/17/2013	15	HL1B
			a)Food employee rinsed out a rag in the handsink. Handsinks are for handwashing only.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		4/17/2013		
			a)Back door propped open. Door may not be kept open because this allows insects to enter.				
	EHF13	COS	HACCP PLAN/TIME		4/17/2013		
			a)Cooked beans with no datemark. b)Cooked potatoes with no datemark.				
	EHF11	COS	PROPER HANDLING RTE		4/17/2013		
			a)Handle of ice scoop down in ice. Keep handle up and out of ice.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**JACOBOS CAFE****KALEIDO SCOOPS
6010 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1274	EHF14	IN	WATER SUPPLY Corrected.		4/11/2013	0	HFOL
	EHF28	IN	ALL OTHER VIOLATIONS a)Corrected. b)Corrected.		4/11/2013		

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13****ESTABLISHMENT****LA SUPER ECONOMICA
1011 N BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2255	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/12/2013	10	HL1B
			Lightshields missing in produce display. b)Boxes and crates of produce stored on floor of walk in refrigerator. Must store 6" off the floor.				
	EHF12	COS	CROSS CONTAMINATION		4/12/2013		
			Box of trash bags found in container of uncooked beans.				
	EHF03	IN	HOT HOLDING		4/12/2013		
			Meat in hot hold in taqueria at 156°F.				
	EHF21	COS	MANUAL WARE WASHING		4/12/2013		
			No sanitizer in sanitizing solution in 3 comp sink in taqueria.				
	EHF25	COS	FOOD CONTACT SURFACES		4/12/2013		
			Scoop without handle found in sugar container in taqueria. All scoops must have handles. b)Microwave in taqueria found unclean.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**LAMAR ELEMENTARY
3800 S LIPSCOMB ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF663	EHF28	IN	ALL OTHER VIOLATIONS 1 correction from last inspection.		4/11/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**LAO MARKET
5813 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF843	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/16/2013	11	HL1B
			Lightshields needed above food prep area in back room. b)Handwashing signs needed in both English and Spanish in restroom.				
	EHF21	H10DAY	MANUAL WARE WASHING		4/16/2013		
			Must install 3 compartment sink with drain boards or stop food preparation and packaging. b)Must install a mopsink. To be corrected within 10 days.				
	EHF12	COS	CROSS CONTAMINATION		4/16/2013		
			Ice scoop buried in ice in ice machine. Must store in a clean, dry location or in a container. b)Personal food container stored in contact with fruit on shelf.				
	EHF09	COS	APPROVED SOURCE/LABELING		4/16/2013		
			Sausage in freezer without label. b)Fish in freezer without label. c)Food being cooked in backroom w/o proper ventilation or ware-washing equipment.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

LEALS

1619 S KENTUCKY ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF4	EHF15	H10DAY	EQUIPMENT ADEQUATE		4/12/2013	8	HFOL
			Make table still not maintaining product at or below 41. If not corrected by next inspection, a \$50 reinspection fee will be charged.				
	EHF02	COS	COLD HOLDING		4/12/2013		
			Food found in make table at 56°F. Must be below 41. Food was thrown out.				
HF4	EHF02	IN	COLD HOLDING		4/16/2013	0	HFOL
			Corrected from previous inspection.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**LORENZO DE ZAVALA MS****2801 N COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1194	EHF10	COS	SOUND CONDITION		4/12/2013	7	HL1B
			Spoiled milk found in cooler.				
	EHF25	COS	FOOD CONTACT SURFACES		4/12/2013		
			Microwave needed to be cleaned out.				

MARY MILES LEARNING CENTER**1700 S VAN BUREN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD19	EHF28	H60 DAY	ALL OTHER VIOLATIONS		4/16/2013	0	HL1B
			The blower cover in the refrigerator is no longer easily cleanable. Refinish or replace.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**MERCADO LATINO
3500 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1180	EHF09	IN	APPROVED SOURCE/LABELING 1 correction from previous.		4/15/2013	0	HFOL

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**MIDNIGHT RODEO
4400 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF414	EHF14	H10DAY	WATER SUPPLY		4/16/2013	19	HL1B
			a)When handles are turned on handsink at NW bar, no water comes out, hot or cold. Repair in 10 days.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		4/16/2013		
			a)Doors on East side of building need new door sweeps.				
	EHF20	COS	TOXIC ITEMS		4/16/2013		
			a)Unlabeled blue chemical on NE bar. Label all chemicals with common name.				
	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		4/16/2013		
			a)No handsink installed in SW bar. Install in 10 days.				
	EHF25	COS	FOOD CONTACT SURFACES		4/16/2013		
			a)Broken plastic ice scoop at NW bar. Replace all ice scoops that are cracked or chipped.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

MIDNIGHT RODEO

HF414	EHF23	H10DAY	SEWAGE/WASTEWATER	4/16/2013	19	HL1B
-------	-------	--------	-------------------	-----------	----	------

a)Drain line on SW bar is leaking water onto carpet. Repair in 10 days. b)Sink in SE bar is leaking. Repair in 10 days.

MUDD RACK

500 E HASTINGS AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2134	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED	Food manager acquired.	4/15/2013	0	HFOL

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**NEW BEGINNINGS
3606 ATKINSEN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD38					4/17/2013	0	HL1B

**NORTH HEIGHTS ELEMENTARY
607 N HUGHES ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF728					4/17/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

NORTHWEST 2ND AVE DISCOUNT**201 N ADAMS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF720	EHF23	COS	SEWAGE/WASTEWATER	No toilet paper found in restroom.	4/17/2013	3	HL1B

ON THE BORDER MEXICAN CAFE**2401 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1944	EHF21	IN	MANUAL WARE WASHING	Corrected.	4/11/2013	0	HFOL

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**PAK A SAK #18
5703 GEM LAKE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1911	EHF19	IN	RODENTS/ANIMALS/OPENINGS	Corrected.	4/11/2013	0	HFOL

**PANHANDLE SALVAGE
5811 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF780	EHF10	COS	SOUND CONDITION	Distressed produce in displays.	4/12/2013	4	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**PEPITOS MEXICAN RESTAURANTE****3333 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2112	EHF17	COS	HAND WASH WITH SOAP/TOWELS		4/11/2013	10	HL1B
			No paper towels found at handsink.				
	EHF03	IN	HOT HOLDING		4/11/2013		
			Shredded chicken holding at 157°.				
	EHF07	COS	ADEQUATE HAND WASHING		4/11/2013		
			Employee seen not changing gloves and washing hands after handling chemicals.				
	EHF02	IN	COLD HOLDING		4/11/2013		
			Sour cream holding at 40°.				
	EHF20	COS	TOXIC ITEMS		4/11/2013		
			One chemical bottle found without any labeling. b)Chemicals found stored with bread baskets, on ice machine. Store all chemicals away from all food or food contact surfaces.				

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13**

ESTABLISHMENT

PEPITOS MEXICAN RESTAURANTE

HF2112	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED	4/11/2013	10	HL1B
--------	-------	----	-----------------------------	-----------	----	------

Corrected from last inspection.

	EHF28	COS	ALL OTHER VIOLATIONS	4/11/2013		
--	-------	-----	----------------------	-----------	--	--

a)Store all food at least six inches off the ground. b)Ice bucket stored on ground. c)All scoops must have handles on them.

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**PIZZA HUT
5101 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF351	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		4/11/2013	16	HL1B
			Post a valid food manager card in a conspicuous location. Take ServSafe card to 821 S Johnson to obtain food manager card.				
	EHF21	COS	MANUAL WARE WASHING		4/11/2013		
			No soap or sanitizer in dishmachine. Check with test strips daily.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		4/11/2013		
			a)Clean the wing area daily. b)Clean any splatter off walls throughout kitchen. c)Clean all the food residue from the dishwasher.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		4/11/2013		
			Food being dumped in handsink. Use handsink for handwashing only.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		4/11/2013		
			No towels at the handsink by the dishwasher.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**PIZZA HUT
7000 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF844	EHF25	COS	FOOD CONTACT SURFACES		4/17/2013	3	HL1B
			Utensil bin needs to be cleaned. b)Clean inside of reach-in freezer.				
	EHF28	COS	ALL OTHER VIOLATIONS		4/17/2013		
			Fan blowers in walk-in cooler need to be cleaned.				

**REDEEMER CHRISTIAN CHURCH
3701 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2382	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		4/15/2013	3	HL1B
			Food manager must be obtained within 45 days.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

ROASTERS COFFEE & TEA

3429 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF647					4/13/2013	0	HL1B

ROBERT E LEE ELEMENTARY

119 NE 15TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF660	EHF25	COS	FOOD CONTACT SURFACES	Tea nozzle needed to be cleaned.	4/16/2013	3	HL1B

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13****ESTABLISHMENT****ROGERS ICE CREAM
1409 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM422	EHF28	IN	ALL OTHER VIOLATIONS Corrected.		4/15/2013	0	HL1B

**ROSAS CAFE #22
3820 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1081	EHF28	H90 DAY	ALL OTHER VIOLATIONS All employees working with food must wear a hair restraint. b)Clean blower covers in walk-in. 2 corrections from last inspection.		4/16/2013	4	HL1B
	EHF08	COS	GOOD HYGIENIC PRACTICES Employees seen not washing hands after wiping hands on apron and touching hair.		4/16/2013		

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13****ESTABLISHMENT****RUBY TEQUILAS MEXICAN KITCHEN****3616 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF533	EHF03	IN	HOT HOLDING		4/15/2013	6	HL1B
			Shredded chicken holding at 199°.				
	EHF02	IN	COLD HOLDING		4/15/2013		
			Tomatoes holding at 41°.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		4/15/2013		
			Handsink found without paper towels.				
	EHF25	COS	FOOD CONTACT SURFACES		4/15/2013		
			Utensils stored in water must be held at 135° or higher to prevent bacterial growth.				
	EHF28	COS	ALL OTHER VIOLATIONS		4/15/2013		
			All employees working with food must wear hair restraints. b)Dishes must air dry and not be towel dried. c)Sweep up onion skins.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**SAIGON RESTAURANT
2909 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2381	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/11/2013	0	HL1B	
			Lightshields needed in pantry. b)Refrigerate oil and garlic mixture. cos c)Post food mgr card, permit and last inspection report. d)Paint or seal wooden shelves in pantry.					

**SASSYS
309 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF99					4/12/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**SAVA ITALIANO
4000 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2297	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/16/2013	12	HL1B
			A)Light shields needed in walk in cooler.				
	EHF21	H10DAY	MANUAL WARE WASHING		4/16/2013		
			A)Dish machine found not sanitizing, must be fixed within 10 days.				
	EHF02	COS	COLD HOLDING		4/16/2013		
			A)Cream sitting on counter at 70 degrees. B)Chicken holding at 48 degrees. C)Rice holding at 50 degrees. All products must maintain 41 degrees or below at all times. Use lids on make table line.				
	EHF07	COS	ADEQUATE HAND WASHING		4/16/2013		
			A)Employee seen not washing hands before putting on gloves. If employees cannot consistently wash correctly an additional hand sink will be required in grill area.				
HF2297	EHF21	IN	MANUAL WARE WASHING		4/17/2013	0	HFOL
			A)Corrected.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

SAVA ITALIANO

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**SCHLOTZSKYS DELI
1619 S KENTUCKY ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF502	EHF28	COS	ALL OTHER VIOLATIONS Clean food debris off of ceiling tile.		4/11/2013	0	HL1B

3440 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF944	EHF03	IN	HOT HOLDING Soups holding at 160°.		4/11/2013	0	HL1B
	EHF02	IN	COLD HOLDING Ham holding at 39°.		4/11/2013		

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**SERRANOS MEXICAN FOOD
3701 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2386	EHF28	H10DAY	ALL OTHER VIOLATIONS		4/15/2013	0	H PREOPEN	
			A) Ceiling tiles in room with 3 compartment sink need to be changed to be smooth and easily cleanable. B) Remove chipped paint from ceiling in kitchen over hot hold table.					

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13****ESTABLISHMENT****SKYY CAFE
1006 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2370	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/15/2013	17	HINVEST
			Handwashing signs in Spanish needed in men's and women's restrooms.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		4/15/2013		
			Employee drinking behind bar.				
	EHF16	COS	HAND WASH FACILITIES ADEQUATE		4/15/2013		
			Handsink blocked by equipment. Must have access to handsink at all times during operation.				
	EHF20	COS	TOXIC ITEMS		4/15/2013		
			Spray bottle containing chemical not labeled in bar area.				
	EHF12	COS	CROSS CONTAMINATION		4/15/2013		
			Scoop is buried in ice in ice machine. Store outside of ice machine on clean, dry surface or in container.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

SKYY CAFE

HF2370	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS	4/15/2013	17	HINVEST
Door sweep needed at backdoor.						

**SNOW-ASIS
2800 SE 27TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF411					4/12/2013	0	HL1B

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13****ESTABLISHMENT****SONIC DRIVE IN
2220 ROSS-OSAGE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF737	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/11/2013	0	HFOL	
			Dish dry racks rusted, not cleanable, replace. 2nd notice this violation. A \$50 reinspection fee may be charged if not replaced within 10 days.					

**STARBUCKS COFFEE CO #14191
3512 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1629	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/12/2013	0	HFOL	
			a)Corrected. b)Post current food manager card.					

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**STUDIO 54 GRAPHIC SOLUTIONS****3411 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2268	EHF28	COS	ALL OTHER VIOLATIONS		4/12/2013	0	HL1B	
			Lightshields installed.IN b)Inspection report not posted.					

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**SUBWAY
3130 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1204	EHF28	COS	ALL OTHER VIOLATIONS		4/15/2013	3	HL1B
			Chip off condensate leak buildup in freezer.				
	EHF20	COS	TOXIC ITEMS		4/15/2013		
			Sanitizer bottle found over 200ppm. Must be 100ppm chlorine for wipe down.				
	EHF03	IN	HOT HOLDING		4/15/2013		
			Meatballs holding at 143°.				
	EHF02	IN	COLD HOLDING		4/15/2013		
			Ham holding at 41°.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

SUBWAY/TRAVEL CENTER #436

715 S LAKESIDE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF709	EHF21	COS	MANUAL WARE WASHING		4/17/2013	9	HL1B
			Quaternary ammonia wipedown solution found at less than 200ppm.				
	EHF25	COS	FOOD CONTACT SURFACES		4/17/2013		
			Microwaves found dirty; microwaves that are used continuously throughout the day should be cleaned at least every 4 hrs.				
	EHF24	COS	THERMOMETERS		4/17/2013		
			Thermometer needed in Subway reach-in cooler.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/17/2013		
			Post current food est permit. Bulk milk container dispensing tube - cut on diagonal leaving no more than 1" protruding from chilled dispensing head.(cos). Clean in Subway: fan blowers, walkin cooler, walkin freezer, ice build up in walk in freezer (cos).				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**SUPER A DISCOUNT
1401 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2377	EHF28	IN	ALL OTHER VIOLATIONS		4/16/2013	0	HL1B
			2 corrections from previous.				
	EHF17	IN	HAND WASH WITH SOAP/TOWELS		4/16/2013		
			4 corrections from previous.				

**SYBIL B HARRINGTON LEARNING CT
2500 DALE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD23					4/16/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**TACO BELL #28924
3309 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2343	EHF28	COS	ALL OTHER VIOLATIONS		4/11/2013	0	HL1B	
			a)Clean dust from ceiling in walk-in cooler. b)Clean ice buildup in walk in freezer.					

**TACOS GARCIA
1100 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF185	EHF28	H10DAY	ALL OTHER VIOLATIONS		4/11/2013	3	HFOL	
			Shelves in walk in have spills. b)Veg. blower unit not clean.					
	EHF15	H10DAY	EQUIPMENT ADEQUATE		4/11/2013			
			Small bar refrigerator at 53°F PHF. Discarded. Do not use unit for phf until repaired.					

Food Establishment Public Inspection Report**From 4/11/13 thru 4/17/13****ESTABLISHMENT****TAILWIND AMA PRE-SECURITY****10801 AIRPORT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2354	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/17/2013	0	HL1B	
			Splashguard needed to prevent handwash splatter from contaminating clean equipment on clean dish rack. b)Ceiling panel needs to be set over dry storage area.					

TASCOSA DRIVE IN THEATER**1999 DUMAS DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF573	EHF25	COS	FOOD CONTACT SURFACES		4/12/2013	3	HL1B	
			a)Keep serving utensil in product to keep at temp. b)Store ice scoop on clean surface.					

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**TASCOSA HIGH SCHOOL
3921 WESTLAWN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF671	EHF25	COS	FOOD CONTACT SURFACES	Can opener needed to be washed.	4/15/2013	3	HL1B

**TEXAS STEAK EXPRESS
2600 S KENTUCKY ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2277	EHF14	IN	WATER SUPPLY	a)Corrected.	4/16/2013	0	HFOL
	EHF19	IN	RODENTS/ANIMALS/OPENINGS	a)Corrected.	4/16/2013		

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

THROWBACKS SPORTS BAR

7150 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2081					4/11/2013	0	HFOL

TOOT N TOTUM #4

822 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF938	EHF25	COS	FOOD CONTACT SURFACES		4/15/2013	3	HFOL
			Clean food debris - the utensil/napkin/lid holders.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**TOOT N TOTUM #43****3522 RIVER RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF96	EHF21	IN	MANUAL WARE WASHING Air-dry rack installed.		4/15/2013	0	HFOL

TOOT N TOTUM #45**2601 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF637	EHF28	COS	ALL OTHER VIOLATIONS Raw eggs stored over ready to eat foods in walk-in.		4/11/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

TOOT N TOTUM #58

1500 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF941	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/17/2013	0	HL1B	
			Excessive dust on ceiling of walk in cooler.Clean. b)Defrost ice cream freezer. c)Ceiling panels out of place over oven.					

TOOT N TOTUM #64

2621 S OSAGE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF415					4/17/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**TOOT N TOTUM #82
5900 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF888	EHF28	H10DAY	ALL OTHER VIOLATIONS		4/17/2013	18	HL1B
			A)Test strips for quat sanitizer needed.				
	EHF21	H10DAY	MANUAL WARE WASHING		4/17/2013		
			A)Employees clean soda nozzles & tea nozzles by soaking over night in bleach. All dishes must be washed, rinsed, sanitized and air dried every day. B)Employee cleaning food contact counter with degreaser, must clean all food contact areas with sanitizer.				
	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		4/17/2013		
			A)Employees did not know proper hot holding temperatures. B)Employees did not know if there was a thermometer available for checking cooking temperatures. C)Employees need additional training on food safety procedures.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		4/17/2013		
			A)Clean both microwaves. B)Detail soda machine area. C)Cover all open coffee and coffee filters.				
	EHF02	COS	COLD HOLDING		4/17/2013		
			A)Corn dogs holding at 129 degrees. B)Biscuits holding at 118 degrees. C)Hot dogs holding at 125-130 degrees. All products must maintain 135 or higher at all times.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

TOOT N TOTUM #82

HF888

EHF08

COS

GOOD HYGIENIC PRACTICES

4/17/2013

18

HL1B

A)Employee seen with a drink without a lid or a straw.

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**TX CHICKEN WOK
2406 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1461	EHF02	COS	COLD HOLDING		4/17/2013	14	HL1B
			a)Shrimp sitting out thawing was at 64F. Must remain below 41F.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		4/17/2013		
			a)Door sweep is coming apart at bottom of door. Repair.				
	EHF25	COS	FOOD CONTACT SURFACES		4/17/2013		
			a)Dirty knives in can holding utensils. b)Clean out the can holding utensils. c)Wipe down shelving in reach in cooler.				
	EHF28	COS	ALL OTHER VIOLATIONS		4/17/2013		
			a)Degrease water handles on handsink. b)No sanitizer test strips on site. c)Keep handles of scoops up and out of dry products.				
	EHF20	COS	TOXIC ITEMS		4/17/2013		
			a)Bottles with chemicals stored with spices. Move chemicals to another area.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**UNITED MARKETSTREET #526****2530 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF643	EHF23	IN	SEWAGE/WASTEWATER		4/16/2013	0	HFOL
			a)Corrected.				

UNITED SUPERMARKETS #527**1501 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF346	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/17/2013	0	HFOL
			a)b)c)d)e)corrected. Handsink for produce room will be installed 4/17/13.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

V & M DISCOUNT FOOD MART

1000 SW 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1466	EHF28	IN	ALL OTHER VIOLATIONS		4/11/2013	0	HFOL
			b)Corrected.				

WENDY'S #4101

4613 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF65	EHF28	H90 DAY	ALL OTHER VIOLATIONS		4/16/2013	0	HFOL
			b)Repair the loose metal piece at the bottom of the freezer by the back door. d)The water heater stand needs to be non-porous and easily cleanable.				

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT**WESLEYS BEAN POT & BBQ**

6406 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1341					4/12/2013	0	HL1B

WOLFLIN ELEMENTARY

2026 S HUGHES ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF652					4/11/2013	0	HL1B

Food Establishment Public Inspection Report

From 4/11/13 thru 4/17/13

ESTABLISHMENT

**WOODLANDS ELEMENTARY
2501 N COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF830	EHF02	COS	COLD HOLDING		4/12/2013	5	HL1B	
			Cooling unit not working. Unit was unplugged and removed from service.					

**WTAMU CORE OFFICE
2402 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT3872					4/13/2013	0	HL1B FOOD