

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**A & D DISCOUNT
801 N TAYLOR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF178	EHF25	COS	FOOD CONTACT SURFACES	Soda nozzles needed to be cleaned.	8/30/2013	3	HL1B

**ALCOHOLIC RECOVERY CENTER
412 SE 16TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF105	EHF28	COS	ALL OTHER VIOLATIONS	Fan is dusty.	8/30/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**AMARILLO CRIME STOPPERS****7200 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT4204	EHF19	COS	RODENTS/ANIMALS/OPENINGS Door must self-close.		8/31/2013	3	HL1B FOOD
HFT4205					8/31/2013	0	HL1B FOOD

Food Establishment Public Inspection Report**From 8/29/13 thru 9/4/13**

ESTABLISHMENT

AMARILLO FAMILY YMCA NORTH**1330 NW 18TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFD67	EHF25	COS	FOOD CONTACT SURFACES		8/29/2013	3	HL1B	
			a)Tea nozzle needed to be cleaned. b)Can opener needed to be cleaned.					

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

AS-SAFAA AMA INTERNATIONAL FD

2518 PARAMOUNT BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2017	EHF28	COS	ALL OTHER VIOLATIONS		9/4/2013	7	HL1B
			a)Move thermometers from the front to the back. b)Vegetables must be at least 6" off the ground in walk in cooler.				
	EHF20	COS	TOXIC ITEMS		9/4/2013		
			a)Unlabeled bottle of bleach in kitchen.				
	EHF09	COS	APPROVED SOURCE/LABELING		9/4/2013		
			a)Candies from Syria not properly labeled. b)Safe handling instructions must be on all raw meat packaged and sold. This is a repeat violation. In the future, at \$50 reinspection fee will be charged for non-compliance.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**AUSTIN MIDDLE SCHOOL
1808 WIMBERLY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF667	EHF28	COS	ALL OTHER VIOLATIONS		9/4/2013	0	HL1B	
			a)Remove bar code stickers from pans. b)Keep the large back door shut since the inner door needs a door sweep and mesh screen.					

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

BABES**7901 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1501	EHF28	H10DAY	ALL OTHER VIOLATIONS		8/30/2013	6	HL1B
			Outside doors must be self-closing. b)Floor in kitchen below sinks needs to be sealed.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		8/30/2013		
			Clean and sanitize all food contact surfaces.				
	EHF17	H10DAY	HAND WASH WITH SOAP/TOWELS		8/30/2013		
			Paper towels needed at handsink. b)Clean handsink.				

Food Establishment Public Inspection Report**From 8/29/13 thru 9/4/13****ESTABLISHMENT****BAPTIST ST ANTHONYS HOSPITAL****1600 WALLACE BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2337	EHF10	COS	SOUND CONDITION		8/29/2013	7	HL1B
			Dented cans found in dry storage area.				
	EHF25	COS	FOOD CONTACT SURFACES		8/29/2013		
			a)Handles on standing coolers in ingredient room needed to be cleaned. b)Scoop handles must not be allowed to touch the food they are stored in.				
	EHF28	COS	ALL OTHER VIOLATIONS		8/29/2013		
			Dust needs to be cleaned off of ceiling tiles in bakery.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

BARNES & NOBLE BOOKSELLERS INC

2415 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF314	EHF28	H180 DAY	ALL OTHER VIOLATIONS		9/4/2013	3	HL1B
			A)All employees working with food must wear a hair restraint. (Repeat) If not corrected by next inspection a \$50 reinspection fee will be charged.				
	EHF25	COS	FOOD CONTACT SURFACES		9/4/2013		
			A)Clean ice machine.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

**BELMAR BAKERY
3325 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF626	EHF24	COS	THERMOMETERS		9/3/2013	14	HL1B
			a)A thermometer is needed in the cooler that holds salad items.				
	EHF25	COS	FOOD CONTACT SURFACES		9/3/2013		
			a)Clean inside tops of both microwaves in the front.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/3/2013		
			a)Peel loose paint off ceiling. b)Keep handles of scoops up and out of dry goods.				
	EHF11	COS	PROPER HANDLING RTE		9/3/2013		
			a)Handle of ice scoop down in the ice.				
	EHF13	COS	HACCP PLAN/TIME		9/3/2013		
			a)Open package of hot dogs must be dated from the day it was opened.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

BOWIE MIDDLE SCHOOL**3001 SE 12TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF677	EHF10	COS	SOUND CONDITION		9/3/2013	4	HL1B	
			Several dented cans on shelf in dry storage. No seam dented cans are allowed to be used. Check all cans on arrival and separate from good cans.					
	EHF28	COS	ALL OTHER VIOLATIONS		9/3/2013			
			Hand sink needs aerator cleaned or replaced. b)Top of ice machine not clean. Ice paddle stored on ice machine must stay clean. c)Walk in freezer drips water during defrost onto boxes of food. Do not store foods below drip line.					

BRACEROS BAR AND GRILL**2822 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2152	EHF15	IN	EQUIPMENT ADEQUATE		9/3/2013	0	HFOL	
			Corrected from previous inspection.					

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**CARIBBEAN ICE
7200 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT4206	EHF07	IN	ADEQUATE HAND WASHING	Wash hands every time gloves changed.	8/31/2013	0	HL1B FOOD

**CARVER ACADEMY
1905 NW 12TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF164	EHF25	COS	FOOD CONTACT SURFACES	Serving utensils must remain in food product so food on the utensil stays at a proper temperature.	9/4/2013	3	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**CARVER EARLY CHILDHOOD ACADEMY****1800 N TRAVIS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF849					9/4/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

CHICK FIL A S COULTER

4510 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2446	EHF28	IN	ALL OTHER VIOLATIONS		9/3/2013	0	HL1B
			A)Take serve safe to our office and obtain city of Amarillo food manager card. Cost is \$40.				
	EHF02	IN	COLD HOLDING		9/3/2013		
			A)Tomatoes holding at 39 degrees.				
	EHF03	IN	HOT HOLDING		9/3/2013		
			A)Fried chicken holding at 150 degrees.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

CHILDRENS CIRCLE OF FRIENDS

3510 BOWIE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD57					9/4/2013	0	HL1B

CLAIRMONT THE

4707 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF832					9/3/2013	0	HFOL

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

COMFORT INN & SUITES

2101 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1799	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/4/2013	6	HL1B
			a)Towels needed in employee restroom. b)Paper towels not in dispenser in bar.				
	EHF25	COS	FOOD CONTACT SURFACES		9/4/2013		
			Soda nozzle in bar needed to be cleaned.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**DALE'S GRAND BURGER #2**

1900 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF592	EHF25	COS	FOOD CONTACT SURFACES		9/4/2013	3	HL1B
			Soda nozzles needed to be cleaned.				
	EHF28	IN	ALL OTHER VIOLATIONS		9/4/2013		
			a)Corrected from previous inspection. b)Corrected.				

DELI EXPRESS

7580 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF127	EHF27	H10DAY	ESTABLISHMENT PERMIT		9/3/2013	3	HL1B
			Post current food establishment permit.				

Food Establishment Public Inspection Report**From 8/29/13 thru 9/4/13****ESTABLISHMENT****DESPERADOS CATERING****701 S PIERCE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1220	EHF28	COS	ALL OTHER VIOLATIONS Raw pork stored over ready to eat food.		9/3/2013	3	HL1B
	EHF25	COS	FOOD CONTACT SURFACES Microwaves needed to be cleaned.		9/3/2013		
HFM303					9/3/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**DIANAS TAMALES
1 BLACK HAWK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT4210	EHF24	COS	THERMOMETERS		8/31/2013	10	HL1B FOOD	
			Thermometers are required in booth to check temps.					
	EHF03	COS	HOT HOLDING		8/31/2013			
			Prepackaged burritos found at 126°F. All hot hold must be 135°F or above. County mobile permit required for next event. Temp permits will not be approved.					

**DIPPIN DOTS DBA FAST FREEZE
7701 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF89					9/3/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

DOLLAR GENERAL #3488**307 E HASTINGS AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF810	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/3/2013	6	HFOL
			No paper towels at hand sink in employee restroom.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		9/3/2013		
			Mop sink drain is clogged. To be corrected within 10 days. **A \$50.00 re-inspection fee may be charged if violation is not corrected.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**DONUT STOP INC
1602 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF50	EHF20	COS	TOXIC ITEMS		9/4/2013	6	HFOL
			Chemical bottle in restroom was not labeled.				
	EHF25	COS	FOOD CONTACT SURFACES		9/4/2013		
			Return air vent in kitchen needed to be cleaned.				
	EHF28	IN	ALL OTHER VIOLATIONS		9/4/2013		
			Floor has been sealed where cabinet was removed.				

Food Establishment Public Inspection Report**From 8/29/13 thru 9/4/13**

ESTABLISHMENT**EASTRIDGE LANES INC
5405 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF186	EHF25	COS	FOOD CONTACT SURFACES Tea nozzle found not clean.		9/4/2013	3	HL1B
	EHF28	COS	ALL OTHER VIOLATIONS Handwashing signs needed in men's restroom in both English and Spanish.		9/4/2013		

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**ELOTES CON RITMO
1210 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM359	EHF17	COS	HAND WASH WITH SOAP/TOWELS		8/30/2013	8	HL1B
			Hand soap and paper towels needed at handsink.				
	EHF02	COS	COLD HOLDING		8/30/2013		
			Cooler holding at 47°, thermostat turned to cooler temp.				

Food Establishment Public Inspection Report**From 8/29/13 thru 9/4/13**

ESTABLISHMENT**FAMILY DOLLAR STORE 2383****2241 SE 27TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF833	EHF15	COS	EQUIPMENT ADEQUATE		8/30/2013	3	HL1B
			Reach in cooler found at 46°F. Unit must hold at 41°F or less.				
	EHF28	COS	ALL OTHER VIOLATIONS		8/30/2013		
			small gap at bottom of back door. Seal to prevent insects.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**FEEDLOT THE
16650 INTERSTATE 27**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT4202	EHF02	IN	COLD HOLDING Cold hold 41°.		8/29/2013	0	HL1B FOOD
	EHF03	IN	HOT HOLDING Hot hold 135°.		8/29/2013		

**GLENWOOD ELEMENTARY
2409 S HOUSTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF655	EHF28	COS	ALL OTHER VIOLATIONS Knife handles need to be cleaned better. b)Ceiling, fan top and air vent intakes need to be dusted.		9/3/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

GLORIAS REST/EL TACO LOCO

1300 S GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM10	EHF08	H24 HOUR	GOOD HYGIENIC PRACTICES		8/30/2013	15	HM3
			Dishes found in handsink, handsink is for handwashing only.				
	EHF11	COS	PROPER HANDLING RTE		8/30/2013		
			Employee making food with bare hands. Gloves or utensils must be used. Must close and cannot re-open until reinspection.				
	EHF14	H24 HOUR	WATER SUPPLY		8/30/2013		
			No running water for over a week. Cannot open until fixed.				
	EHF15	H24 HOUR	EQUIPMENT ADEQUATE		8/30/2013		
			Cooler holding at 57°. Cannot use until cooler holds at 41°F or below.				
HFM10	EHF14	IN	WATER SUPPLY		8/31/2013	3	HM4
			Corrected.				

Food Establishment Public Inspection Report**From 8/29/13 thru 9/4/13**

ESTABLISHMENT

GLORIAS REST/EL TACO LOCO

HFM10	EHF15	H10DAY	EQUIPMENT ADEQUATE	8/31/2013	3	HM4
-------	-------	--------	--------------------	-----------	---	-----

Cooler holding at 65°. Cannot be used until it can maintain 41°F or below at all times. Must be fixed by 9/6/13. Only serve hot foods until cooler is fixed.

	EHF08	IN	GOOD HYGIENIC PRACTICES	8/31/2013		
--	-------	----	-------------------------	-----------	--	--

Corrected.

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

GLORIAS RESTAURANT/IGUANA TACO**1300 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM19	EHF08	COS	GOOD HYGIENIC PRACTICES Handsink full of dishes.		8/30/2013	11	HL1B
	EHF14	COS	WATER SUPPLY No running water.		8/30/2013		
	EHF15	H10DAY	EQUIPMENT ADEQUATE Cooler holding food at 65°. Cannot be used until unit can hold 41° or below.		8/30/2013		
HFM19	EHF15	IN	EQUIPMENT ADEQUATE Corrected.		9/3/2013	0	HFOL

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

GOLDEN SPREAD FARMERS MKT**3701 PLAINS BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF834					8/29/2013	0	HL1B

HAPPY BURRITO
908 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1226	EHF15	IN	EQUIPMENT ADEQUATE		8/29/2013	0	HFOL

Cooler holding at 40°, cooler door was left open at start of inspection. All food holding at 40°.

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**HENKS BAR B Q
1508 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF619	EHF25	H10DAY	FOOD CONTACT SURFACES	a)Ceiling in front area needs to be cleaned. b)Bread rack needs to be cleaned. c)Walls around front area need to be cleaned.	9/4/2013	3	HINVEST

**JUST CHILLIN
14500 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFRM343					9/4/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**LA BELLA PIZZA
7230 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM360					8/30/2013	0	HL1B

**LAMAR ELEMENTARY
3800 S LIPSCOMB ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF663					9/4/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

LANDERGIN ELEMENTARY 3209 S TAYLOR ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF679					9/3/2013	0	HL1B

LEALS

1619 S KENTUCKY ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF4	EHF25	COS	FOOD CONTACT SURFACES		9/4/2013	3	HL1B
			A)Dirty knives put away with clean ones. B)Tea nozzle needed to be cleaned.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/4/2013		
			Raw eggs stored over ready to eat food items in walk in cooler.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

LEGACY REHABILITATION & LIVING

4033 SW 51ST AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2368	EHF28	H60 DAY	ALL OTHER VIOLATIONS		9/3/2013	18	HL1B
			a)Renovations for the popcorn ceiling are set to begin in the month of September. An assessment of progress will be made on next inspection.				
	EHF25	COS	FOOD CONTACT SURFACES		9/3/2013		
			a)Clean inside of ice machine. b)Clean out ice scoop holder. c)Detail the mixer and cover when not in use. d)Blender lid was cracked with tape over it. This must be thrown away.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/3/2013		
			a)No soap at handsink in kitchen.				
	EHF20	COS	TOXIC ITEMS		9/3/2013		
			a)Unlabeled pink chemical in warewash room. b)Coffee creamer stored with chemicals.				
	EHF10	COS	SOUND CONDITION		9/3/2013		
			a)Dented pumpking can. b)Cans of pumpkin were rusted on the rims.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

LEGACY REHABILITATION & LIVING

HF2368	EHF01	COS	COOLING FOR COOKED FOOD	9/3/2013	18	HL1B
--------	-------	-----	-------------------------	----------	----	------

a)Spaghetti at 50F and was cooked the day before. This did not cool properly. b)Oven potatoes at 47F and was cooked the day before. This did not cool properly.

**LIFE FELLOWSHIP
2817 SE 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1330	EHF15	COS	EQUIPMENT ADEQUATE		8/30/2013	3	HL1B

Reach in cooler not holding temperature at 41 degrees F or less. Do not use for potentially hazardous foods until unit holds at 41 degrees or less.

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**LINS GRAND BUFFET
8440 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1265	EHF15	IN	EQUIPMENT ADEQUATE A)Corrected.		9/3/2013	0	HFOL
	EHF23	IN	SEWAGE/WASTEWATER A)Corrected.		9/3/2013		

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**LITTLE CAESARS PIZZA****3400 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2405	EHF28	COS	ALL OTHER VIOLATIONS		9/4/2013	3	HFOL
			A)All employees working with food must wear a hair restraint. If employees are seen not wearing one again a \$50 reinspection fee will be charged.				
	EHF21	H 3 DAYS	MANUAL WARE WASHING		9/4/2013		
			A)Sanitizer dispenser still not working. If not corrected by 9-9-13 a \$50 reinspection fee will be charged.				

LLUVIA IMPTS**2408 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1928	EHF17	COS	HAND WASH WITH SOAP/TOWELS		8/30/2013	0	HL1B
			No soap in employee restroom.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**LONG JOHN SILVERS
1600 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1681					8/29/2013	0	HFOL

4615 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1683	EHF28	H10DAY	ALL OTHER VIOLATIONS		8/30/2013	0	HINVEST

Plumbing issue found causing sewer gas to escape into restaurant. Manager is aware of problem via previous plumber. Must hire a licensed plumber to resolve issue. To be corrected within 10 days.

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

**LOS BRACEROS
3303 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1921	EHF28	COS	ALL OTHER VIOLATIONS		9/4/2013	23	HL1B
			a)Fix collapsed ceiling tiles above ice machine. b)All scoops must have a handle. c)Food in walk in cooler must be 6" off the ground.				
	EHF25	COS	FOOD CONTACT SURFACES		9/4/2013		
			a)Clean tea nozzles daily.				
	EHF21	COS	MANUAL WARE WASHING		9/4/2013		
			a)0 ppm bleach in wipedown for tables.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		9/4/2013		
			a)Small refrigerator at 50F with food inside at 47F. Repair to 41F or below.				
	EHF02	COS	COLD HOLDING		9/4/2013		
			a)Cut tomato sitting out at 75F. b)Cooked jalepenos sitting out at 94F. c)Pork sitting out at 85F. Do not leave pork sitting in the danger zone long enough to reach this temperature.				

Food Establishment Public Inspection Report**From 8/29/13 thru 9/4/13**

ESTABLISHMENT**LOS BRACEROS**

HF1921	EHF03	COS	HOT HOLDING	9/4/2013	23	HL1B
--------	-------	-----	-------------	----------	----	------

a)Rice on hot hold table in a plastic tub at 113F.

	EHF13	COS	HACCP PLAN/TIME	9/4/2013		
--	-------	-----	-----------------	----------	--	--

a)Date mark all cooked items in the coolers. This is a repeat violation and future violations will be will be charged a \$50 reinspection fee.

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**MACARONI JOES
1619 S KENTUCKY ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1387	EHF10	COS	SOUND CONDITION		8/30/2013	7	HL1B
			Food in walk in cooler found older than 7 days. Food was thrown out.				
	EHF25	COS	FOOD CONTACT SURFACES		8/30/2013		
			Drainage mats holding clean dishes need to be washed.				
	EHF28	COS	ALL OTHER VIOLATIONS		8/30/2013		
			Dust/grease needs to be cleaned off the ceiling tiles.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**MARYBEL RESTAURANT****1015 S ARTHUR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF998	EHF28	COS	ALL OTHER VIOLATIONS		8/29/2013	0	HL1B	
			Gap at back door.Seal to prevent insect entrance.					

Food Establishment Public Inspection Report**From 8/29/13 thru 9/4/13****ESTABLISHMENT****MERCADO LATINO
3500 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1180	EHF28	H90 DAY	ALL OTHER VIOLATIONS		8/29/2013	8	HFOL
			Covered trash needed in women's restroom. B)Light shields needed in pastry display.				
	EHF23	IN	SEWAGE/WASTEWATER		8/29/2013		
			1 correction.				
	EHF02	COS	COLD HOLDING		8/29/2013		
			Eggs found stored in walk-in refrigerator after being informed by the City of Amarillo Environmental Health Department that refrigerator unit was malfunctioning and out of temperature. Eggs discarded.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		8/29/2013		
			1 correction. B)Walk-in refrigerator found at 52 F degrees. Do not put anything potentially hazardous in unit until it reaches an internal ambient temperature of 41 F degrees or below. To be corrected in approximately 10 days.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**MESA VERDE ELEMENTARY****4011 BEAVER DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF746	EHF10	COS	SOUND CONDITION		8/30/2013	4	HL1B
			Dented can found on shelf.				
	EHF28	COS	ALL OTHER VIOLATIONS		8/30/2013		
			Waste receptacle needed at hand sink in kitchen.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

**MR GATTIS
4412 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF6	EHF28	COS	ALL OTHER VIOLATIONS		9/4/2013	17	HL1B
			a)Bin holding clean utensils needs washed. b)Replace broken tiles and broken concrete in dishroom floor. c)Clean fan in dishroom. d)All scoops must have handle. e)Small trash needed by back handsink. f)Clean fan in back. g)Clean soda syrup spill.				
	EHF24	COS	THERMOMETERS		9/4/2013		
			a)A thermometer is needed in the cold bar.				
	EHF25	COS	FOOD CONTACT SURFACES		9/4/2013		
			a)Clean the can opener blade. b)Do not store trash bags on clean utensils. c)Clean the mold from the inside top of ice machine.				
	EHF03	COS	HOT HOLDING		9/4/2013		
			a)Noodles on hot bar at 105F.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		9/4/2013		
			a)Walk in cooler at 53F. Food was destroyed. b)Walk in freezer at 50F. Food was destroyed. c)Food on cold bar 46F.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

MR GATTIS

HF6	EHF17	COS	HAND WASH WITH SOAP/TOWELS	9/4/2013	17	HL1B
a)No paper towels at handsink in dishroom.						

MRS BAIRDS BAKERY OUTLET

4165 SW 34TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1522					8/29/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

OAKDALE ELEMENTARY

2711 S HILL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF757	EHF28	COS	ALL OTHER VIOLATIONS		9/3/2013	0	HL1B
			Ice machine water filter is leaking. Repair as needed.				

OHMS CAFE

619 S TYLER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF969	EHF28	IN	ALL OTHER VIOLATIONS		8/29/2013	0	HFOL
			A) A new counter was installed. Corrected.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**PALO DURO HIGH COMMERCIAL LAB**

1400 N GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1115					9/3/2013	0	HL1B

PAPAS CONCESSIONS

7200 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT4208					8/31/2013	0	HL1B FOOD

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

PLEASANT VALLEY ELEMENTARY

4413 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF654					9/4/2013	0	HL1B

ROLLING HILLS ELEMENTARY

2800 W CHERRY AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP8	EHF23	H10DAY	SEWAGE/WASTEWATER		9/3/2013	8	HL1B
			Water from freezer unit leaking onto packaged products in freezer. To be corrected within 10 days.				
	EHF03	COS	HOT HOLDING		9/3/2013		
			Chicken fajita meat found at 125 F degrees in hot hold unit. Food was rapidly reheated.				

Food Establishment Public Inspection Report**From 8/29/13 thru 9/4/13****ESTABLISHMENT****SNOWBALL EXPRESSO
2200 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM34	EHF14	H24 HOUR	WATER SUPPLY		8/29/2013	4	HL1B
			No hot water, establishment must close until fixed. b)2 comp sinks faucet does not work, must fix before opening. Must be reinspected before opening. Establishment cannot open until all corrections are made.				
HFM34	EHF14	IN	WATER SUPPLY		8/30/2013	0	HFOLLOWUP
			Water corrected, new faucet connected. OK to open.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

STARBUCKS COFFEE CO #6757

3240 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1034	EHF02	IN	COLD HOLDING		9/4/2013	0	HL1B
			A) Milk holding at 43 degrees.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/4/2013		
			A) Post current food managers card.				

SUMMER SNOW 2

4400 S WASHINGTON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM389	EHF27	H 3 DAYS	ESTABLISHMENT PERMIT		9/3/2013	3	HL1B
			Food Establishment Permit has expired and must be renewed, operating without a valid permit is a violation of City Ordinance and can carry a fine of \$2000 per day.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**SUPER MERCADO LOS OLIVOS**

3803 NE 24TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1324	EHF28	COS	ALL OTHER VIOLATIONS		9/4/2013	3	HL1B	
			Handle of scoop found in contact with product in salt container.					
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/4/2013			
			No soap at hand sink in bakery. B)No paper towels at hand sink in bakery. C)No soap in employee restroom in bakery.					

TACOS GARCIA

2200 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF210					9/3/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

**TAQUERIA EL COMAL
1210 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1331	EHF02	IN	COLD HOLDING		8/29/2013	11	HL1B
			All cold meats holding at 38°.				
	EHF03	IN	HOT HOLDING		8/29/2013		
			Barbacoa holding at 177°. b)Red meat holding at 165°.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		8/29/2013		
			Handsink found with dishes in it. Handsink can only be used for handwashing.				
	EHF13	COS	HACCP PLAN/TIME		8/29/2013		
			All cooked meats must have a prep date on them.				
	EHF20	COS	TOXIC ITEMS		8/29/2013		
			Chemical bottle found without proper labeling.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

TAQUERIA PALETERIA EL MEXICANO

4509 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2069	EHF28	COS	ALL OTHER VIOLATIONS		8/29/2013	3	HL1B
			Test strips needed for testing sanitizing solution.				
	EHF20	COS	TOXIC ITEMS		8/29/2013		
			Bottle containing chemical found without label.				
HFM366					8/29/2013	0	HL1B
HFM367					8/29/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

TAQUERIA PALETERIA EL MEXICANO

HFM368	8/29/2013	0	HL1B
HFM369	8/29/2013	0	HL1B
HFM370	8/29/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

TAQUERIA PALETERIA EL MEXICANO

HFM371	8/29/2013	0	HL1B
HFM372	8/29/2013	0	HL1B
HFM373	8/29/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**TOOT N TOTUM #6
211 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF635	EHF25	COS	FOOD CONTACT SURFACES		8/29/2013	3	HL1B
			Containers holding lids and several soda lids found with soda syrup on them.				

**TOP OF TEXAS YOUTH FOOTBALL
1 BLACK HAWK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP25	EHF14	IN	WATER SUPPLY		8/31/2013	3	HL1B
			Bushland public water.				
	EHF18	H10DAY	INSECT CONTAMINATION		8/31/2013		
			Fly control must be addressed.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

**TORTILLERIA LUPITA
4013 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM304	EHF14	H10DAY	WATER SUPPLY		8/30/2013	10	HL1B
			3 comp sinks faucet cold water valve doesn't work. Fix within 7 days.				
	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		8/30/2013		
			No paper towels at handsink.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		8/30/2013		
			Counter not smooth and easily cleanable.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		8/30/2013		
			Generator keeps turning off and on. Fix within 7 days to remain on constantly. Replace hood vent filter.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

TRADEWIND ELEMENTARY

4300 S WILLIAMS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1533	EHF25	COS	FOOD CONTACT SURFACES Splatter on lights above hot hold.		9/3/2013	3	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

**TX CHICKEN WOK
2406 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1461	EHF25	IN	FOOD CONTACT SURFACES		9/3/2013	0	HFOL
			b)Corrected.				
	EHF24	IN	THERMOMETERS		9/3/2013		
			a)Corrected.				
	EHF27	IN	ESTABLISHMENT PERMIT		9/3/2013		
			a)Corrected.				
	EHF28	IN	ALL OTHER VIOLATIONS		9/3/2013		
			a)Corrected. b)Corrected. c)Corrected. d)Corrected. h)Corrected. i)Corrected.				
	EHF15	IN	EQUIPMENT ADEQUATE		9/3/2013		
			a)Corrected.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

TX CHICKEN WOK

HF1461

EHF19

IN

RODENTS/ANIMALS/OPENINGS

9/3/2013

0

HFOL

a)Corrected.

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

**TYLER STREET CAFE
900 S TYLER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2444	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		8/29/2013	0	H PREOPEN
			A certified food manager is needed within 45 days.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		8/29/2013		
			Lightshields needed in kitchen. b)Seal all wood throughout kitchen.				
HF2444	EHF28	IN	ALL OTHER VIOLATIONS		9/3/2013	3	HFOL
			Ok to open.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		9/3/2013		
			A food manager is needed within 45 days.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

VIBRA HOSPITAL OF AMARILLO LL**7501 WALLACE BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2449	EHF03	IN	HOT HOLDING		9/4/2013	3	HL1B
			Rice holding at 177°. b)Chicken holding at 159°.				
	EHF02	IN	COLD HOLDING		9/4/2013		
			Ham holding at 37°F.				
	EHF25	COS	FOOD CONTACT SURFACES		9/4/2013		
			Clean under metal shelving by steam table in. b)Clean utensil racks and utensil drawers.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**VIRDEN CHRIS
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT4199	EHF23	COS	SEWAGE/WASTEWATER Wastewater draining on ground.		8/29/2013	6	HL1B FOOD
	EHF19	COS	RODENTS/ANIMALS/OPENINGS Door open when not in use. Keep door closed to keep out flies. Ensure unit is cleaned each night to maintain a clean/sanitized food prep environment.		8/29/2013		

Food Establishment Public Inspection Report**From 8/29/13 thru 9/4/13****ESTABLISHMENT****VIRDINSKIS BBQ RUB SHACK****3701 OLSEN BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2437	EHF15	H10DAY	EQUIPMENT ADEQUATE		9/3/2013	0	H PREOPEN
			Ensure that the walk in is working properly before opening.				
	EHF28	IN	ALL OTHER VIOLATIONS		9/3/2013		
			Ok to open.				
HFK127	EHF28	IN	ALL OTHER VIOLATIONS		9/3/2013	0	H PREOPEN
			OK to open.				

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT

WESTGATE ENTERPRISE #2

2608 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF894	EHF28	COS	ALL OTHER VIOLATIONS		8/29/2013	3	HL1B
			a)Wipe out the plastic bin holding mixing straws.				
	EHF20	COS	TOXIC ITEMS		8/29/2013		
			a)Sanitizer is over 400 ppm quat. Must be 200 ppm.				

WESTOVER PARK INTERMEDIATE

7200 PINNACLE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF877					9/3/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**WHITTIER ELEMENTARY
2004 N MARRS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF670					9/3/2013	0	HL1B

**WILLOW VISTA INTERMEDIATE
7600 PAVILLARD DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF218	EHF29	IN	RECOGNITION	Staff demonstrated excellent handwashing frequency.	8/30/2013	0	HL1B

Food Establishment Public Inspection Report

From 8/29/13 thru 9/4/13

ESTABLISHMENT**WINDSOR ELEMENTARY
6700 HYDE PKWY**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF81					9/3/2013	0	HL1B

**YOUNG SUSHI ROCKS
202 SW 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1985	EHF18	IN	INSECT CONTAMINATION	Corrected from previous inspection.	9/3/2013	0	HFOL