

**Food Establishment Public Inspection Report**  
**From 12/26/13 thru 1/1/14**

---

**ESTABLISHMENT**

**A TO Z TIRE**  
**813 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF809	EHF25	COS	FOOD CONTACT SURFACES Soda nozzles needed to be cleaned.		12/30/2013	3	HL1B

**ACCDC ST JOSEPH CAMPUS**  
**4108 S BONHAM ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD35	EHF28	COS	ALL OTHER VIOLATIONS Clean can opener.		12/26/2013	0	HL1B

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

**ALL STORAGE, INC  
6301 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1819	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/31/2013	0	HL1B
			Food manager class is recommended to teach employees proper food safety and how to properly wash dishes.				

**AMARILLO FAMILY YMCA NORTH  
1330 NW 18TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD67	EHF25	COS	FOOD CONTACT SURFACES		12/27/2013	3	HL1B
			a)Can opener needed to be cleaned. b)Venthood needed to be cleaned.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

**ARBYS #7490  
5214 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1566	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		12/31/2013	3	HFOL
			Back door does not seal tight. 2nd notice. Future violations may result in a \$50 reinspection fee.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		12/31/2013		
			Light plate switch broken. Ice cream machine must be repaired. Paper is not a sanitary surface used to plug holes in dispensing tube. Repair machine using plastic or steel plugs. 2nd notice, future violations will result in a \$50 reinspection fee.				

### AS-SAFAA AMA INTERNATIONAL FD 2518 PARAMOUNT BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2017	EHF27	H10DAY	ESTABLISHMENT PERMIT		12/31/2013	3	HL1B
			Food establishment permit must be posted. To be corrected within 10 days.				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

**ESTABLISHMENT****ATMOSPHERE CAFE  
804 N WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF152	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/26/2013	3	HL1B
			Peeling paint on vent hood needs to be removed.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		12/26/2013		
			No paper towels in restroom.				

**BELMAR BAKERY & CAFE WOLFLIN V  
2606 SW 22ND AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2475	EHF21	H10DAY	MANUAL WARE WASHING		12/31/2013	3	HL1B
			Ware wash machine sanitizer too weak. To be corrected within 10 days.				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT****BEST WESTERN MEDICAL CENTER IN  
1610 S COULTER ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>	
HF1384	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/30/2013	0	HFOL	
			Floor and wall need to be repaired in storage room.					

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**CHICKEN EXPRESS  
3514 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2182	EHF28	H 3 DAYS	ALL OTHER VIOLATIONS		12/30/2013	6	HL1B
			A)Blower covers in middle walk in cooler need to be cleaned. B)Blower covers in walk in freezer need to be cleaned.				
	EHF25	H 3 DAYS	FOOD CONTACT SURFACES		12/30/2013		
			Soda nozzles in drive thru need to be cleaned.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		12/30/2013		
			No soap at hand sink next to ice machine.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**CHIYOS  
4313 TECKLA BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF25	EHF08	COS	GOOD HYGIENIC PRACTICES		12/27/2013	7	HL1B
			Employee seen dumping food items in hand washing sink. Hand washing sink is for hand washing only.				
	EHF25	COS	FOOD CONTACT SURFACES		12/27/2013		
			Ice scoop must be stored in clean place.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/27/2013		
			A)Clean outside/inside of ice machine. COS B)Clean handles on all refrigerators and freezers. COS C)Clean outside of microwave. COS D)Replace gaskets on silver refrigerator. E)Keep all utensil/prepackaged bins clean. COS F.Improper thawing of beef. COS				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

#### COLD STONE CREAMERY

2333 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2489	EHF28	COS	ALL OTHER VIOLATIONS		12/26/2013	0	HL1B
			Toilet paper needed in restroom.				

#### CRAIG METHODIST RETIREMENT

5500 SW 9TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF447	EHF28	H60 DAY	ALL OTHER VIOLATIONS		12/27/2013	4	HL1B
			Bare wood next to ansil system needs to be sealed.				
	EHF10	COS	SOUND CONDITION		12/27/2013		
			Molded produce in walk-in.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

#### CRUSH WINE BAR & DELI

701 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1670					12/31/2013	0	HL1B

#### CURTIS FLEMMING LEARNING CTR

3001 WOLFLIN AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD62	EHF28	COS	ALL OTHER VIOLATIONS		12/26/2013	4	HL1B
			A)Clean gaskets on freezer and milk cooler. B)Clean handles on freezer.				
	EHF13	COS	HACCP PLAN/TIME		12/26/2013		
			Hamburger meat and bologna in refrigerator undate marked. All potentially hazardous food must be date marked when pulled out of the freezer and thrown away after 7 days.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**DA SHACK  
714 N FILLMORE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2301	EHF14	COS	WATER SUPPLY		12/27/2013	7	HL1B
			a)No hot water at restrooms in pool room. b)No hot water at sink in dance room. c)No hot water at bar in pool room.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		12/27/2013		
			a)No soap and towels in womens restroom. b)No soap and towels at bar sink in dance room. c)No soap and paper towels at bar sink in pool room.				
	EHF28	COS	ALL OTHER VIOLATIONS		12/27/2013		
			Hand washing signs needed in womens restroom.				

**Food Establishment Public Inspection Report**

**From 12/26/13 thru 1/1/14**

---

**ESTABLISHMENT**

**DIVERSE NUTRITION  
3506 SE 27TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2305	EHF15	IN	EQUIPMENT ADEQUATE Corrected.		12/30/2013	0	HFOL

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

---

**DOLLAR GENERAL STORE #11828****7040 MCCORMICK RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR70	EHF25	H10DAY	FOOD CONTACT SURFACES		12/30/2013	6	HL1B
			Water fountains must be cleaned-remove buildup.				
	EHF24	H10DAY	THERMOMETERS		12/30/2013		
			Thermometers required in both milk coolers and ice cream freezer.				
	EHF14	IN	WATER SUPPLY		12/30/2013		
			Public Water Supply.				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT****DOLLAR TREE #05085  
3300 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2290					12/30/2013	0	HL1B

**DOLLAR TREE #3034  
3405 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1124	EHF10	COS	SOUND CONDITION Dented cans found on shelf.		12/26/2013	4	HL1B

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT****DOMINOS PIZZA  
2609 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2200	EHF28	COS	ALL OTHER VIOLATIONS Clean vent cover in walk in refrigerator.		12/31/2013	0	HL1B

**EL CARBONERO RESTAURANT  
1700 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2173					12/26/2013	0	HFOL

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**EL SABOR DE MI TIERRA**

**910 N FILLMORE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2409	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/30/2013	3	HL1B
			A thermometer is needed for the refrigerator if potentially hazardous food is stored inside.				
	EHF21	COS	MANUAL WARE WASHING		12/30/2013		
			Chlorine sanitizer not proper strength. It should be 100ppm.				
HFM440	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/30/2013	0	HL1B
			Put the name and permit number on another side of the vehicle.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**FAMILY DOLLAR STORE #5045**

**2500 SW 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF845					12/27/2013	0	HL1B

**FAST STOP #19**  
**2305 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1685	EHF28	COS	ALL OTHER VIOLATIONS		12/26/2013	3	HL1B
			Ice cream freezer needs to be defrosted.				
	EHF24	COS	THERMOMETERS		12/26/2013		
			No thermometer found in refrigerator with sandwiches.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**FAT CAT FISH MARKET**

**1309 DUMAS DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1063	EHF23	H10DAY	SEWAGE/WASTEWATER		12/27/2013	13	HL1B	
			a)Handwashing sink in kitchen drain is leaking. b)Three compartment sink drain is leaking.					
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		12/27/2013			
			Handwashing sink in kitchen did not have towels.					
	EHF07	COS	ADEQUATE HAND WASHING		12/27/2013			
			Employee was not washing hands between tasks.					
	EHF25	H10DAY	FOOD CONTACT SURFACES		12/27/2013			
			a)Vent hood needs to be cleaned. b)Kitchen area around fryers and stove need to be cleaned.					

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

**GAMBOAS BALLROOM  
4416 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF920	EHF27	H 3 DAYS	ESTABLISHMENT PERMIT		12/31/2013	3	HL1B
The food establishment permit has expired. Renew at 821 S Johnson before 5 pm on Friday Jan. 3, 2014.							

**H & H DISCOUNT  
941 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2176	EHF17	COS	HAND WASH WITH SOAP/TOWELS		12/26/2013	3	HL1B
No soap at handsink. No paper towels at handsink.							

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

---

**JOES PIZZA & PASTA  
19151 W INTERSTATE 40**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFP43	EHF14	IN	WATER SUPPLY Bushland Public Water Supply.		12/31/2013	0	HL1B
	EHF28	H90 DAY	ALL OTHER VIOLATIONS Clean walk in cooler fan, grills and equipment. Repair light bulb in walk in freezer.		12/31/2013		

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**JUBA COFFEE  
3410 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2490	EHF28	H10DAY	ALL OTHER VIOLATIONS		12/26/2013	3	HL1B
			Post the permit when it arrives and the last inspection report.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		12/26/2013		
			A certified food manager needed within 45 days.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**KFC  
1510 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1790	EHF14	H 3 DAYS	WATER SUPPLY		12/27/2013	4	HL1B
			Water supply disconnected from hand sink in kitchen. To be corrected within 3 days.				
	EHF28	COS	ALL OTHER VIOLATIONS		12/27/2013		
			Food manager card not posted.				
HF1790	EHF14	H10DAY	WATER SUPPLY		12/30/2013	4	HFOL
			Water supply found disconnected from hand sink in kitchen. To be corrected by 01-03-2014. **A 50.00 re-inspection fee will be charged if violation in not corrected.**				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

**ESTABLISHMENT****KIMMI SERVICE LLC  
1901 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1563	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/27/2013	0	HL1B
			Fix ceiling tile where insulation is exposed over cappucino machine.				

**LA FUENTE  
511 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2455	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		12/30/2013	3	HL1B
			Corrected from previous inspection.				
	EHF21	COS	MANUAL WARE WASHING		12/30/2013		
			Sanitizer in wipedown bucket too low.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**LEALS**

**1619 S KENTUCKY ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF4	EHF21	COS	MANUAL WARE WASHING		12/26/2013	13	HL1B
			Ware washing machine was not sanitizing at time of inspection.				
	EHF24	COS	THERMOMETERS		12/26/2013		
			Several thermometers missing in reachin refrigerators.				
	EHF10	COS	SOUND CONDITION		12/26/2013		
			Broken eggs in tray on table.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/26/2013		
			Base board across from mop room needs to be attached to wall.				
	EHF25	COS	FOOD CONTACT SURFACES		12/26/2013		
			a)Clean knives in pan with food.b)Can opener needed to be cleaned. c)Ice paddle was stored on top surface of ice machine that was not clean.				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

**ESTABLISHMENT****LOS BRACEROS  
3303 BELL ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>	
HF1921	EHF23	H10DAY	SEWAGE/WASTEWATER		12/27/2013	3	HFOL	
			A)Waste water coming out of ware wash machine. To be corrected within 10 days. B)Hand washing sink leak corrected.					
	EHF21	IN	MANUAL WARE WASHING		12/27/2013			
			Corrected.					

**LOVES COUNTRY STORE #250  
14701 W INTERSTATE 40**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>	
HFP4	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/31/2013	0	HL1B	
			3rd notice.Replace ceiling tile-Subway line,floor tile at mopsink. Repair transition strip ceramic tile to VCT. Clean up employee drinks etc at soda box rack, walkin freezer floor ice buildup, repair leak. Repair/replace return air grill at walkin.					

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

---

**LOVES TRAVEL STOP #200****6930 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF770	EHF28	COS	ALL OTHER VIOLATIONS		12/27/2013	6	HL1B
			Ice condensate needed to be removed from walk in freezer.				
	EHF25	COS	FOOD CONTACT SURFACES		12/27/2013		
			A)Tea nozzle needed to be cleaned. B)Container holding ice scoops needed to be changed.				
	EHF24	COS	THERMOMETERS		12/27/2013		
			No thermometer found in pizza make table.				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT****MARTINEZ GROCERY  
2010 S ARTHUR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2264	EHF03	IN	HOT HOLDING		12/31/2013	0	HL1B	
			Hot dog in hot hold found at 160 F degrees.					

**MCDONALDS  
3700 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF304					12/31/2013	0	HL1B

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT****MR GATTIS  
4412 S WESTERN ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF6	EHF28	IN	ALL OTHER VIOLATIONS Corrected.		12/30/2013	0	HFOL
	EHF02	IN	COLD HOLDING Ham on buffet holding at 41°F.		12/30/2013		
	EHF20	IN	TOXIC ITEMS Corrected.		12/30/2013		
	EHF15	IN	EQUIPMENT ADEQUATE Corrected.		12/30/2013		

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT****NIGHT & DAY CARE & PLAY INC****2831 MAYS AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFD31					12/26/2013	0	HL1B

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT****OLD SANTA FE LOUNGE  
4901 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF184	EHF28	H10DAY	ALL OTHER VIOLATIONS		12/26/2013	7	HL1B
			Fans not clean. Blower covers not clean.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		12/26/2013		
			Shelves not clean in reach in cooler.				
	EHF09	COS	APPROVED SOURCE/LABELING		12/26/2013		
			No label on non-easily identifiable foods.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

**ORIGINAL PINE SHED  
5342 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1808	EHF25	COS	FOOD CONTACT SURFACES		12/30/2013	3	HL1B
			Ice scoop handle must be stored out of ice. b)Clean soda gun.				
	EHF28	COS	ALL OTHER VIOLATIONS		12/30/2013		
			Spanish/English hand washing signs needed in bathrooms.				

**PANCHO VILLA  
4601 RIVER RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF739	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/31/2013	0	HFOL
			Continue to clean up any areas of the floor behind equipment where dirt is accumulating.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

#### PANHANDLE SURGICAL HOSPITAL

7100 SW 9TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF189					12/30/2013	0	HL1B

#### PATTAYA RESTAURANT

6204 HILLSIDE RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1904	EHF28	COS	ALL OTHER VIOLATIONS		12/26/2013	4	HL1B
			Employees must wear hair restraint in kitchen.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		12/26/2013		
			Open drinks in kitchen. All drinks must have a lid and straw or sport cap.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

#### PIZZA PLANET 335 E HASTINGS AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF962	EHF28	COS	ALL OTHER VIOLATIONS		12/30/2013	3	HL1B	
			Clean any areas of the floor with dark build up,in corners and around equipment.					
	EHF25	COS	FOOD CONTACT SURFACES		12/30/2013			
			The can opener and holder needed to be cleaned.					

#### PLEASANT VALLEY BAPTIST CHURCH 555 E HASTINGS AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD41					12/27/2013	0	HL1B

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT****POTATO FACTORY  
114 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF115					12/31/2013	0	HL1B

**POTTER HOUSE  
6800 PLUM CREEK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2462	EHF28	COS	ALL OTHER VIOLATIONS		12/26/2013	0	HL1B

Box of potatoes on floor in pantry, must be stored off of floor. (1 correction from previous inspection)

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

**ESTABLISHMENT****ROBINSONS BBQ  
5920 HILLSIDE RD**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF244	EHF02	IN	COLD HOLDING		12/30/2013	0	HL1B
			A)Tomatoes holding at 43 degrees.				
	EHF03	IN	HOT HOLDING		12/30/2013		
			A)Sausage holding at 133 degrees. B)Chopped brisket holding at 135 degrees.				

**ROCKWOOD AMISH FURNITURE****11570 INTERSTATE 27**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFR80	EHF14	IN	WATER SUPPLY		12/30/2013	0	HL1B
			Water sample tests required monthly. Last Sample 10/9/13.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

**RUDYS COUNTRY STORE & BAR B Q**

**3751 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1658	EHF28	COS	ALL OTHER VIOLATIONS		12/26/2013	3	HL1B
			Door and gaskets to walk in coolers not clean. b)One hand sink is not working. Repair as needed. c)Ice machine door is broken. Repair or replace door.				
	EHF25	COS	FOOD CONTACT SURFACES		12/26/2013		
			Inside ice maker needs to be cleaned. b)Shelves in walk in cooler need to be cleaned.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**SABAIDEE  
2313 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1812	EHF02	IN	COLD HOLDING Corrected.		12/27/2013	3	HFOL
	EHF23	H10DAY	SEWAGE/WASTEWATER Hot water heater is leaking water on floor. It needs to be repaired or replaced. To be corrected within 10 days. Repeat violation.		12/27/2013		

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**SONIC #12  
4151 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1004	EHF02	COS	COLD HOLDING		12/30/2013	12	HL1B
			A)Whip cream sitting on counter at 70 degrees. Must remain below 41 degrees at all times.				
	EHF03	IN	HOT HOLDING		12/30/2013		
			A)Hot dogs holding at 170 degrees. B)Sausage holding at 144 degrees.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		12/30/2013		
			A)Employee food found on dry storage rack, food must be kept and consumed in employee break area.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		12/30/2013		
			A)Clean ice machine. B)Top of ice machine has a large hole in it, must be sealed within 10 days.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		12/30/2013		
			A)Fix light shields by grill. B)Clean blower covers. C)All employees working with food must wear a hair restraint. D)Clean all air vents. E)All grout work must be fixed within 10 days.				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

---

**SPOTTED PONY THE  
2042 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1874	EHF25	COS	FOOD CONTACT SURFACES Mold on soda gun.		12/27/2013	3	HL1B

**ST BENEDICT MONASTERY  
17825 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR66	EHF14	IN	WATER SUPPLY Water sample collected at time of inspection.		12/26/2013	0	HL1B

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

**STAYBRIDGE SUITES  
36 WESTERN PLAZA DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2224	EHF08	COS	GOOD HYGIENIC PRACTICES		12/31/2013	17	HL1B
			Employee seen putting on gloves without washing hands first.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		12/31/2013		
			Food manager card needed. Repeat. If not corrected in 45 days a \$50 reinspection fee will be charged.				
	EHF16	COS	HAND WASH FACILITIES ADEQUATE		12/31/2013		
			A)Hand washing sink blocked by empty boxes. B)Bucket of water in hand washing sink.				
	EHF13	COS	HACCP PLAN/TIME		12/31/2013		
			A)Cream cheese not refrigerated. Packet says to "keep refrigerated". B)Ham inside refrigerator not date marked. All potentially hazardous food must be date marked when pulled out of freezer and thrown away after 7 days.				
	EHF25	COS	FOOD CONTACT SURFACES		12/31/2013		
			Mold on soda nozzles.				

**Food Establishment Public Inspection Report**

**From 12/26/13 thru 1/1/14**

---

**ESTABLISHMENT**

**STAYBRIDGE SUITES**

HF2224	EHF28	COS	ALL OTHER VIOLATIONS		12/31/2013	17	HL1B
			Clean inside of ice machine.				

**SUBWAY  
6000 S WESTERN ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF1616	EHF08	COS	GOOD HYGIENIC PRACTICES		12/30/2013	8	HL1B
			A)Employee food found on prep table. B)Employee drink with no lid or straw found on prep table.				
	EHF03	IN	HOT HOLDING		12/30/2013		
			A)Meatballs holding at 151 degrees.				
	EHF12	COS	CROSS CONTAMINATION		12/30/2013		
			A)Sauce bottles must be stored dispenser side up to prevent cross contamination from other sauces and dirty container.				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT****SUNSHINE VALLEY CHILD CARE****4618 RIVER RD**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>	
HFD22	EHF28	H60 DAY	ALL OTHER VIOLATIONS		12/26/2013	0	HL1B	
			Seal the new wall in kitchen area. b)Remove mattresses from employee restroom.					

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**TACOS EL TULE  
3623 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1576	EHF28	H10DAY	ALL OTHER VIOLATIONS		12/30/2013	6	HL1B
			Stack foods in refrigerator with raw meats on bottom. Foods with higher cooking temps should be below foods with lower cooking temperatures. b)Store tortillas at least 6" off floor.				
	EHF25	COS	FOOD CONTACT SURFACES		12/30/2013		
			Remove any broken or melted containers from kitchen. Only use containers that are in good condition.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		12/30/2013		
			The mop sink is cracked and cannot be used. Replace the mop sink. Do not throw mop water outside.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**TAQUERIA SAN CARLOS**

**3510 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1678	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		12/31/2013	6	HL1B
			Do not use the 3 compartment sink for hand washing. Designate the white sink in the corner for hand washing and stock it with soap and towels. Use the hand sink only for hand washing.				
	EHF25	COS	FOOD CONTACT SURFACES		12/31/2013		
			The ice scoop was handle-down in the ice. Store the scoop on a clean surface.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		12/31/2013		
			The thermometer battery needs to be replaced.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**TEXAS STEAK EXPRESS  
2600 S KENTUCKY ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2277	EHF28	H90 DAY	ALL OTHER VIOLATIONS		12/26/2013	13	HL1B
			A)Replace vent cover in walkin freezer. B)Clean inside of ice machine. COS C)Trash can with lid needed in employee restroom. D)Replace gasket on cold hold by grill.				
	EHF21	COS	MANUAL WARE WASHING		12/26/2013		
			Rag used for wipe down not stored in sanitizer bucket.				
	EHF20	COS	TOXIC ITEMS		12/26/2013		
			Wipe down sanitizer too strong.				
	EHF24	COS	THERMOMETERS		12/26/2013		
			No thermometer in cold hold by desserts.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		12/26/2013		
			Drink with no lid or straw in prep area.				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT****THAI ARAWAN  
2834 WOLFLIN AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2249	EHF21	IN	MANUAL WARE WASHING Corrected.		12/26/2013	0	HFOL
	EHF13	IN	HACCP PLAN/TIME Corrected.		12/26/2013		

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

**THAI PALACE  
4723 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1727	EHF23	H10DAY	SEWAGE/WASTEWATER		12/26/2013	13	HL1B
			Leak at plumbing for 3 bay sink.				
	EHF07	COS	ADEQUATE HAND WASHING		12/26/2013		
			Employee did not wash hands before putting on gloves.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		12/26/2013		
			No paper towels at hand sink.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		12/26/2013		
			Gaskets to reachin coolers dirty. b)Blower cover on small reach in cooler dirty. c)Utensil container dirty.				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

**ESTABLISHMENT****THAI PEPPER  
311 E HASTINGS AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1946	EHF28	COS	ALL OTHER VIOLATIONS		12/30/2013	3	HL1B
			Remove the large metal stem thermometer. It is not accurate and cannot be calibrated.				
	EHF25	COS	FOOD CONTACT SURFACES		12/30/2013		
			Clean the ice scoop and ice scoop container. Remove and clean any build-up on handles of refrigerated table and any other frequently touched food contact surfaces. Cover all foods in refrigeration.				

**TOOT N TOTUM #81  
2601 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF866	EHF19	IN	RODENTS/ANIMALS/OPENINGS		12/31/2013	0	HFOL
			Corrected.				

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

**TOOT N TOTUM #93  
8772 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2011	EHF19	IN	RODENTS/ANIMALS/OPENINGS Corrected.		12/31/2013	0	HFOL

### USA AUTO AUCTION 3208 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF546					12/31/2013	0	HL1B

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

---

**WAL-MART #822 BAKERY****3700 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF362	EHF17	COS	HAND WASH WITH SOAP/TOWELS		12/31/2013	3	HL1B
No paper towels at hand sink on west side of bakery. b)No paper towels at hand sink of east side of bakery.							

**WAL-MART #822 DELI****3700 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF379					12/31/2013	0	HL1B

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

---

**ESTABLISHMENT**

---

**WAL-MART #822 GROCERY****3700 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF532					12/31/2013	0	HL1B

**WAL-MART #822 MEAT & SEAFOOD****3700 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF355	EHF23	H10DAY	SEWAGE/WASTEWATER		12/31/2013	3	HL1B	
			Significant condensate leak in walk in freezer.					

**Food Establishment Public Inspection Report**

**From 12/26/13 thru 1/1/14**

---

**ESTABLISHMENT**

**WATLEY LEARNING CENTER**

**1208 NW 13TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFD26					12/30/2013	0	HL1B

## Food Establishment Public Inspection Report

From 12/26/13 thru 1/1/14

---

### ESTABLISHMENT

**WHATABURGER #902  
3620 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1228	EHF28	COS	ALL OTHER VIOLATIONS		12/26/2013	6	HL1B
			A)Blower covers in walk in cooler need to be cleaned. B)Raw eggs stored over ready to eat products in cooler.				
	EHF25	H 3 DAYS	FOOD CONTACT SURFACES		12/26/2013		
			Blood found on bottom of standing freezer.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		12/26/2013		
			No paper towels at hand sink by ice machine.				
HF1228	EHF25	IN	FOOD CONTACT SURFACES		12/30/2013	0	HFOL
			Corrected from previous inspection.				
	EHF28	IN	ALL OTHER VIOLATIONS		12/30/2013		
			Corrected from previous inspection.				

**Food Establishment Public Inspection Report**

From 12/26/13 thru 1/1/14

**ESTABLISHMENT****WHATABURGER #902****WIENERSCHNITZEL #303  
600 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2432	EHF18	H10DAY	INSECT CONTAMINATION		12/26/2013	12	HL1B
			Found live baby roach in soda nozzle. A licensed pest control operator must treat the building by January 10, 2014. Save receipt.				
	EHF24	H10DAY	THERMOMETERS		12/26/2013		
			Thermometer in make table on line is broken.				
	EHF20	COS	TOXIC ITEMS		12/26/2013		
			Unlabeled chemicals found in spray bottles.				
	EHF21	COS	MANUAL WARE WASHING		12/26/2013		
			Sanitizer in wipedown mixture found to be too weak.				

**Food Establishment Public Inspection Report**

**From 12/26/13 thru 1/1/14**

---

**ESTABLISHMENT**

**WILD CUPCAKE LLC, THE  
118 SW 6TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2483					12/31/2013	0	HL1B