

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

24TH DISCOUNT STORE**2390 FRITCH HWY**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF56	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/20/2013	0	HL1B	
			Clean ice machine exterior and interior, floor in soda box storage area, floor in walkin cooler, floor behind soda machines. Seal door at north end. Repair roof and replace missing and damaged ceiling tile.					

AFRICAN BROTHERS STORE**1111 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2349	EHF28	COS	ALL OTHER VIOLATIONS		9/23/2013	0	HL1B	
			Inspection report not posted.					

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

AMARILLO GERMAN ROASTED NUTS

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7028					9/19/2013	0	HL1B FOOD

AMARILLO INTERNATIONAL FOODS

3409 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF802	EHF09	COS	APPROVED SOURCE/LABELING		9/24/2013	4	HL1B	
			a)Pastries for sale without proper labeling.					

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**ARAMARK DINING HALL/CATERING**

2402 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFCK24					9/21/2013	0	HL1B

ARBYS #7490

5214 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1566					9/24/2013	0	HFOL

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

ARCHIES CONCESSIONS

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7005	EHF21	COS	MANUAL WARE WASHING Bleach solution too weak.		9/20/2013	3	HL1B FOOD

AVONDALE ELEMENTARY

1500 S AVONDALE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF684					9/23/2013	0	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**BAHAMA BUCKS
1921 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1354	EHF25	COS	FOOD CONTACT SURFACES	Inside of cooler needs to be cleaned out.	9/19/2013	3	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

BAKER BROS AMERICAN DELI 1901 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2244	EHF25	COS	FOOD CONTACT SURFACES		9/25/2013	10	HL1B
			a)Cracked bins need to be disposed of. They are no longer easily cleanable. b)Remove date mark stickers from storage bins during the wash cycle.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/25/2013		
			a)Replace ceiling tile over dish drying rack in kitchen.				
	EHF20	COS	TOXIC ITEMS		9/25/2013		
			a)Quat sanitizer over 400 ppm at 3 compartment sink.				
	EHF14	H 2 HOUR	WATER SUPPLY		9/25/2013		
			a)No hot water in building. Establishment has 2 hours to correct the issue or they must close until hot water is restored.				
HF2244	EHF14	IN	WATER SUPPLY		9/25/2013	0	HFOL
			a)Corrected.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**BAKER BROS AMERICAN DELI****BIZZY BEES CHILDCARE & PRESCHL****6500 OFFICE PARK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD55	EHF25	COS	FOOD CONTACT SURFACES	Microwave oven needed to be cleaned.	9/24/2013	3	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**BLUE SKY
5060 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2286	EHF28	H5DAYS	ALL OTHER VIOLATIONS		9/25/2013	11	HL1B
			A)Quat test strips needed by 9-30-13. B)Remove fly sticky traps from within the food preparation areas. COS				
	EHF07	COS	ADEQUATE HAND WASHING		9/25/2013		
			A)Employee seen not washing hands when changing gloves.				
	EHF21	H5DAYS	MANUAL WARE WASHING		9/25/2013		
			A)Dish machine found not sanitizing. After being primed dish machine only sanitizing at 10 ppm, must be 50ppm. Fix by 9-30-13.				
	EHF13	COS	HACCP PLAN/TIME		9/25/2013		
			A)Cooked pasta found held in cooler for eight days, cooked potentially hazardous foods can only be held for seven days. Pasta with dressing PH is 5.5.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**BOYDSTON CONCESSIONS**

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7039					9/20/2013	0	HL1B FOOD
HFT7041					9/20/2013	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

BROWNS PLAYHOUSE DAY CARE CNTR

605 4TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC113					9/23/2013	0	HL1B

BUSHLAND HIGH SCHOOL

1201 S FM 2381

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFP20	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/20/2013	0	HL1B	
			Lightshield required in booster snack bar. Replace light diffuser in dry storage.					

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**BUSHLAND HIGH SCHOOL BOOSTER C**

1201 S FM 2381

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP24	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/20/2013	3	HL1B
			Clean ice machine (exterior and interior).				
	EHF18	H10DAY	INSECT CONTAMINATION		9/20/2013		
			Fly control must be stepped up. Discussed proper use of insecticide spray approved for use in food establishment. Fly strips are not allowed.				

BUTTERFLIES & BULLFROGS

3107 SW 27TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD59					9/25/2013	0	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**CAMPUS CAFE THE
910 9TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC281	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/19/2013	3	HL1B
			Ceiling needs to be cleaned. b)Opening around venthood needs to be closed.				
	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED		9/19/2013		
			You will need to take ServeSafe test or our class to have certified food manager.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

CANYON AFTER SCHOOL PROGRAM**506 8TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC264					9/24/2013	0	HL1B
HFC264					9/23/2013	0	HL1B
HFC264					9/23/2013	0	HL1B
HFC264					9/23/2013	0	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

CANYON AFTER SCHOOL PROGRAM

HFC264	EHF17	H10DAY	HAND WASH WITH SOAP/TOWELS	9/23/2013	3	HL1B
			No towels at handwashing sink.			

HFC264				9/24/2013	0	HL1B
--------	--	--	--	-----------	---	------

CANYON HIGH SCHOOL

1701 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC134					9/19/2013	0	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

CANYON JUNIOR HIGH

910 9TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC200					9/19/2013	0	HL1B

CHANS CONCESSION

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7009					9/19/2013	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**COFFEE BEANS & MACHINES****2431 WOLFLIN VILLAGE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF520					9/25/2013	0	HL1B

COLE MEMORIAL COMMUNITY CTR**300 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC219					9/23/2013	0	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

COURTYARD DOWNTOWN

724 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2014	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/23/2013	13	HL1B
			Ceiling tile missing in back room.				
	EHF25	COS	FOOD CONTACT SURFACES		9/23/2013		
			Microwave found dirty. B)Grill not cleaned after shutting down kitchen.				
	EHF24	COS	THERMOMETERS		9/23/2013		
			Broken thermometer in walk-in freezer. B)Thermometer missing in make-table.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/23/2013		
			No soap at handsink in rear food prep area.				
	EHF13	COS	HACCP PLAN/TIME		9/23/2013		
			Container of sauce found without date mark in walk-in refrigerator.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

COYOTE BLUFF CAFE

2417 S GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF149	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		9/20/2013	6	HFOL
			Exterior of building-rodent harborage. Clean exterior and cut weeds.				
	EHF24	H10DAY	THERMOMETERS		9/20/2013		
			Thermometers required in all cold hold and hot hold units.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/20/2013		
			Seal wood surfaces-smooth/easily cleanable. Cabinet that houses soda boxes,cabinet floor has collapsed-replace & seal.Kitchen & food prep areas must have additional lighting. Thourough cleaning throughout restaurant needed.Outside restroom-repair roof.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**CRABTREE AMUSEMENTS****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7053	EHF28	COS	ALL OTHER VIOLATIONS Fan needed to be cleaned.		9/19/2013	8	HL1B FOOD
	EHF12	COS	CROSS CONTAMINATION Ice scoop stored on soda drain.		9/19/2013		

CURLY-Q-TATORS**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7001					9/20/2013	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**CURTIS FLEMMING LEARNING CTR**

3001 WOLFLIN AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD62					9/25/2013	0	HL1B

DAUBERS CONCESSION

3506 SPADE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1893					9/19/2013	0	HL1B

Food Establishment Public Inspection Report**From 9/19/13 thru 9/25/13****ESTABLISHMENT****DENNYS****9601 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1966	EHF14	IN	WATER SUPPLY Faucet repaired.		9/19/2013	0	HFOL

DOLLAR GENERAL STORE #10043**400 HARRELL LN**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC237	EHF17	COS	HAND WASH WITH SOAP/TOWELS No paper towels in mens restroom.		9/23/2013	3	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

EL ALACRAN
2340 FRITCH HWY

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1080	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED		9/20/2013	3	HFOL	
			Food mgr required. Must have food manager certificate by 10/11/13.					

EL DORADO BURRITOS
2617 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2238					9/24/2013	0	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**EMERSON ELEMENTARY
600 N CLEVELAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1193	EHF28	COS	ALL OTHER VIOLATIONS		9/24/2013	3	HL1B
			Working containers of sanitizing solution not used in a manner to prevent contamination of food via the placement of buckets on food prep tables next to and above food.				
	EHF25	COS	FOOD CONTACT SURFACES		9/24/2013		
			Pink mold found in ice machine.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**FANNIN MIDDLE SCHOOL
4623 S RUSK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF676	EHF24	COS	THERMOMETERS		9/23/2013	11	HL1B
			No thermometer in make table.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/23/2013		
			No paper towels at hand sink in kitchen.				
	EHF03	COS	HOT HOLDING		9/23/2013		
			Chicken alfredo found at 130 F degrees in hot holding unit. B)Chicken sandwiches found at 118 F degrees in hot hold unit. Under 2 hrs, rapidly reheated.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**FAT-BOYS BBQ
104 N 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC121	EHF17	COS	HAND WASH WITH SOAP/TOWELS	No paper towels at handwashing sink.	9/23/2013	3	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

FELDMANS WRONG WAY DINER

2100 N 2ND AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC277	EHF20	COS	TOXIC ITEMS		9/23/2013	9	HL1B
			Gallon jug of chemical stored without lid.				
	EHF24	COS	THERMOMETERS		9/23/2013		
			a)No thermometer found in chicken breading reach in. b)No thermometer found in salad reach in.				
	EHF25	COS	FOOD CONTACT SURFACES		9/23/2013		
			a)Ice machine needed to be cleaned. b)Ice scoop stored on unclean surface, store on clean dry surface or in clean container. c)Knife with food debris on shelf with food product.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/23/2013		
			Ceiling tiles missing over clean utensil storage.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

FELDMANS WRONG WAY DINER

HFCK52	EHF03	COS	HOT HOLDING		9/19/2013	5	HL1B
--------	-------	-----	-------------	--	-----------	---	------

Pork was at 120° in hot hold unit; make sure it is heated to 165° before serving.

**FOOD BOX
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7011	EHF25	COS	FOOD CONTACT SURFACES		9/19/2013	3	HL1B FOOD
			Thermometer not clean.				
HFT7042	EHF14	COS	WATER SUPPLY		9/19/2013	4	HL1B FOOD
			Hot water not turned on.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

FRIENDLY DISCOUNT 2900 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1381	EHF28	COS	ALL OTHER VIOLATIONS		9/24/2013	0	HL1B
			a)Handwash sign needed at handsink.				

FRULLATI CAFE 7701 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1404	EHF29	IN	RECOGNITION		9/24/2013	0	HL1B
			A)Great job. Watched two employees wash hands twice. Restaurant spotless!!				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**GRACE LEARNING CENTER
4214 RIDGECREST CIR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD69	EHF14	H 4 HOUR	WATER SUPPLY		9/23/2013	4	HFOL
			a.) No water in establishment. Lunch must either be ordered in or prepared at another permitted establishment.				
HFD69	EHF14	IN	WATER SUPPLY		9/23/2013	0	HFOL
			Corrected.				
	EHF20	IN	TOXIC ITEMS		9/23/2013		
			Corrected.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**HAGY LEARNING CENTER
1301 STREIT DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD63					9/25/2013	0	HL1B

**HEALTH KYK! NUTRITION
2805 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2105	EHF08	COS	GOOD HYGIENIC PRACTICES		9/19/2013	4	HL1B
			a)Do not put ice or scoops in the handsink. It is for handwashing only.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2013		
			a)A sign is needed at the handwashing sink to indicate its use.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**HILS BURGERS
1300 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC225					9/19/2013	0	HFOL

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

HOMEWOOD SUITES BY HILTON

8800 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF965	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2013	17	HL1B
			A)Thawing liquid eggs in water. Thawing must be done either under cold running water, or in the refrigerator. B)Dust tops of equipment. C)Clean Lazy Susan shelves. D)Store personal items away from food and food contact areas.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		9/19/2013		
			A)Hand sink being used for other purposes other than hand washing. B)Employee seen washing hands in 3 compartment sink, hands must be washed in hand sink.				
	EHF21	COS	MANUAL WARE WASHING		9/19/2013		
			A)Dish machine found not sanitizing, Corrected by end of inspection.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/19/2013		
			A)Hand sinks found without paper towels.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/19/2013		
			A)Back door being left cracked. Must be kept closed when not in use to prevent insect contamination.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

HOMEWOOD SUITES BY HILTON

HF965	EHF13	COS	HACCP PLAN/TIME	9/19/2013	17	HL1B
-------	-------	-----	-----------------	-----------	----	------

A)Sausage found in cooler held longer than 24 hours found without any preparation date.

HOOP CONCESSIONS

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7043	EHF21	COS	MANUAL WARE WASHING		9/20/2013	3	HL1B FOOD

No sanitizer made.

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**HOOP CONCESSIONS INC****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7012	EHF19	H 2 HOUR	RODENTS/ANIMALS/OPENINGS	Air curtain was not working. Keep service window closed.	9/20/2013	3	HL1B FOOD

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

HOOTERS

8101 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2229	EHF02	IN	COLD HOLDING		9/25/2013	0	HL1B	
			A)Raw beef holding at 38 degrees. B)Ham holding at 39 degrees. C)Raw chicken holding at 39 degrees.					
	EHF29	IN	RECOGNITION		9/25/2013			
			A)Wow what a turn around. Establishment looks great. Employees practiced proper hand washing techniques. Kitchen manager is very knowledgeable about food safety. Great Job!!!!!!					
	EHF28	COS	ALL OTHER VIOLATIONS		9/25/2013			
			A)Keep tea bins covered. B)Replace missing ceiling tiles above ice machine (Repeat).					

Food Establishment Public Inspection Report**From 9/19/13 thru 9/25/13****ESTABLISHMENT****INTERNATIONAL COOKHOUSE****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7050	EHF09	COS	APPROVED SOURCE/LABELING Flour not labeled.		9/19/2013	4	HL1B FOOD

LA FUENTE**511 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2455	EHF14	H 3 DAYS	WATER SUPPLY Air gap needed where ice machine drains into.		9/24/2013	0	H PREOPEN
	EHF28	H 3 DAYS	ALL OTHER VIOLATIONS Covered trash can needed in women's restroom.		9/24/2013		

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**LA MILPA
4511 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF950					9/25/2013	0	HL1B

**LAKEVIEW ELEMENTARY SCHOOL
6407 LAIR RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR48	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/19/2013	3	HL1B
			Repair floor at condensate drain between walkin refrigerator and freezer. b)Condensate draining into pans in freezer - repair leak - remove pans.				
	EHF24	H10DAY	THERMOMETERS		9/19/2013		
			Thermometer required in ice cream freezer.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

LITTLE CAESARS PIZZA

3400 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2405	EHF08	COS	GOOD HYGIENIC PRACTICES		9/24/2013	7	HFOL
			A)Pitcher of water found in hand sink, hand sinks are for hand washing only.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/24/2013		
			A)Back door found left open when taking out trash, keep door shut at all times. Close after each immediate use.				
	EHF21	IN	MANUAL WARE WASHING		9/24/2013		
			A)Corrected.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**LOVES COUNTRY STORE #250**

14701 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFP4	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED		9/25/2013	3	HL1B	
			Certified food manager required for establishment. Please obtain cert and post in establishment by 10/16/13. (Class Oct 9, Text Oct 11)					
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/25/2013			
			Flystrips not allowed in fd est.-remove.Repair handsink drain-Subway line.Repair leaking spray nozzle 3 comp sink.Clean or replace ceiling tile above Subway line,must be smooth-easily cleanable.All product on walkin floor needs to be at least on pallets.					

MARGARET WILLS ELEMENTARY

3500 SW 11TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF657	EHF25	COS	FOOD CONTACT SURFACES		9/23/2013	3	HL1B	
			a)Handles on cooler #5 needed to be cleaned. b)Seals on cooler #5 needed to be cleaned.					

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

MARTYS CONCESSIONS

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF782	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2013	0	HL1B
			Single service boxes on floor. Keep off floor 6".				
HFT7025	EHF25	COS	FOOD CONTACT SURFACES		9/20/2013	3	HL1B FOOD
			Soda nozzles dirty.				
HFT7044					9/20/2013	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

MARTYS CONCESSIONS

HFT7046

9/19/2013

0

HL1B FOOD

Food Establishment Public Inspection Report**From 9/19/13 thru 9/25/13**

ESTABLISHMENT

NATIONAL FOOD CONCESSIONS**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7055					9/19/2013	0	HL1B FOOD
HFT7057	EHF25	COS	FOOD CONTACT SURFACES	Soda nozzles need to be cleaned.	9/19/2013	11	HL1B FOOD
	EHF23	COS	SEWAGE/WASTEWATER	Leaking wastewater.	9/19/2013		
	EHF02	COS	COLD HOLDING	Tomatoes temped at 65°F.They were thrown out.	9/19/2013		

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**NATIONAL FOOD CONCESSIONS**

HFT7058					9/20/2013	0	HL1B FOOD
---------	--	--	--	--	-----------	---	-----------

NIGHT & DAY CARE & PLAY INC

2831 MAYS AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD31					9/24/2013	0	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**NORTH HEIGHTS ELEMENTARY****607 N HUGHES ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF728					9/24/2013	0	HL1B

OLD 66 LOUNGE
5316 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2186					9/25/2013	0	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

ORANGE LEAF FROZEN YOGURT

2207 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2454					9/19/2013	0	HL1B

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**PANCHO VILLA
4601 RIVER RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF739	EHF25	COS	FOOD CONTACT SURFACES Silverware stored in dirty receptacle.		9/25/2013	10	HL1B
	EHF12	COS	CROSS CONTAMINATION Microwave ceiling coating is chipping and must be removed from restaurant.		9/25/2013		
	EHF15	COS	EQUIPMENT ADEQUATE Refrigerator found at 45 F degrees. Thermostat adjusted.		9/25/2013		

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**PARADISE AMUSEMENTS****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7054	EHF28	COS	ALL OTHER VIOLATIONS Clean dust off of air intake.		9/19/2013	3	HL1B FOOD
HFT7060					9/20/2013	0	HL1B FOOD

Food Establishment Public Inspection Report**From 9/19/13 thru 9/25/13**

ESTABLISHMENT**PIZZA HUT
6019 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1725	EHF02	IN	COLD HOLDING		9/25/2013	4	HL1B
			A)Ham holding at 38 degrees. B)Sausage holding at 37 degrees.				
	EHF07	COS	ADEQUATE HAND WASHING		9/25/2013		
			A)Employee seen not washing hands before putting on gloves.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**RAFTER G BARBECUE
25390 STOREY ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR63	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/19/2013	3	HL1B
			Mens restroom handwash signage required. b)Light protection needed in ice machine/salad bar area. c)Discussed cleanable surfaces in kitchen area.				
	EHF25	COS	FOOD CONTACT SURFACES		9/19/2013		
			Tongs found handle down in contact with salad.				

RAGLEY CONCESSIONS 3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7013					9/20/2013	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**RANDALL COUNTY JAIL
9100 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF61	EHF21	IN	MANUAL WARE WASHING		9/20/2013	6	HL1B
			Discussed warewashing with inmates in ODR. All utensils, pots, and pans must be taken to kitchen for warewashing. You cannot use 1 comp sink to warewash.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		9/20/2013		
			Clean can opener. ODR				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/20/2013		
			Clean: microwave near tea dispenser, ice machine interior & exterior, ice machine ODR ext & int. Chest freezer ODR inside lid broken, seals falling apart-repair. Salad bar sneeze shields do not protect food. Provide lids or extend sneeze shields.				
	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		9/20/2013		
			Handsink west cook line-taken out of service-repair within 10 days.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**RIBS & ROUX
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7016					9/19/2013	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**SONIC DRIVE IN
1007 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC215					9/23/2013	0	HL1B

7701 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF341	EHF02	COS	COLD HOLDING		9/24/2013	8	HL1B
			A)Tomatoes holding at 50 degrees, discarded. Must remain below 41 degrees at all times.				
	EHF03	IN	HOT HOLDING		9/24/2013		
			A)Burgers holding at 170 degrees. B)Chilli holding at 159 degrees.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/24/2013		
			A)Detail fry station.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

SONIC DRIVE IN

HF341

EHF25

COS

FOOD CONTACT SURFACES

9/24/2013

8

HL1B

A)Clean ice machine. B)Clean out make table cooler in kitchen by grill.

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**STAYBRIDGE SUITES
36 WESTERN PLAZA DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2224	EHF28	COS	ALL OTHER VIOLATIONS		9/23/2013	14	HL1B
			a)No English/Spanish handwashing signs in the restroom. This is a repeat violation and a \$50 reinspection fee is being charged for non-compliance.				
	EHF09	COS	APPROVED SOURCE/LABELING		9/23/2013		
			a)Cereal for bulk dispensing must have the nutrition label and ingredients in plain view.				
	EHF10	COS	SOUND CONDITION		9/23/2013		
			a)Butter packets were sitting out and room temperature. They were labeled "keep refrigerated".				
	EHF22	COS	MANAGER KNOWLEDGE/CERTIFIED		9/23/2013		
			a)Food manager card expired 08/10/2013.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/23/2013		
			a)No paper towels at handsink.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**STOCKYARDS CAFE
100 N MANHATTAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2450	EHF15	H10DAY	EQUIPMENT ADEQUATE		9/19/2013	11	HL1B
			A)Small make table holding food at 60 degrees. All potentially hazardous foods were discarded. Do not use until unit can maintain 41 degrees or below at all times.				
	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		9/19/2013		
			A)Corrected.				
	EHF23	IN	SEWAGE/WASTEWATER		9/19/2013		
			A)Corrected.				
	EHF11	COS	PROPER HANDLING RTE		9/19/2013		
			A)Employees seen making ready to eat foods with bare hands, gloves or utensils must be used.				
	EHF03	IN	HOT HOLDING		9/19/2013		
			A)Meatloaf holding at 160 degrees.				

Food Establishment Public Inspection Report**From 9/19/13 thru 9/25/13**

ESTABLISHMENT

STOCKYARDS CAFE

HF2450	EHF07	COS	ADEQUATE HAND WASHING	9/19/2013	11	HL1B
--------	-------	-----	-----------------------	-----------	----	------

A)Employee seen not washing hands before putting on gloves.

	EHF28	H90 DAY	ALL OTHER VIOLATIONS	9/19/2013		
--	-------	---------	----------------------	-----------	--	--

A)Ice machine door is on order. Replace by next inspection. B)Drain board is on order as well. C)Corrected.
D)Corrected. E)Corrected. F)Corrected. G)Corrected.

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

SUGARS CONCESSIONS

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7002					9/19/2013	0	HL1B FOOD
HFT7003					9/20/2013	0	HL1B FOOD

Food Establishment Public Inspection Report**From 9/19/13 thru 9/25/13**

ESTABLISHMENT

SUNDOWN LANE ELEMENTARY**4715 SUNDOWN LN**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFR246	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/19/2013	0	HL1B	
			Warmer door does not seal.Repair door to seal & work properly.See letter 4/2/13.Repair floor at dishwasher floor drains & around cleanouts & entrance to kitchen from cafeteria.See letter.Replace ceiling tile in hallway next to dishmachine.					

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**TACOS EL TULE #2
4400 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1933	EHF28	COS	ALL OTHER VIOLATIONS		9/25/2013	11	HL1B
			Scoop handle found below product level in spice container. B)Fly strips hung from ceiling above food prep areas.				
	EHF24	COS	THERMOMETERS		9/25/2013		
			No thermometer in reach-in refrigerator.				
	EHF14	COS	WATER SUPPLY		9/25/2013		
			Hot water inlet supply valve turned off at hand sink in kitchen. Valve re-opened.				
	EHF13	COS	HACCP PLAN/TIME		9/25/2013		
			Container of raw meat found without date mark in reach-in refrigerator.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**TAQUERIA RIVERA
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7021					9/19/2013	0	HL1B FOOD

**TAYLOR FOOD MART 2064
601 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC307					9/19/2013	0	HFOL

Food Establishment Public Inspection Report**From 9/19/13 thru 9/25/13**

ESTABLISHMENT

**TEXAS COUNTRY STORE, THE
6701 ROCKWELL RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR60	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/25/2013	3	HL1B
			Clean ice machine exterior & interior. Storage of soda boxes under handsink drain lines. Move soda boxes from under handwash sink lines.				
	EHF27	H24 HOUR	ESTABLISHMENT PERMIT		9/25/2013		
			Food est permit has expired 9/21/13. Permit must be obtained by 12 noon 9/26/13.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**THAI PEPPER
311 E HASTINGS AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1946	EHF28	COS	ALL OTHER VIOLATIONS		9/24/2013	5	HL1B
			Scoop in dry rice found without handle. All scoops must have handles.				
	EHF02	COS	COLD HOLDING		9/24/2013		
			Raw chicken and beef found at 54 F degrees while defrosting using improper procedure. Under 2 hrs, immediately cooked. Must defrost under refrigeration or running water.				

Food Establishment Public Inspection Report**From 9/19/13 thru 9/25/13**

ESTABLISHMENT

THAN LWIN ASIAN GROCERY STORE**5407 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2452	EHF14	COS	WATER SUPPLY		9/23/2013	0	H PREOPEN
			Hot water heater is turned off and must be operating to provide water at a temperature of at least 100 F degrees before opening.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/23/2013		
			Handwashing signs needed in restroom in both English and Spanish. COS. B) Weather stripping needed at front door to provide a tighter seal.				
	EHF24	H10DAY	THERMOMETERS		9/23/2013		
			Thermometers needed in three freezers.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

THE 806 SATELLITE CAFE**2705 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2442	EHF24	COS	THERMOMETERS		9/19/2013	3	HL1B
			Thermometer needed in standing cooler.				

TOOT N TOTUM #35**4224 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF645	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2013	0	HL1B
			a)Handwashing sign is needed for handsink.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**TORNADO TATERS, LP
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7020					9/20/2013	0	HL1B FOOD

TRAVELODGE 2035 PARAMOUNT BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2089	EHF28	COS	ALL OTHER VIOLATIONS		9/23/2013	4	HL1B
			a)A handwashing sign is needed at the handsink to indicate its use.				
	EHF09	COS	APPROVED SOURCE/LABELING		9/23/2013		
			a)Bulk cereal offered for dispensing must have the list of ingredients and nutrition labeling in plain view.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

TRAVIS MIDDLE SCHOOL

2815 MARTIN RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF669	EHF13	COS	HACCP PLAN/TIME		9/19/2013	4	HL1B
Cooked chicken and pasta sauce held past date mark in refrigerator. Discarded. Must hold for only 7 days.							

TREATS GOURMET EATS

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7061					9/20/2013	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**VIENTIANE NIGHTS
6007 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2006	EHF15	H10DAY	EQUIPMENT ADEQUATE		9/19/2013	12	HL1B
			Refrigerator found at 54 degrees. Potentially hazardous food discarded. Do not store anything potentially hazardous in unit until it reaches an internal ambient temperature of 41 F degrees or below. To be corrected within 10 days.				
	EHF21	COS	MANUAL WARE WASHING		9/19/2013		
			Wipe-down sanitizer found too weak in kitchen.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/19/2013		
			No space separation or barrier between hand sink and rice cooker.				
	EHF24	H10DAY	THERMOMETERS		9/19/2013		
			Improper thermometer in refrigerator in kitchen. B)No thermometer in refrigerator.				
	EHF25	COS	FOOD CONTACT SURFACES		9/19/2013		
			Rice spoon in water at 74 F degrees. Must be 135 F degrees.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

VILLA PIZZA
7701 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF419	EHF25	COS	FOOD CONTACT SURFACES		9/24/2013	11	HL1B
			A)Clean ice machine. B)All scoops must have handles on them.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/24/2013		
			A)All food must be stored at least six inches off the ground.cos B)Pasta must have a lid on it.cos C)Broken gaskets must be replaced on pizza make table in front.				
	EHF12	COS	CROSS CONTAMINATION		9/24/2013		
			A)Utensils held in water bath to keep clean. Water bath was found to contain chemical sanitizer. Utensils cannot be stored in sanitizer due to risk of cross contamination of food.				
	EHF02	IN	COLD HOLDING		9/24/2013		
			A)Sausage holding at 40 degrees.				
	EHF03	IN	HOT HOLDING		9/24/2013		
			A)Meatballs holding at 151 degrees.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

VILLA PIZZA

HF419

EHF08

COS

GOOD HYGIENIC PRACTICES

9/24/2013

11

HL1B

A)Chemical found being stored in hand sink, hand sinks are for hand washing only.

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

**VINCES PIZZA
2413 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF600	EHF10	COS	SOUND CONDITION		9/23/2013	11	HM3
			a)Dented can on shelf in back.				
	EHF14	H 2 HOUR	WATER SUPPLY		9/23/2013		
			a)No hot water. Establishment must close until hot water is restored and reinspection has occurred.				
	EHF25	COS	FOOD CONTACT SURFACES		9/23/2013		
			Clean inside of ice machine.				
HF600	EHF14	IN	WATER SUPPLY		9/24/2013	0	HM4
			a)Corrected.				

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**VIRDINSKIS BBQ RUB SHACK****3701 OLSEN BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK127	EHF03	COS	HOT HOLDING Beans at 113°F.		9/19/2013	5	HL1B
	EHF28	H10DAY	ALL OTHER VIOLATIONS Place tongs out for bread.		9/19/2013		

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT**WAFFLE HOUSE #1169
6310 HOLLYWOOD RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1296	EHF15	COS	EQUIPMENT ADEQUATE		9/24/2013	6	HL1B	
			Refrigerator on south end was at 55 degrees, PHF disposed of, do not keep PHF in this unit until it can maintain 41 or below.					
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/24/2013			
			a)No paper towels at handwashing sink in front. b)No paper towels at handwashing sink in back.					

**WHEELER CONCESSIONS
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7017					9/20/2013	0	HL1B FOOD

Food Establishment Public Inspection Report

From 9/19/13 thru 9/25/13

ESTABLISHMENT

WTAMU KIMBROUGH CONCESSIONS

19501 US HIGHWAY 87

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC315					9/21/2013	0	HL1B

YOUTH CNTR OF THE HIGH PLAINS

9300 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF400	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/20/2013	0	HL1B

Clean exterior of dishmachine, lime scale buildup. Walkin freezer condensate buildup. Repair leaks. Replace fire sprinkler trim in dry storage.