

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

24TH DISCOUNT STORE

2390 FRITCH HWY

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF56	EHF27	H10DAY	ESTABLISHMENT PERMIT Permit not posted.		8/28/2014	3	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**ABC LEARNING CENTER I
5901 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD30	EHF02	IN	COLD HOLDING		8/28/2014	11	HL1B
			A)All coolers holding at 40 degrees.				
	EHF07	COS	ADEQUATE HAND WASHING		8/28/2014		
			A)Employee seen not washing hands before changing gloves. B)Employee seen only washing hands for 3 seconds, must be at least 20 seconds.				
	EHF13	COS	HACCP PLAN/TIME		8/28/2014		
			A)A potentially hazardous food was found in the cooler held past 24 hours without any preparation date on it. B)Another potentially hazardous food found in cooler found misdated.				
	EHF21	COS	MANUAL WARE WASHING		8/28/2014		
			A)Employee seen cleaning counter with a wet rag with no sanitizer on the rag. B)All dishes must be washed, rinsed, sanitized, air dried everytime everyday.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

AFRICAN BROTHERS STORE

1111 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2349					8/28/2014	0	HL1B

AMARILLO HUT
4201 BUSHLAND BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2579	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/3/2014	0	HL1B	
			Back door needs to have door closer. (1 Correction from previous inspection)					

Food Establishment Public Inspection Report**From 8/28/14 thru 9/3/14****ESTABLISHMENT****ARDEN ROAD ELEMENTARY
6801 LEARNING TREE AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF412	EHF28	H90 DAY	ALL OTHER VIOLATIONS		8/28/2014	0	HL1B
			A)Clean large air vent over food prep table (Repeat). Air vents need to be kept clean to prevent contamination of food.				
	EHF04	IN	PROPER COOKING TEMPERATURES		8/28/2014		
			A)Sweet potato's cooked to 200 degrees.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**BLUE FRONT CAFE
801 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF510	EHF15	COS	EQUIPMENT ADEQUATE		8/28/2014	6	HL1B	
			Two door refrigerator was at 50 degrees, must be able to maintain 41 or below. Food was moved to another unit or disposed of.					
	EHF25	COS	FOOD CONTACT SURFACES		8/28/2014			
			Pan with knives needed to be cleaned.					

**BONHAM MIDDLE SCHOOL
5600 SW 49TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF220					9/2/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**BRISTOLS BAR
1911 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2283	EHF25	COS	FOOD CONTACT SURFACES		8/29/2014	8	HL1B
			Soda gun needed to be cleaned.				
	EHF02	H 2 HOUR	COLD HOLDING		8/29/2014		
			Chicken temped at 115F. Must be above 135F.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**BUFFALO WILD WINGS
5416 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1527	EHF19	IN	RODENTS/ANIMALS/OPENINGS	a)Corrected.	9/2/2014	0	HFOL
	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED	a)Corrected.	9/2/2014		
	EHF28	IN	ALL OTHER VIOLATIONS	a)Corrected.	9/2/2014		

9511 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2019	EHF28	H90 DAY	ALL OTHER VIOLATIONS	A)Dust needed to be cleaned off of AC vent in kitchen. B)Floor tiles in bar area need to be replaced. (90 DAYS) C)Floor tiles in front of dish machine need to be replaced.(90 DAYS)	9/2/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**BUFFALO WILD WINGS****BYOB BURGER COMPANY****6200 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2140	EHF27	H5DAYS	ESTABLISHMENT PERMIT		8/28/2014	3	HOTHER

Permit is expired as of 8/18/14. Permit must be renewed by Tuesday Sept 2nd at noon.

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

CEFCO FOOD STORE #2091

1600 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2193	EHF28	COS	ALL OTHER VIOLATIONS		8/28/2014	0	HL1B
			Raw eggs and bacon stored over soda cans in cooler.				
	EHF02	IN	COLD HOLDING		8/28/2014		
			Raw eggs 35°.				
	EHF03	IN	HOT HOLDING		8/28/2014		
			Hot dogs 150°F.				

Food Establishment Public Inspection Report**From 8/28/14 thru 9/3/14****ESTABLISHMENT****CHRIST LUTHERAN CHILD DEVE
2400 N COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD3					8/29/2014	0	HL1B

**CITY VIEW ELEMENTARY
3404 KNOLL DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1833	EHF05	IN	RAPID REHEATING		9/2/2014	0	HL1B
			A)Chicken nuggets cooked to 170 degrees.				
	EHF03	IN	HOT HOLDING		9/2/2014		
			A)Chicken nuggets holding at 160 degrees.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**COWBOY GELATO
2806 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1843					9/2/2014	0	HL1B

**CRUISERS GRILL & BAR
2813 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2562					9/2/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**DAUBERS CONCESSION****3506 SPADE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1893	EHF28	H10DAY	ALL OTHER VIOLATIONS		8/29/2014	3	HL1B
			Microwave needed to be cleaned.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		8/29/2014		
			Reach in cooler has condensate leak and needs to be replaced.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**DENNYS RESTAURANT
2116 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF213	EHF15	H10DAY	EQUIPMENT ADEQUATE		8/29/2014	7	HL1B
			Condensate leak in reach in cooler on cook line needs to be repaired. No food stored in cooler at time of inspection.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		8/29/2014		
			Employee drink found without a lid and straw. Corrected.				
	EHF28	COS	ALL OTHER VIOLATIONS		8/29/2014		
			Inside of ice machine needed to be cleaned. Corrected.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**DJS BURGERS
2309 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1525	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/3/2014	7	HL1B
			a)Base board needs to be repaced. b)Broken tiles in front area need to be replaced. c)Light shield missing in kitchen.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		9/3/2014		
			a)Counter top needs to be replaced or repaired for smooth easily cleanable surface. b)Return air vent over cooler needs to be cleaned.				
	EHF14	COS	WATER SUPPLY		9/3/2014		
			a)No hot water at front hand washing sink. b)No cold water at hand washing sink in restroom.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**DOLLAR GENERAL #8372****5131 PLAINS BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF410					8/28/2014	0	HL1B

DOLLAR TREE STORE #2920**2704 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1102	EHF28	H90 DAY	ALL OTHER VIOLATIONS		8/28/2014	0	HL1B

English/Spanish hand wash signs needed in womens restroom. A lid for trash is needed in womens restroom. This is a repeat violation. \$50 reinspection fees may be charged in the future for non compliance.

Food Establishment Public Inspection Report**From 8/28/14 thru 9/3/14****ESTABLISHMENT****DONA JUANITA
2208 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1579	EHF18	H 3 DAYS	INSECT CONTAMINATION		8/28/2014	3	HL1B
			Several flies in establishment.				
	EHF28	H 3 DAYS	ALL OTHER VIOLATIONS		8/28/2014		
			A)Dust over electric stove needs to be cleaned. B)Remove old fly traps that are full.C)Chemicals on same shelf as food products. (COS)				

**EDDIES NAPOLIS ITALIAN RESTAUR
700 S TAYLOR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2258	EHF15	IN	EQUIPMENT ADEQUATE		8/29/2014	0	HFOL
			Corrected from last inspection.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**EL SIETE DE COPAS
2628 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2416	EHF15	COS	EQUIPMENT ADEQUATE		9/2/2014	7	HL1B	
			Ice machine cover missing at time of inspection. Keep cover on machine at all times.					
	EHF08	COS	GOOD HYGIENIC PRACTICES		9/2/2014			
			a) Disposable plates found in mop sink. b) Shot glasses found in hand sink. Hand sink is for hand washing only.					

**EL TEJAVAN MOBILE SNOW CONES
3420 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM455					8/28/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**EL TROPICO
1111 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF539	EHF15	IN	EQUIPMENT ADEQUATE		8/28/2014	0	HFOL
			Corrected from previous inspection.				
	EHF19	IN	RODENTS/ANIMALS/OPENINGS		8/28/2014		
			Corrected from previous inspection.				

**ELOTES CON RITMO
1210 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM359					8/29/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**FOUNTAIN OF HEALTH
4151 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2558	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS	Back door must be self closing.	9/3/2014	0	H PREOPEN

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**FROSTY TREATS OF TEXAS INC****1017 SW 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1491					9/2/2014	0	HL1B
HFM271					9/2/2014	0	HL1B
HFM274					9/2/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

FROSTY TREATS OF TEXAS INC

HFM324	9/2/2014	0	HL1B
--------	----------	---	------

HFM334	9/2/2014	0	HL1B
--------	----------	---	------

HFM416	9/2/2014	0	HL1B
--------	----------	---	------

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

FROSTY TREATS OF TEXAS INC #51

1017 SW 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM215					9/2/2014	0	HL1B

FROSTY TREATS OF TEXAS INC #90

1017 SW 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM213					9/2/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

GARDEN FRESH FUTERIA LA HACIEN

1821 SE 3RD AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2538	EHF28	COS	ALL OTHER VIOLATIONS		9/2/2014	13	HL1B
			a)Stored above ready to eat foods in reach in cooler. Store eggs on bottom shelf. b)Door hinges were added to all doors. Corrected from last inspection.				
	EHF17	H10DAY	HAND WASH WITH SOAP/TOWELS		9/2/2014		
			Soap needed at hand sink. Soap dispenser not functioning.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		9/2/2014		
			Front produce cooler was above 41F and needs to be repaired. Do not store potentially hazardous produce (lettuce, green onion) in cooler until repairs are made.				
	EHF24	H10DAY	THERMOMETERS		9/2/2014		
			Thermometers needed in front produce cooler.				
	EHF09	H10DAY	APPROVED SOURCE/LABELING		9/2/2014		
			All packaged dry goods must be labeled with the items name, quantity, and where it originated on the package.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**GLENWOOD ELEMENTARY****2409 S HOUSTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF655	EHF03	IN	HOT HOLDING		8/29/2014	0	HL1B
			Hamburgers holding at 148F. In compliance.				
	EHF28	COS	ALL OTHER VIOLATIONS		8/29/2014		
			Ice machine needed to be cleaned. Corrected.				

GLORIAS RESTAURANT**1300 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF364	EHF28	COS	ALL OTHER VIOLATIONS		8/29/2014	0	HL1B
			Raw meat stored over ready to eat products in make table.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

HARRINGTON ASSISTED LIVING

401 SW 12TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1266	EHF25	COS	FOOD CONTACT SURFACES		8/29/2014	3	HL1B
a)Trough under door of ice machine needed to be cleaned. b)Filters on vent hood needed to be cleaned.							

JACOBOS CAFE
3701 OLSEN BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2361	EHF28	COS	ALL OTHER VIOLATIONS		8/29/2014	0	HL1B
a)Raw meat stored above ready to eat foods. b)Inside of ice machine needed to be cleaned.							

Food Establishment Public Inspection Report**From 8/28/14 thru 9/3/14****ESTABLISHMENT****JRS POOL PALACE
1301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2507	EHF28	COS	ALL OTHER VIOLATIONS		9/3/2014	0	HL1B
			Inside of ice machine needed to be cleaned.				

**KATHYS KITCHEN
4517 STATE HIGHWAY 136**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP50	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/2/2014	0	H PREOPEN
			See full pre-inspection sheet - est. Finish repairs.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		9/2/2014		
			Food manager required within 45 days.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**LA MICHOACANA
802 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2567	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		9/2/2014	0	H PREOPEN
			a)Back door must be self closing.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/2/2014		
			a)An area must be designated by the 3 compartment sink for dirty dishes. They may not be placed on the floor.				

**LAWNDALE ELEMENTARY
2215 S BIVINS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF651	EHF02	IN	COLD HOLDING		8/29/2014	0	HL1B
			All cold hold units holding at 41F or below.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**LIL DADZ LOUNGE
4001 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2100	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		8/29/2014	3	HFOL	
			Full time employee needs to obtain food manager card from City of Amarillo. 2nd notice - a \$50 reinspection fee will be applied if not corrected by next inspection.					

**LORENZO DE ZAVALA MS
2801 N COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1194	EHF10	COS	SOUND CONDITION		8/29/2014	4	HL1B	
			Dented cans on rack.					
	EHF28	COS	ALL OTHER VIOLATIONS		8/29/2014			
			Food in cold hold unit on serving line is above temperature control level, must be lowered into temperature control or use time dots.					

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

MARGARET WILLS ELEMENTARY**3500 SW 11TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF657	EHF25	COS	FOOD CONTACT SURFACES		9/3/2014	6	HL1B
			a)Can opener needed to be cleaned. b)Ice machine needed to be cleaned.				
	EHF18	COS	INSECT CONTAMINATION		9/3/2014		
			Several flies in kitchen.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**MARYBEL RESTAURANT****1015 S ARTHUR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM14	EHF14	COS	WATER SUPPLY		8/29/2014	4	HL1B
			Water not operating at time of inspection.				
HFM386	EHF19	H90 DAY	RODENTS/ANIMALS/OPENINGS		8/29/2014	3	HL1B
			Screen needed on door to prevent flies from entering. Door will be kept close until screen can be added.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

MS PIGGGYS CUSTOM BAKE SHOPPE

6030 SW 33RD AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2587	EHF20	COS	TOXIC ITEMS		9/2/2014	7	HL1B
			a)Medicine may not be stored in kitchen. b)All chemicals must bear a label with the common name on it.				
	EHF09	COS	APPROVED SOURCE/LABELING		9/2/2014		
			a)Packaged food must have common name, list of ingredients, quantity of food in the package, name and place of business.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/2/2014		
			a)Label the personal refrigerator COS. b)Seal all bare wood in kitchen areas.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

OAKDALE ELEMENTARY

2711 S HILL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF757	EHF02	IN	COLD HOLDING		9/3/2014	0	HL1B	
			All cold hold units holding at 41F or less. In compliance.					

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

ON THE BORDER MEXICAN CAFE

2401 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1944	EHF03	IN	HOT HOLDING		9/2/2014	6	HL1B
			a)Taco meat in hot hold at 160F.				
	EHF02	IN	COLD HOLDING		9/2/2014		
			a)Green chiles in cold hold at 35F.				
	EHF24	COS	THERMOMETERS		9/2/2014		
			a)Some units were missing thermometers.				
	EHF25	COS	FOOD CONTACT SURFACES		9/2/2014		
			a)Do not place dirty knives on the clean knife magnet.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/2/2014		
			a)Replace light shield in ware wash area. b)All scoops must have a handle.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**PANCHO VILLA
4601 RIVER RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF739	EHF25	COS	FOOD CONTACT SURFACES		9/3/2014	12	HL1B
			a)Utensil container needed to be cleaned. b)Bottom of reach in coolers needed to be cleaned. c)Cardboard cannot be used to line shelves in freezer. Cardboard was removed.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/3/2014		
			Back room freezer needed to be defrosted.				
	EHF18	H10DAY	INSECT CONTAMINATION		9/3/2014		
			Excessive amount of insects found in kitchen. Have licensed pesticide applicator spray more frequently.				
	EHF24	COS	THERMOMETERS		9/3/2014		
			Thermometer was broken in reach in cooler.				
	EHF15	COS	EQUIPMENT ADEQUATE		9/3/2014		
			Two reach in coolers in back room were above 41F. Thermostat was adjusted. Coolers must remain at 41F or below.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**PAPA MURPHYS
6032 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2304	EHF02	IN	COLD HOLDING A) Ham holding at 38 degrees.		9/2/2014	0	HL1B
	EHF28	H90 DAY	ALL OTHER VIOLATIONS A) Front door was ran into by a car. The door has been sealed but the company is waiting on insurance to pay for repairs. Will recheck on next inspection.		9/2/2014		

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**PAYA THAI
2601 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2557	EHF28	H60 DAY	ALL OTHER VIOLATIONS		9/3/2014	0	HFOL
			Outside openings to storage area need to be sealed.				
	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		9/3/2014		
			Food Manager card obtained.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**PIZZA PLANET
6801 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF94	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/2/2014	3	HL1B
			Drive thru window needs be left closed when not in use.				
	EHF02	IN	COLD HOLDING		9/2/2014		
			A)Coolers holding all products below 39 degrees.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/2/2014		
			A)Keep lids on storage bins in walk in cooler.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**PLAYERS GENTLEMENS CLUB**

2121 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF752					8/29/2014	0	HL1B

POLLYS PUB

1405 SW 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF290					8/29/2014	0	HL1B

Food Establishment Public Inspection Report**From 8/28/14 thru 9/3/14****ESTABLISHMENT****PRESTON WEST PAR 3****9101 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF434	EHF25	COS	FOOD CONTACT SURFACES		8/28/2014	6	HL1B
			Tea nozzle dirty. b)Ice machine needs to be cleaned. c)Microwave dirty.				
	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		8/28/2014		
			Food manager needed by 9/12/14. Class is 9/10/14. Cost is \$40.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**RANDALL HIGH EAST
9000 VALLEYVIEW DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF472	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		9/2/2014	6	HL1B
			A)A food manager is needed by 10/10/14. Schedule was given for food manager class.				
	EHF21	H10DAY	MANUAL WARE WASHING		9/2/2014		
			A)Dish machine not reading correctly on test strips. Needs to be serviced. A 10 day follow up inspection was scheduled.				
	EHF03	IN	HOT HOLDING		9/2/2014		
			A)Cooked chicken holding at 170 degrees.				
	EHF02	IN	COLD HOLDING		9/2/2014		
			A)Coolers holding at 40 degrees.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**RANDALL HIGH SCHOOL
5800 ATTEBURY DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF568	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/2/2014	0	HL1B
			A)Metal shelving in walk in is chipping and peeling, must be replaced by 12/2/14 (REPEAT). B)Walk in is too dark, the lighting must be fixed to comply with law 229.167 (g)(3)(REPEAT).				

**RED ROOF INN
1620 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1492	EHF02	IN	COLD HOLDING		8/29/2014	3	HL1B
			Milk 38F.				
	EHF24	COS	THERMOMETERS		8/29/2014		
			Thermometer needed in cooler.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

REDEEMER CHRISTIAN CHURCH

3701 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2382					8/28/2014	0	HL1B

ROSS ROGERS GOLF COURSE DELI

722 NW 24TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF336	EHF28	COS	ALL OTHER VIOLATIONS		8/28/2014	3	HL1B
			Need test strips for chlorine sanitizer.				
	EHF21	COS	MANUAL WARE WASHING		8/28/2014		
			Proper ware washing wash in hot soapy water rinse in hot clear water sanitize with 50 to 100 PPM Cl and air dry.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**SANBORN ELEMENTARY
700 S ROBERTS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF683	EHF15	H10DAY	EQUIPMENT ADEQUATE		8/28/2014	3	HL1B	
			Condensate water is pooling in bottom of milk cooler. Gaskets on milk cooler need to be repaired or replaced.					

**SCOTTS OYSTER BAR
4150 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF398	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		9/3/2014	0	HFOL	
			Corrected.					

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**TACO BELL
5807 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1225					9/2/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**TACO VILLA #10
701 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF631	EHF02	IN	COLD HOLDING a)Sliced tomatoes at 36F.		9/2/2014	11	HL1B
	EHF03	IN	HOT HOLDING a)Cooked beef at 160F.		9/2/2014		
	EHF10	COS	SOUND CONDITION a)Dented cans of jalepenos on the rack (repeat violation).		9/2/2014		
	EHF11	COS	PROPER HANDLING RTE a)Handle of ice scoop down in the ice at the drive up window.		9/2/2014		
	EHF25	COS	FOOD CONTACT SURFACES a)Clean the inside of the ice machine.		9/2/2014		

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

TACO VILLA #10

HF631	EHF28	COS	ALL OTHER VIOLATIONS	9/2/2014	11	HL1B
-------	-------	-----	----------------------	----------	----	------

a)Degrease the fire suppression above the pressure cooker.

TAQUERIA EL TAPATIO

3410 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1588	EHF15	H 3 DAYS	EQUIPMENT ADEQUATE		9/2/2014	3	HFOL

a)Cooler at 50F with food at 50F. Destroy all PHF food out of temperature. Repair to 41F or below.

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**TARGET STORE #221
8201 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF756	EHF21	IN	MANUAL WARE WASHING Corrected.		8/28/2014	0	HFOL

Food Establishment Public Inspection Report**From 8/28/14 thru 9/3/14****ESTABLISHMENT****THAI GARDEN
5017 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2280	EHF23	COS	SEWAGE/WASTEWATER		9/2/2014	10	HL1B
			Reach in cooler blower motor drips condensate water. Do not store any food under blower unit.				
	EHF13	COS	HACCP PLAN/TIME		9/2/2014		
			Ready to eat foods found without date marks in reach in cooler and walk in cooler.				
	EHF25	COS	FOOD CONTACT SURFACES		9/2/2014		
			Utensil containers needed to be cleaned.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/2/2014		
			Food found stored on floor. All food should be at least 6" off the ground.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**THAI HOUSE RESTAURANT
5601 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF136	EHF28	COS	ALL OTHER VIOLATIONS		8/28/2014	3	HL1B
			a)Eggs stored above ready to eat items in prep line cooler. b)Store all to-go boxes inverted to prevent contamination.				
	EHF25	COS	FOOD CONTACT SURFACES		8/28/2014		
			a)Green onion stored on top of trash can. Do not store food items on top of trash can. b)Table cloth covering clean dishes. Do not cover with cloth because it is not an easily cleanable material.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**TOOMS RESTAURANT
3416 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2057	EHF25	COS	FOOD CONTACT SURFACES		8/28/2014	3	HL1B
			a)Microwave needed to be cleaned. b)Utensil containers needed to be cleaned.				
	EHF28	COS	ALL OTHER VIOLATIONS		8/28/2014		
			a)Mop sink had prep board sitting on top of it. Do not store items in or on mop sink. b)Excess grease build up around equipment on floors needs to be removed. c)Store employee items and food separate from restaurant items.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**TOOT N TOTUM #1
1500 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF556	EHF25	COS	FOOD CONTACT SURFACES		9/3/2014	3	HL1B
			Soda Fountain needed to be wiped down.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/3/2014		
			Raw eggs stored over ready to eat products in walk in.				

**TOOT N TOTUM #62
3701 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF45					8/29/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

TRADEWIND ELEMENTARY**4300 S WILLIAMS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1533	EHF03	IN	HOT HOLDING		9/3/2014	0	HL1B	
			Chicken nuggets holding at 164F. In compliance.					

TRAVEL CENTERS OF AMERICA**7000 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF893	EHF25	COS	FOOD CONTACT SURFACES		9/3/2014	3	HL1B	
			A)Soda fountain needed to be wiped down. B)Creamer cooler needed to be cleaned. C)Microwaves needed to be wiped down.					

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**WALGREENS #05614
1600 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF329	EHF14	COS	WATER SUPPLY	No hot water in restroom.	8/28/2014	4	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

**WATERMILL EXPRESS
2507 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

HF1243					8/29/2014	0	HL1B
--------	--	--	--	--	-----------	---	------

307 E HASTINGS AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

HF1175					8/29/2014	0	HL1B
--------	--	--	--	--	-----------	---	------

3409 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

HF527					8/29/2014	0	HL1B
-------	--	--	--	--	-----------	---	------

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

WATERMILL EXPRESS

4239 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF454					8/29/2014	0	HL1B

5800 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF55					8/29/2014	0	HL1B

907 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

WATERMILL EXPRESS

HFC107		8/29/2014	0	HL1B
--------	--	-----------	---	------

WATERMILL EXPRESS #276

2315 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC227					8/29/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**WATERMILL EXPRESS #277****4400 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF225					8/29/2014	0	HL1B

WATERMILL EXPRESS LLC**4163 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2272					8/29/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

WATERMILL EXPRESS UNIT 264

2704 S GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF457					8/29/2014	0	HL1B

WATERMILL EXPRESS UNIT 266

3601 SW 15TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF656					8/29/2014	0	HL1B

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

WATERMILL EXPRESS UNIT 268**3510 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF641					8/29/2014	0	HL1B

WESTERN PLATEAU ELEMENTARY**4927 SHAWNEE TRL**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF465	EHF28	COS	ALL OTHER VIOLATIONS		9/2/2014	0	HL1B	
			Water dripping from air conditioner vent. Repair immediately.					

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT

WESTOVER PARK INTERMEDIATE

7200 PINNACLE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF877	EHF28	H90 DAY	ALL OTHER VIOLATIONS		8/28/2014	4	HL1B
			A)If upper shelf is used for food on service line then it must have a sneeze shield.				
	EHF12	COS	CROSS CONTAMINATION		8/28/2014		
			A)Employee seen dropping single service plates on ground then picking them up and using for food. All plates were discarded as well was food that was used.				
	EHF03	IN	HOT HOLDING		8/28/2014		
			A)Hamburgers holding at 135 degrees. B)Corndog holding at 151 degrees.				

Food Establishment Public Inspection Report

From 8/28/14 thru 9/3/14

ESTABLISHMENT**WINDSOR ELEMENTARY
6700 HYDE PKWY**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF81	EHF02	COS	COLD HOLDING		8/28/2014	8	HL1B
			Ham sitting in water at 82°F,when thawing it must be kept below 41°F.				
	EHF24	COS	THERMOMETERS		8/28/2014		
			All thermometers in large cooler broken,replace.				

**WOODLANDS ELEMENTARY
2501 N COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF830	EHF02	COS	COLD HOLDING		9/2/2014	5	HL1B
			Lunch meat in reachin refrigerator dated 8-28 was at 55 degrees, unit must be able to maintain product at 41 or below, product was disposed of.				