

Food Establishment Public Inspection Report
From 6/12/14 thru 6/18/14

ESTABLISHMENT

ABUELOS MEXICAN EMBASSY
3501 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF476	EHF25	COS	FOOD CONTACT SURFACES		6/18/2014	7	HL1B
			Can opener not clean.				
	EHF11	COS	PROPER HANDLING RTE		6/18/2014		
			Employees handling cut lemons with bare hands. No ready to eat foods may be handled with bare hands.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/18/2014		
			Cutting board at cook station is scored and not easily cleanable. Resurface or replace. b)Make table lid inside is detached. Repair as needed.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**ALL STORAGE, INC
6301 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1819	EHF28	COS	ALL OTHER VIOLATIONS		6/16/2014	0	HL1B	
			A)Post current food establishment permit.					

**AMA TRANSITIONAL TREATMENT CTR
9300 SE 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2002	EHF10	COS	SOUND CONDITION		6/16/2014	7	HL1B	
			Tomatoes found distressed in walk in cooler. Tomatoes were thrown out.COS					
	EHF25	COS	FOOD CONTACT SURFACES		6/16/2014			
			a)Can opener blade needed to be cleaned.COS b)Microwave needed to be cleaned. COS c)Shelf liners being used to line shelves in kitchen needed to be removed. Liners cannot be used because they are not a smooth and easily cleanable surface. COS					

Food Establishment Public Inspection Report**From 6/12/14 thru 6/18/14****ESTABLISHMENT****ARAMARK-JACK B KELLY CENTER****2402 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC206	EHF02	IN	COLD HOLDING		6/17/2014	4	HL1B
			A)Tomatoes holding at 40 degrees.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/17/2014		
			A)Shelving must be sealed at quiznos.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		6/17/2014		
			A)Employee drink found without a lid or a straw. B)Employee clothing stored on make table, store separately.				

Food Establishment Public Inspection Report**From 6/12/14 thru 6/18/14**

ESTABLISHMENT**AUNTIE ANNES
7701 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2313	EHF23	H10DAY	SEWAGE/WASTEWATER		6/18/2014	3	HFOL	
			Three compartment sink leaking. To be corrected within 10 days. If not corrected by 6/27/14 a \$50 reinspection fee will be charged.					

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**BARNES JACK
1901 MEDI PARK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT4812					6/14/2014	0	HL1B FOOD
HFT4813					6/14/2014	0	HL1B FOOD
HFT4814					6/14/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**BARNES JACK**

HFT4815					6/14/2014	0	HL1B FOOD
---------	--	--	--	--	-----------	---	-----------

HFT4816					6/14/2014	0	HL1B FOOD
---------	--	--	--	--	-----------	---	-----------

**BERNARD SHANE
1100 WALLACE BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT4805					6/14/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

BIZZY BEES CHILDCARE & PRESCHL

6500 OFFICE PARK DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD55	EHF02	IN	COLD HOLDING Cooler holding at 40°.		6/18/2014	0	HL1B

BUCKLES LOUNGE

6800 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF571	EHF28	COS	ALL OTHER VIOLATIONS A)Hand washing sign needed in men's restroom. B)Hand washing sign needed in women's restroom.		6/13/2014	0	HL1B

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**CHEZ LA
701 S TAYLOR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2311	EHF28	COS	ALL OTHER VIOLATIONS Floor needed to be swept.		6/13/2014	0	HL1B

**CHRIST LUTHERAN CHILD DEVE
2400 N COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD3					6/13/2014	0	HL1B

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**CLAIRMONT THE
4707 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF832	EHF08	COS	GOOD HYGIENIC PRACTICES		6/18/2014	14	HL1B
			Open drink in kitchen.				
	EHF10	COS	SOUND CONDITION		6/18/2014		
			Two seam dented cans in dry storage.				
	EHF20	H10DAY	TOXIC ITEMS		6/18/2014		
			Quat sanitizer at 3 bay sink over 400ppm. Quat must stay between 200 and 400ppm. Have unit adjusted and ensure proper test strips are available.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/18/2014		
			Floor drain has food buildup. Clean drains daily. No date on ice maker filter. Date filter and change according to manufacturers instructions. Heavy dust buildup in air ducts in kitchen. Duct work needs to be professionally cleaned. No food manager card.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		6/18/2014		
			Batter on cleaned mixer unit and slicer with food particles after cleaned. Stickers not removed from food tubs during cleaning. Tubs aren't clean if stickers remain. Splatter over hot hold and in ovens. Clean microwave.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**CORN DOG 7
7701 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF882	EHF28	IN	ALL OTHER VIOLATIONS		6/18/2014	0	HFOL
			Corrected - chest freezer replaced.				

**DAUBERS CONCESSION
3506 SPADE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1893	EHF15	IN	EQUIPMENT ADEQUATE		6/12/2014	0	HFOL
			Hot water leak at sinks repaired.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**EL TEJAVAN MOBILE SNOW CONES**

3420 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFM455	EHF28	IN	ALL OTHER VIOLATIONS		6/17/2014	0	H PREOPEN	
			Open for snowcones only - must have hot hold to operate for other food.					

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**FAMOUS DAVES
8518 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1837	EHF21	H10DAY	MANUAL WARE WASHING		6/18/2014	13	HL1B
			Ware wash machine not sanitizing. To be corrected within 10 days.				
	EHF10	COS	SOUND CONDITION		6/18/2014		
			Dented can on shelf for use.				
	EHF24	COS	THERMOMETERS		6/18/2014		
			No thermometer in cold hold by grill.				
	EHF25	COS	FOOD CONTACT SURFACES		6/18/2014		
			A)Paper used to line baskets dirty. B)Ice breaker stored on dirty surface. C)Dirty ice scoop holders x2. D)Clean utensils need to be handle up in container. E)Clean dishes in dirty container in kitchen and bar.				
	EHF28	COS	ALL OTHER VIOLATIONS		6/18/2014		
			A)Clean vent covers in walk in refrigerator. B)Clean inside ovens. C)Clean inside cook shack. D)Replace broken whisk.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**FAMOUS DAVES**

HFK101					6/18/2014	0	HL1B
--------	--	--	--	--	-----------	---	------

**FARMER BROS CO
2100 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1945	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		6/16/2014	3	HL1B
			Back door floor sweep needs to be repaired/replaced.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

FRIENDSHIP RANCH

1108 24TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC136	EHF28	COS	ALL OTHER VIOLATIONS		6/17/2014	0	HL1B
			Thawing must be done either under cold running water, in the cooler or part of the cooking process. b)All employees working with food must wear a hair restraint.				

GIOVANNIS PIZZA&CALZONE

4715 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2082	EHF24	COS	THERMOMETERS		6/18/2014	3	HL1B
			No thermometer in cold hold unit.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

GLORIAS RESTAURANT 1300 S GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF364	EHF28	IN	ALL OTHER VIOLATIONS	Corrected from previous inspection.	6/16/2014	0	HFOL

GNC 5807 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2552	EHF28	H10DAY	ALL OTHER VIOLATIONS	Small gap at back door. Seal as needed to prevent insects. Post permit when arrives after next inspection. No hand sink other than restrooms. No food prep or samples will be allowed without hand sink outside restrooms.	6/17/2014	0	H PREOPEN

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**HARDBACK COFFEE CAFE
4301 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2279					6/18/2014	0	HL1B

**HEATH HUT THE
5114 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2553	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/13/2014	0	H PREOPEN	
			Obtain test strips. Repair ceiling tiles to be non-porous.					

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**HOFFBRAU STEAKS
7203 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF915	EHF07	COS	ADEQUATE HAND WASHING		6/17/2014	24	HL1B
			Cook did not wash hands for required time. b)Cook wiped wet hands on dirty apron to dry.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		6/17/2014		
			Open drinks sitting over foods on service line. Must have a lid & straw. Repeat violation from previous inspections. Due to noncompliance a \$50 reinspection fee must be paid by noon 6/18/14. Future violations \$50 reinspection. Employee eating in kitchen.				
	EHF12	COS	CROSS CONTAMINATION		6/17/2014		
			Condensation from blower unit in walk in freezer is falling into open containers of ice cream stored below blower unit. Do not store any foods below a drip. Foods must be protected from contamination at all times.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		6/17/2014		
			Make table refrigerator on cooks line is holding stagnant water in bottom. This contaminates all food containers stored in the water. This unit is not operating properly. Repair unit as needed.				
	EHF17	H10DAY	HAND WASH WITH SOAP/TOWELS		6/17/2014		
			No soap at one hand sink. b)No paper towels at second hand sink. c)No soap or towels at hand sink bar. Soap and towels are required at each hand sink.				

Food Establishment Public Inspection Report**From 6/12/14 thru 6/18/14**

ESTABLISHMENT

HOFFBRAU STEAKS

HF915	EHF20	COS	TOXIC ITEMS	6/17/2014	24	HL1B
			Burn medication stored on service counter. All medications must be stored away from foods and food prep.			
	EHF25	H10DAY	FOOD CONTACT SURFACES	6/17/2014		
			Clean kitchen shelves of fd crumbs, spills/ splatter, cleaned dishes w/food particle & stickers attached, inside icemachine, stored salad mixer, juicer & salamander oven w/splatter buildup. Don't stack dishes wet. Bulk sugar containers stored open.			
	EHF28	H10DAY	ALL OTHER VIOLATIONS	6/17/2014		
			Ice in bin for drinks must have a lid to protect ice when not in use. Floor tiles broken or missing at cook line. Back door has a gap. Seal to prevent dust and insects.			

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**IOWA STEAK CO
6329 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2554					6/18/2014	0	H PREOPEN
HFRM456	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/18/2014	0	H PREOPEN
			Mobile unit numbers must be in place within 10 days. Good to open.				
HFRM457	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/18/2014	0	H PREOPEN
			Mobile unit numbers must be in place within 10 days. Good to open.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**IOWA STEAK CO**

HFRM458	EHF28	H10DAY	ALL OTHER VIOLATIONS	6/18/2014	0	H PREOPEN
---------	-------	--------	----------------------	-----------	---	-----------

Mobile unit numbers must be in place within 10 days. Good to open.

HFRM459	EHF28	H10DAY	ALL OTHER VIOLATIONS	6/18/2014	0	H PREOPEN
---------	-------	--------	----------------------	-----------	---	-----------

Mobile unit numbers must be in place within 10 days. Good to open.

HFRM460	EHF28	H10DAY	ALL OTHER VIOLATIONS	6/18/2014	0	H PREOPEN
---------	-------	--------	----------------------	-----------	---	-----------

Mobile unit numbers must be in place within 10 days. Good to open.

HFRM461	EHF28	H10DAY	ALL OTHER VIOLATIONS	6/18/2014	0	H PREOPEN
---------	-------	--------	----------------------	-----------	---	-----------

Mobile unit numbers must be in place within 10 days. Good to open.

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**IOWA STEAK CO****JOES PIZZA & PASTA
19151 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP43	EHF09	COS	APPROVED SOURCE/LABELING		6/18/2014	9	HL1B
			Bottle of cooking oil found on line without label.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/18/2014		
			Self closing restroom doors required - install door closers.				
	EHF14	IN	WATER SUPPLY		6/18/2014		
			Bushland Public Water Supply.				
	EHF03	COS	HOT HOLDING		6/18/2014		
			Meatballs found at 118°F - reheated to 165°F.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**KUSHI YAMA****3319 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2064	EHF25	H10DAY	FOOD CONTACT SURFACES		6/18/2014	3	HL1B
			Can opener not clean. Must be cleaned daily. b)Clean utensil tub not clean. c)Ice machine needs to be cleaned.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/18/2014		
			No change dates on water filters. Ensure dates are placed on filters when installed. Follow manufacturers label for change frequency.				

LA REYNA ICE CREAM**4612 RIVER RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1026					6/17/2014	0	HL1B

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**MARY & ROGERS DAY CARE
4220 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD18					6/12/2014	0	HL1B

**MCLELLAN LEARNING CENTER
401 S VAN BUREN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD20					6/18/2014	0	HL1B

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**MICROTEL INN & SUITES****1501 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1001	EHF28	IN	ALL OTHER VIOLATIONS		6/12/2014	0	HFOL	
			Carpet removed from food prep room and floor is now a smooth and easily cleanable surface.					
	EHF07	IN	ADEQUATE HAND WASHING		6/12/2014			
			Hand washing sink installed in food prep room.					

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**PAK A SAK #14
6320 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1729	EHF13	COS	HACCP PLAN/TIME		6/18/2014	7	HL1B
			Chicken German Sausage being held past expiration date. Sausage was discarded. COS.				
	EHF28	COS	ALL OTHER VIOLATIONS		6/18/2014		
			a)Cups found stored on floor in storage room. Must be stored at least 6" off the floor. b)Eggs stored above ready to eat foods in drive up walk in cooler.				
	EHF03	IN	HOT HOLDING		6/18/2014		
			Sausage holding at 147F, corndogs holding at 156F. In compliance.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		6/18/2014		
			Paper towels needed at hand sink in food prep room. COS.				

Food Establishment Public Inspection Report**From 6/12/14 thru 6/18/14****ESTABLISHMENT****PAPA MURPHYS
6032 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2304	EHF13	COS	HACCP PLAN/TIME Ground sausage found being stored without proper date marking. COS		6/18/2014	4	HL1B
	EHF02	IN	COLD HOLDING Tomatoes holding at 38F, ground sausage holding at 37F. In compliance.		6/18/2014		

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**PIZZA PLANET
6801 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF94	EHF13	COS	HACCP PLAN/TIME		6/17/2014	4	HL1B
			Ready to eat food found without prep date mark in reach-in cooler. COS				
	EHF03	IN	HOT HOLDING		6/17/2014		
			Pizza holding at 135F in hot hold cabinet. In compliance.				

**POTTER HOUSE
1616 S VERNON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT4843					6/14/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**PRESTON WEST PAR 3
9101 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF434	EHF13	COS	HACCP PLAN/TIME		6/16/2014	4	HL1B
			Hot dogs found without any dates on them(repeat). If seen again a \$50 reinspection fee will be charged.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/16/2014		
			All employees working with food must wear a hair restraint.				
	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		6/16/2014		
			Corrected.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**RAFTER G BARBECUE
25390 STOREY ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR63	EHF28	H90 DAY	ALL OTHER VIOLATIONS Repair/replace floor tile in kitchen.		6/12/2014	0	HL1B
	EHF14	IN	WATER SUPPLY Public Water Supply.		6/12/2014		
HFRK76	EHF28	IN	ALL OTHER VIOLATIONS Please call office when catering event will be operated in Potter, Randall, City of Canyon or City of Amarillo.		6/12/2014	0	HOTHER

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

RANCH HOUSE CAFE

810 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC223	EHF02	IN	COLD HOLDING		6/17/2014	4	HL1B
			A)Guac holding at 39 degrees. B)Ham holding at 41 degrees.				
	EHF03	IN	HOT HOLDING		6/17/2014		
			A)Gravy holding at 135 degrees.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		6/17/2014		
			A)Employee drink found without a lid or a straw.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

RED LIGHT COFFEE & VAPES

3700 SW 6TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2540	EHF16	IN	HAND WASH FACILITIES ADEQUATE Corrected.		6/12/2014	0	HFOL
	EHF17	IN	HAND WASH WITH SOAP/TOWELS Corrected.		6/12/2014		
	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED Food manager needed within 45 days of opening.		6/12/2014		
	EHF28	IN	ALL OTHER VIOLATIONS a)Corrected. b)Corrected. Establishment can open.		6/12/2014		

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**RED LIGHT COFFEE & VAPES**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM453	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		6/12/2014	0	H PREOPEN
			Food manager card needed within 45 days.				
	EHF24	H10DAY	THERMOMETERS		6/12/2014		
			Thermometer needed in cooler.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/12/2014		
			Door must be self closing. All corrections made within 10 days. Establishment ok to open.				

ROBINSONS FAMILY FEED INC

7451 S LAKESIDE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR71	EHF27	IN	ESTABLISHMENT PERMIT		6/17/2014	0	HL1B
			Freezer removed from sales floor. No longer selling packaged meat. Permit good till 3/31/15.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

ROCKWOOD AMISH FURNITURE

11570 INTERSTATE 27

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR80	EHF14	IN	WATER SUPPLY		6/17/2014	0	HL1B
			Water sample test required monthly. Last results 2/21/14.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

SCHLOTZSKYS DELI

907 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC122	EHF02	IN	COLD HOLDING		6/17/2014	3	HL1B
			A)Ham holding at 40 degrees. B)Tomatoes holding at 41 degrees.				
	EHF20	COS	TOXIC ITEMS		6/17/2014		
			A)Chemical bottle found without any labeling.				
	EHF28	COS	ALL OTHER VIOLATIONS		6/17/2014		
			A)Light shield needed in kitchen, shield was placed back in place.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**SNACKS TO GO
213 SW 7TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1842	EHF28	COS	ALL OTHER VIOLATIONS		6/17/2014	0	HL1B
			Raw sausage stored over ready to eat food in cooler.				

Food Establishment Public Inspection Report**From 6/12/14 thru 6/18/14****ESTABLISHMENT****SONIC DRIVE IN
1007 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC215	EHF02	IN	COLD HOLDING		6/17/2014	0	HL1B
			A)Tomatoes holding at 41 degrees.				
	EHF03	IN	HOT HOLDING		6/17/2014		
			A)Eggs holding at 171 degrees. B)Sausage holding at 185 degrees.				
	EHF28	COS	ALL OTHER VIOLATIONS		6/17/2014		
			A)Top dust all equipment.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**STEWARTS BEEF JERKY
324 W WILLOW CREEK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP32	EHF14	IN	WATER SUPPLY		6/17/2014	0	HL1B
			Water sample test required monthly. Results 5/28/14.				

**SUBWAY #6376-210
112 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1203	EHF28	COS	ALL OTHER VIOLATIONS		6/18/2014	0	HL1B
			Vent hood needs to be cleaned.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**TACO VILLA #16****6601 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF545	EHF03	IN	HOT HOLDING		6/17/2014	3	HL1B
			Ground beef holding at 156F. In compliance.				
	EHF25	COS	FOOD CONTACT SURFACES		6/17/2014		
			Pans found stored dirty on clean dish rack. COS				
	EHF02	IN	COLD HOLDING		6/17/2014		
			Tomatoes holding at 41F. In compliance.				

Food Establishment Public Inspection Report**From 6/12/14 thru 6/18/14****ESTABLISHMENT****TAQUERIA CHIHUAHUA
2618 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2551	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		6/16/2014	0	H PREOPEN
			A food manager certification needed in 45 days.				
	EHF17	H10DAY	HAND WASH WITH SOAP/TOWELS		6/16/2014		
			Soap needed at hand sink in kitchen.Towels needed at hand sink in kitchen.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

**TAQUERIA RIVERA
2602 SE 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1143	EHF15	H10DAY	EQUIPMENT ADEQUATE		6/18/2014	10	HL1B
			Reach in cooler holding at 66F. Cooler must be 41F or below. All potentially hazardous foods were removed.				
	EHF10	COS	SOUND CONDITION		6/18/2014		
			Bell peppers found distressed in reach in cooler. Peppers were discarded.				
	EHF25	COS	FOOD CONTACT SURFACES		6/18/2014		
			Utensil containers used to store clean utensils needed to be cleaned.				

Food Establishment Public Inspection Report**From 6/12/14 thru 6/18/14****ESTABLISHMENT****TEXAS PLUM LINE
5060 HELIUM RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR23	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/17/2014	0	HL1B
			Seal kitchen floor. Clean wall behind 4 burner stock pot under window. Clean floor under/behind 4 burner stock pot under window.				
	EHF14	IN	WATER SUPPLY		6/17/2014		
			Water sample test required monthly. Results OK from 4/19 and 5/17. Ana-Lab.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**TODAY DISCOUNT
2510 SW 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF956	EHF17	COS	HAND WASH WITH SOAP/TOWELS		6/17/2014	6	HL1B
			No paper towels at hand sink.				
	EHF25	COS	FOOD CONTACT SURFACES		6/17/2014		
			Soda nozzles needed to be cleaned. b)Ice scoop stored on dirty surface.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

TOOT N TOTUM #12

3365 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1442	EHF13	COS	HACCP PLAN/TIME		6/18/2014	4	HL1B
			Brisket in walk in refrigerator not date marked. All potentially hazardous food must be date marked when opened or made and discarded after 7 days.				
	EHF28	COS	ALL OTHER VIOLATIONS		6/18/2014		
			A)Hand washing signs needed at both hand washing sinks. B)English and Spanish hand washing signs needed in ladies restroom.				

TOOT N TOTUM #56

7149 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF208	EHF28	COS	ALL OTHER VIOLATIONS		6/16/2014	0	HL1B
			Blower covers and ceiling in walk in cooler needs to be dusted. COS				

Food Establishment Public Inspection Report**From 6/12/14 thru 6/18/14****ESTABLISHMENT****UNITED SUPERMARKET #529****5807 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1653	EHF03	COS	HOT HOLDING		6/17/2014	0	HL1B
			Chicken in hot hold found at 118°F. Chicken must be held at 135° or above. Chicken reheated to 165°F.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		6/17/2014		
			Hand sink blocked by equipment. Do not block sinks.				
	EHF10	COS	SOUND CONDITION		6/17/2014		
			Food product marked "refrigerate after opening" found not refrigerated. Check all labels for proper storage.				
	EHF25	COS	FOOD CONTACT SURFACES		6/17/2014		
			Inside reach in refrigerator and gasket not clean. Reach in coolers and gaskets must be cleaned daily.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/17/2014		
			Sanitizer in 3 bay sink found at 0ppm. Must be remade every 2 hrs to maintain proper strength. Wall coving is broken at batter station. Handsink draining slow. Kitchen handsink not operating properly. Wall & shelf above 3 bay sink dirty.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**USA AUTO AUCTION
3208 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF546	EHF28	COS	ALL OTHER VIOLATIONS		6/17/2014	0	HL1B
			Eggs being stored above ready to eat foods in reach in cooler. COS				
	EHF03	IN	HOT HOLDING		6/17/2014		
			Gravy holding at 156F. Patties holding at 165F. In compliance.				

**VFW GOLDING MEADOWS POST 1475
1401 SW 8TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF477	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		6/17/2014	3	HL1B
			Full time employee needs to take and pass food manager class.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT**VINCES PIZZA
2413 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF600	EHF19	COS	RODENTS/ANIMALS/OPENINGS		6/17/2014	12	HFOL
			Drive up window open when not in use.				
	EHF20	COS	TOXIC ITEMS		6/17/2014		
			Sanitizer over 200ppm. Use the test strips to ensure wipe down solution is at 100ppm.				
	EHF25	COS	FOOD CONTACT SURFACES		6/17/2014		
			Knives stored on non sanitary surface.				
	EHF27	COS	ESTABLISHMENT PERMIT		6/17/2014		
			Current permit and food manager card not posted.				
	EHF28	COS	ALL OTHER VIOLATIONS		6/17/2014		
			Can opener blade is dull. Replace blade. b)Ceiling panel is broken over kitchen. replace.				

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

WEIGHT WATCHERS NORTH AMERICA**3150 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2231					6/18/2014	0	HL1B

WILD CUPCAKE LLC, THE**118 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2483					6/18/2014	0	HL1B

Food Establishment Public Inspection Report

From 6/12/14 thru 6/18/14

ESTABLISHMENT

WOODEN NICKEL CAFE**701 S TAYLOR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1857	EHF25	H10DAY	FOOD CONTACT SURFACES	Place utensils handle up in containers.	6/17/2014	3	HL1B

YELLOW CITY STREET FOOD**909 S MADISON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2380	EHF16	IN	HAND WASH FACILITIES ADEQUATE	Corrected.	6/13/2014	0	HFOL
	EHF28	IN	ALL OTHER VIOLATIONS	Corrected.	6/13/2014		