

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

AMA TRANSITIONAL TREATMENT CTR

9300 SE 3RD AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2002	EHF25	COS	FOOD CONTACT SURFACES	Can opener needed to be cleaned.	11/26/2014	3	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

AMARILLO AREA FOUNDATION

401 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5205					11/20/2014	0	HL1B FOOD
HFT5206					11/20/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**AMARILLO ICE CO
1400 S JOHNSON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF268					11/25/2014	0	HL1B

**AMARILLO NATIONAL BANK
500 S TAYLOR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF170					11/26/2014	0	HL1B

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT**AUNTIE ANNES
7701 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2313					11/26/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

BANGKOK RESTAURANT 5901 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF168	EHF25	COS	FOOD CONTACT SURFACES		11/25/2014	10	HL1B
			A)Inside of reach in cooler needed to be cleaned out. B)Onions stored with non food items.				
	EHF28	COS	ALL OTHER VIOLATIONS		11/25/2014		
			A)Handles on bulk containers needed to be cleaned. B)Clean tongs found hanging over side of trash can.				
	EHF20	COS	TOXIC ITEMS		11/25/2014		
			Chemicals found stored over food items.				
	EHF13	COS	HACCP PLAN/TIME		11/25/2014		
			Ready to eat food found without dates.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT**BEST WESTERN CANYON
2801 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC274	EHF02	IN	COLD HOLDING A)Milk holding at 41 degrees.		11/25/2014	0	HL1B
	EHF03	IN	HOT HOLDING A)Sausage holding at 135 degrees.		11/25/2014		

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**BIG DADDYS BBQ
400 E HASTINGS AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF996	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		11/26/2014	6	HL1B
			Back door sweep needs repaired on screen door between kitchen and bbq pit.				
	EHF25	COS	FOOD CONTACT SURFACES		11/26/2014		
			Knives in use being stored on towels. Towels are not an easily cleanable surface.				

**BLUE SKY ASIAN MARKET LLC
5631 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2364	EHF28	COS	ALL OTHER VIOLATIONS		11/26/2014	0	HL1B
			a)Blower covers in walk in cooler needed to be cleaned. b)Ceiling in walk in cooler needed to be cleaned.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**BPO ELKS #923
932 CLYDE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF158	EHF25	COS	FOOD CONTACT SURFACES		11/21/2014	6	HL1B
			Can opener needed to be cleaned.				
	EHF20	COS	TOXIC ITEMS		11/21/2014		
			Spray bottle in kitchen mislabeled.				

**BRISTOLS BAR
1911 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2283	EHF15	IN	EQUIPMENT ADEQUATE		11/25/2014	0	HFOL
			Corrected from previous inspection.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

BURGER BAR THE 614 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2378	EHF20	COS	TOXIC ITEMS		11/20/2014	3	HL1B
			Chemical cleaner stored on dishwasher. Store chemicals away from food and food equipment.(dishes)				
	EHF28	COS	ALL OTHER VIOLATIONS		11/20/2014		
			Light cover in kitchen needs to be reset.				

BURGER BARN 8528 N US HWY 287

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP22	EHF28	COS	ALL OTHER VIOLATIONS		11/21/2014	0	HL1B
			a)Potatoes stored with non-food items. b)Eggs in reachin cooler were found stored over ready to eat foods. c)Inside bottom shelf of reachin freezer needed to be cleaned.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**BURGER KING #4796
4210 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF493	EHF28	H90 DAY	ALL OTHER VIOLATIONS	Air vent over hot hold not clean.	11/26/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**BUST N LOOSE BAR B Q
608 N MONROE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2582					11/21/2014	0	HL1B
HF670					11/21/2014	0	HL1B

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT

BUTTONS & BOWS PRESCHOOL**3815 S LIPSCOMB ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD21	EHF28	COS	ALL OTHER VIOLATIONS		11/26/2014	3	HL1B
			A)Raw eggs over ready to eat food in cooler. B)Dust needed to be cleaned off of hood over stove. C)Cabinets directly above stove needed to be cleaned.				
	EHF25	COS	FOOD CONTACT SURFACES		11/26/2014		
			Store all handles of utensil the same way in drawers.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

CEFCO CONVENIENCE STORE

1917 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2468	EHF24	H10DAY	THERMOMETERS		11/21/2014	25	HL1B
			No thermometer in cold hold unit.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		11/21/2014		
			Food particles on cleaned utensils and tubs. b)Ice chutes on dispensers dirty.				
	EHF20	COS	TOXIC ITEMS		11/21/2014		
			Chemical stored over foods.				
	EHF13	COS	HACCP PLAN/TIME		11/21/2014		
			No date marks on potentially hazardous foods.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		11/21/2014		
			Open drink in kitchen.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

CEFCO CONVENIENCE STORE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2468	EHF09	COS	APPROVED SOURCE/LABELING	Flour not labeled.	11/21/2014	25	HL1B
	EHF10	COS	SOUND CONDITION	Product (sauce) requiring refrigeration not refrigerated.	11/21/2014		
	EHF28	H10DAY	ALL OTHER VIOLATIONS	Clean floor drains, tops of equipment. b)Store coffee filters covered. c)Do not store wet tea mixer spoon on top of tea urn.	11/21/2014		

CHEETAHS

3437 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1497	EHF28	H90 DAY	ALL OTHER VIOLATIONS	Repair drip at ice machine.	11/21/2014	0	HFOL

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**CHILDRENS CIRCLE OF FRIENDS****3510 BOWIE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD57					11/26/2014	0	HL1B

CHILL OUT**7701 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2314	EHF16	COS	HAND WASH FACILITIES ADEQUATE		11/26/2014	3	HL1B
			a)Hand sink blocked by dishes.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**CITY CAFE
200 SE 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2618	EHF15	IN	EQUIPMENT ADEQUATE All equipment is NSF.		11/20/2014	0	HL1B

**CITY OF REFUGE
613 S ADAMS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1135					11/20/2014	0	HL1B

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****COMANCHE TRAIL GOLF COURSE****4200 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF578	EHF03	IN	HOT HOLDING		11/21/2014	0	HL1B	
			All hot foods holding at 135F or higher. In compliance.					

CONTINENTAL**1300 S JACKSON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF233					11/21/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**CORN DOG 7
7701 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF882	EHF13	COS	HACCP PLAN/TIME		11/26/2014	7	HL1B
			a)Wieners past the 7 day hold date.				
	EHF22	COS	MANAGER KNOWLEDGE/CERTIFIED		11/26/2014		
			a)No current copy of food manager card posted.				

**CORN EXPRESS
812 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF409					11/25/2014	0	HL1B

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT

COUNTRY CLUB NURSING & REHAB**9 MEDICAL DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF200	EHF28	H60 DAY	ALL OTHER VIOLATIONS		11/20/2014	4	HL1B
			You will need to take Serve Safe to our office and register as Food Manager.				
	EHF10	COS	SOUND CONDITION		11/20/2014		
			Dented cans on rack in pantry.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**CRACKER BARREL #210
2323 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF891	EHF25	COS	FOOD CONTACT SURFACES		11/24/2014	3	HL1B
			A)Can opener and can opener holder needed to be cleaned. B)Dirty knives found stored on wall.				
	EHF28	COS	ALL OTHER VIOLATIONS		11/24/2014		
			A)Condensate ice needs to be removed from walk in freezer. B)Floor of walk in cooler needed to be swept. C)Blower covers in walk in cooler needed to be cleaned.				

**GRAVE FACTORY THE
4925 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2481					11/26/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**DAYS INN EAST
1701 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1549					11/20/2014	0	HL1B

**DIVERSE NUTRITION
3506 SE 27TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2305	EHF28	COS	ALL OTHER VIOLATIONS		11/21/2014	3	HL1B
			a)Cups found stored on floor in storage room. Must be stored at least 6" off the ground. COS. b)Reach in cooler needed to be wiped out. COS.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		11/21/2014		
			Paper towels needed at hand sink. COS				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****DOLLAR GENERAL STORE #7285****403 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF54	EHF17	COS	HAND WASH WITH SOAP/TOWELS		11/21/2014	3	HL1B
				a)Mens restroom did not have paper towels. b)Womens restroom did not have paper towels.			

DONA JUANITA
2208 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1579	EHF25	COS	FOOD CONTACT SURFACES		11/21/2014	3	HL1B
				Silverware/to go containers needed to be cleaned out.			

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****DONG PHUONG
2218 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF171	EHF23	H90 DAY	SEWAGE/WASTEWATER		11/25/2014	3	HL1B
			Condensate in walk in freezers needs to be chipped off.				

**EAGLE VENDING
3858 BUSINESS PARK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1281	EHF02	IN	COLD HOLDING		11/26/2014	0	HL1B
			Cooler holding at 39 degrees.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**EASTRIDGE GROCERY
5200 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1813	EHF09	COS	APPROVED SOURCE/LABELING		11/20/2014	7	HL1B
			Food items on shelves without proper labeling. Must have a label with ingredients in English.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/20/2014		
			Ceiling tiles over meat prep area need to be repaired or replaced.				
	EHF27	H10DAY	ESTABLISHMENT PERMIT		11/20/2014		
			Food establishment permit must be available at time of inspection.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**EL BRACERO
2116 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1183	EHF28	COS	ALL OTHER VIOLATIONS		11/21/2014	0	HL1B	
			Thaw raw meat out under running water or in the cooler.					

**EL JALAPENO CAFE
4400 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1552					11/20/2014	0	HL1B

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****EL PATIO MEXICAN RESTAURANT****1410 W US HIGHWAY 60**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC127	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/25/2014	17	HL1B
			A)Patch hole in ceiling by next inspection. B)New shelving needed in walk in by next inspection.				
	EHF02	IN	COLD HOLDING		11/25/2014		
			A)Tomatoes holding at 40 degrees.				
	EHF03	IN	HOT HOLDING		11/25/2014		
			A)Rice holding at 145 degrees. B)Beef holding at 150 degrees.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		11/25/2014		
			A)Food manager card expired past 60 days. Class must be retaken. Schedule was given.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**EL TROPICO
1105 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1856	EHF15	IN	EQUIPMENT ADEQUATE	Corrected from previous inspection.	11/21/2014	0	HFOL

**ELIZABETH J BIVINS CULINARY
6700 KILLGORE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1380					11/21/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**ESKIMO HUT
4201 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF84	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/25/2014	6	HL1B
			A)Hand wash sign needed at hand sink. A)Area behind sink is peeling paint and must be smooth and easy to clean. C)Replace counter areas that are chipped and not easy to clean. Must be repaired by next nspection.				
	EHF22	COS	MANAGER KNOWLEDGE/CERTIFIED		11/25/2014		
			A)Food manager card is expired. Certify new food manager.				
	EHF20	COS	TOXIC ITEMS		11/25/2014		
			A)Medicine may not be stored in the kitchen area.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****FLOR PORRAS
1401 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1871	EHF27	IN	ESTABLISHMENT PERMIT		11/24/2014	0	HFOL
Establishment permit renewed and name changed from La Rancherita to Flor Porras.							

**FOREST HILL ELEMENTARY
3515 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF668	EHF28	H60 DAY	ALL OTHER VIOLATIONS		11/21/2014	0	HL1B
Rinse basin in three-compartment sink has rust buildup. Must be repaired or replaced.							

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**FOX FAST STOP
1901 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2197	EHF28	COS	ALL OTHER VIOLATIONS Ice machine needed to be cleaned.		11/25/2014	0	HL1B

**FURRBIES
210 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1332					11/24/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**GLOBAL DISCOUNT STORE****3408 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2509	EHF19	IN	RODENTS/ANIMALS/OPENINGS	2 corrections from previous inspection.	11/20/2014	0	HFOL

GNC #2310**3630 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2215					11/26/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

HARRINGTON ASSISTED LIVING

401 SW 12TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1266	EHF25	COS	FOOD CONTACT SURFACES	Can opener needed to be cleaned.	11/21/2014	3	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**HENKS BAR B Q
1508 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF619	EHF28	H 3 DAYS	ALL OTHER VIOLATIONS		11/21/2014	0	HL1B
			Walls of walk in cooler need to be cleaned.				
HF619	EHF28	IN	ALL OTHER VIOLATIONS		11/24/2014	0	HFOL
			Corrected from previous inspection.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**HICKORY FARMS
7701 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF604	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED Corrected.		11/26/2014	0	HL1B

**HOLIDAY INN EXPRESS
9401 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1618	EHF28	H90 DAY	ALL OTHER VIOLATIONS A)Milk cooler gasket needs to be replaced.)Food and food items found stored on floor. Must be stored at least 6" off the ground.COS		11/24/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**IMAGINATION STATION**

7910 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD34	EHF16	COS	HAND WASH FACILITIES ADEQUATE		11/26/2014	3	HL1B
			Hand sink blocked. Do not place shelving in front of sink.				
	EHF02	IN	COLD HOLDING		11/26/2014		
			Cooler holding at 30 degrees.				

JAN WERNER ADULT DAY CARE

3108 S FILLMORE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1822	EHF02	IN	COLD HOLDING		11/25/2014	0	HL1B
			All cold hold units holding at 41F or below. In compliance.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**JCPENNEY CORP INC STORE #2169****7701 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2299					11/26/2014	0	HL1B

**KABUKI ROMANZA
8130 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1365	EHF14	IN	WATER SUPPLY		11/24/2014	0	HFOL
			a)Corrected.				
	EHF21	IN	MANUAL WARE WASHING		11/24/2014		
			a)Corrected.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**KFC****316 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF993	EHF21	COS	MANUAL WARE WASHING		11/20/2014	3	HL1B
			a)Less than 50 ppm chlorine sanitizer in 3 compartment sink.				
	EHF28	COS	ALL OTHER VIOLATIONS		11/20/2014		
			a)Do not keep the ice scoop in a self replenishing ice machine.				

KING & I RESTAURANT**2300 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1890					11/26/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**KING & I THE
104 15TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC291	EHF28	COS	ALL OTHER VIOLATIONS		11/25/2014	17	HL1B
			A)Back door self closer was not attached. B)Bathroom doors must be self closing. C)All thawing must be done under cold running water, part of the cooking process, or in the cooler the day before. D)Rice must be kept at least 6 inches off the floor.				
	EHF11	COS	PROPER HANDLING RTE		11/25/2014		
			A)Employee seen handling ready to eat lettuce with bare hands. Gloves or utensils must be used.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		11/25/2014		
			A)Employee seen washing hands in 3 compartment sink without soap or paper towels.				
	EHF02	COS	COLD HOLDING		11/25/2014		
			A)Eggs being held at 70 degrees ambient, must be 45 degrees or below at all times. B)Chicken 70 degrees on counter. C)Tofu 65 degrees. All must be kept below 41 degrees at all times.				
	EHF07	COS	ADEQUATE HAND WASHING		11/25/2014		
			A)Employees seen not washing hands before putting on gloves.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**LA CAMPANA
2220 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF267	EHF02	IN	COLD HOLDING A)Cooler holding at 40 degrees.		11/26/2014	0	HL1B
	EHF03	IN	HOT HOLDING A)Rice holding at 155 degrees.		11/26/2014		

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**LIVINFIT NUTRITION
4119 BUSINESS PARK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2626	EHF17	IN	HAND WASH WITH SOAP/TOWELS		11/20/2014	3	HFOL
			A)Corrected.				
	EHF22	COS	MANAGER KNOWLEDGE/CERTIFIED		11/20/2014		
			A)Food manager card needed by 12/12/14.				
	EHF28	IN	ALL OTHER VIOLATIONS		11/20/2014		
			A)Corrected. B)Corrected.				
	EHF27	IN	ESTABLISHMENT PERMIT		11/20/2014		
			A)Corrected.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**LONG JOHN SILVERS
4615 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1683	EHF28	H10DAY	ALL OTHER VIOLATIONS		11/21/2014	6	HL1B
			No light cover in walkin cooler. clean: walkin door gaskets, mold over walkin door, grease buildup on all surfaces-hothold, floor below fryers, paper towel dispenser, airvents. Reachin door held shut by string. Remove string. Water filter has expired.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		11/21/2014		
			Wastewater leak at hand sink.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		11/21/2014		
			Ice machine door inside dirty. b)Splatter on shelf over prep table. c)Stickers on cleaned pans.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**LOS BRACEROS
3303 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1921	EHF25	COS	FOOD CONTACT SURFACES		11/20/2014	16	HL1B
			a)Single use lids container needed to be cleaned. b)Always store ice scoop handle up when stored in ice.				
	EHF24	COS	THERMOMETERS		11/20/2014		
			Thermometer needed in walk in cooler.				
	EHF21	COS	MANUAL WARE WASHING		11/20/2014		
			Store all wipe down rags in sanitizer bucket when not in use.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		11/20/2014		
			Reach in cooler/Prep table holding at 54F and needs to be repaired.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		11/20/2014		
			Employee washed hands in mop sink. Use hand washing sink only for washing hands.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

LOS BRACEROS

HF1921	EHF28	H90 DAY	ALL OTHER VIOLATIONS	11/20/2014	16	HL1B
--------	-------	---------	----------------------	------------	----	------

a)Womens restroom needs a covered trash can. b)Vent cover needed over vent in cook area. c)Bulk food found stored on floor. All food must be stored at least 6" off the ground. COS

LUPITAS EXPRESS

2403 HARDIN DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1964	EHF17	COS	HAND WASH WITH SOAP/TOWELS		11/24/2014	3	HL1B

Hand sink needed paper towels.

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**MARY & ROGERS DAY CARE
4220 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD18					11/20/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

MARYBEL RESTAURANT 1015 S ARTHUR ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF998	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/21/2014	9	HL1B
			a)Lightbulbs need to be replaced in walk in cooler. b)Raw meat stored above ready to eat foods in walk in cooler.COS c)Hand sink blocked by portable fan.COS d)Invert single service containers to prevent contamination. COS				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		11/21/2014		
			Reach in cooler holding at 55 and needs to be repaired. Potentially hazardous foods were removed.				
	EHF20	COS	TOXIC ITEMS		11/21/2014		
			Chemicals found stored above food and food items.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		11/21/2014		
			Prep table/reach in cooler has condensate leak and needs to be repaired.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT**MARYBEL RESTAURANT**

HFM14	EHF02	IN	COLD HOLDING	11/21/2014	0	HL1B
-------	-------	----	--------------	------------	---	------

Reach in cooler holding at below 41F. In compliance.

HFM386	EHF28	COS	ALL OTHER VIOLATIONS	11/21/2014	0	HL1B
--------	-------	-----	----------------------	------------	---	------

Invert single service containers to prevent contamination.

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**MCDONALDS
3320 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF792	EHF20	H10DAY	TOXIC ITEMS		11/24/2014	3	HFOL	
			A)Quat sanitizer still over 400 ppm. Must be 200 ppm, no more than 400 ppm.					

400 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1190	EHF28	H10DAY	ALL OTHER VIOLATIONS		11/26/2014	0	H PREOPEN	
			a)English and Spanish hand wash signs needed in restroom. b)Hand wash sign needed at all hand sinks. c)Covered trash needed in ladies restroom.					

4215 CANYON DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1239	EHF20	COS	TOXIC ITEMS		11/24/2014	7	HL1B	
			A)Chemicals stored above food.					

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT

MCDONALDS

HF1239	EHF02	IN	COLD HOLDING	11/24/2014	7	HL1B
			A)Ham holding at 40 degrees.			
	EHF08	COS	GOOD HYGIENIC PRACTICES	11/24/2014		
			A)Drink found without a lid or a straw on the preparation table. B)Hand sink being used for other purposes than hand washing.			
	EHF03	IN	HOT HOLDING	11/24/2014		
			A)Eggs holding at 159 degrees.			

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**MERCADO LATINO
3500 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1180	EHF28	COS	ALL OTHER VIOLATIONS		11/26/2014	19	HL1B
			A)Reach in freezers in front needed to be defrosted or ice chipped off. B)Food items(i.e. onions, potatoes, tortillas, etc)found stored on floor. Must be at least 6 inches off floor. C)Blower covers in walk in coolers needed cleaned.				
	EHF12	COS	CROSS CONTAMINATION		11/26/2014		
			Condensate from walk in freezer has leaked onto food items. All items must be disposed of immediately.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		11/26/2014		
			A)Live mouse found in kitchen. B)Licensed pest control professional needs to treat the establishment.				
	EHF20	COS	TOXIC ITEMS		11/26/2014		
			A)Chemicals found stored over food items. B)Chlorine sanitizing solution more than 200ppm for cleaning surfaces. Must be 100ppm. C)Unapproved pest control agent being used. Must be removed from establishment.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		11/26/2014		
			A)Condensate leak in walk in freezer. Needs to be repaired. B)Hand sink in back room of kitchen needs to be repaired. Water pours out of the pipes. C)Ice bin in back room cannot be drained into a tub. It must be connected to a drain pipe.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

MERCADO LATINO

HF1180	EHF24	COS	THERMOMETERS	11/26/2014	19	HL1B
--------	-------	-----	--------------	------------	----	------

Thermometer needed in all reach in coolers.

	EHF25	COS	FOOD CONTACT SURFACES	11/26/2014		
--	-------	-----	-----------------------	------------	--	--

A)Can opener needed to be cleaned. B)Reach in coolers needed to be cleaned out. C)Gaskets on reach in cooler in kitchen needed replaced.

**MEXICO LINDO
4515 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1853	EHF21	IN	MANUAL WARE WASHING		11/25/2014	0	HFOL
			A)Corrected.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****ORANGE LEAF FROZEN YOGURT****2207 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2454	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		11/24/2014	6	HL1B
			A)Food manager card expired past 60 days. Another food manager card must be obtained by 12-12-14. Schedule was given to manager.				
	EHF20	COS	TOXIC ITEMS		11/24/2014		
			A)Quat sanitizer well over 400ppm, must be 200ppm QUAT as label states.				
	EHF02	IN	COLD HOLDING		11/24/2014		
			A)Ice cream freezers holding at 18 degrees.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****OUTBACK STEAKHOUSE
7101 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF869	EHF25	H10DAY	FOOD CONTACT SURFACES		11/21/2014	3	HL1B
			Salad slicer stored with food attached. b)Bar nozzles not cleaned daily.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/21/2014		
			Air vents in back area have heavy buildup. b)Broken or cracked plastic tubs-discard.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**PAK A SAK #12
2110 SE 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF266	EHF28	COS	ALL OTHER VIOLATIONS		11/26/2014	6	HL1B
			a)Outside of ice machine needs to be cleaned. b)Lime scale needs to be removed from outside of all soda machines. c)Walk in blower covers and ceiling need to be cleaned. d)Food found stored on floor. e)Hand washing sink blocked in back room.				
	EHF25	COS	FOOD CONTACT SURFACES		11/26/2014		
			Drive up soda machine nozzles needed to be cleaned.				
	EHF23	COS	SEWAGE/WASTEWATER		11/26/2014		
			Beef jerky cooler needs to be defrosted.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

PAN-HANDLERS CATERING

400 S TAYLOR ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2084	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/26/2014	0	HL1B
			Dish washer sanitizer not at proper level.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**PIZZA HUT
5101 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF351	EHF28	H 3 DAYS	ALL OTHER VIOLATIONS		11/21/2014	3	HFOL
			Shelves in dishwash room have grease buildup.Repeat. Paint peeling from venthood over pizza oven. Repeat. Top of pizza oven has paint chips, food crumbs & grease. Repeat. Fryer & surrounding area coated w/grease.Repeat. \$50 reinspection fee charged.				
	EHF23	H 3 DAYS	SEWAGE/WASTEWATER		11/21/2014		
			Hand sink drains too slow. Repeat.				
HF351					11/26/2014	0	HFOL

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

PLAZA RESTAURANT THE 2101 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2051	EHF28	COS	ALL OTHER VIOLATIONS		11/20/2014	3	HL1B
			a)All scoops must have a handle.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		11/20/2014		
			a)Paper towels needed at hand sink on the cook line.				

POTATO FACTORY 114 SW 6TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2217					11/26/2014	0	HL1B

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT**PRESTON WEST PAR 3
9101 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
-----------------	-----------------------	--------------------	--------------------	-----------------	------------------------	-----------------	------------------------

HF434	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		11/24/2014	3	HL1B
-------	-------	---------	-----------------------------	--	------------	---	------

A)Food manager card needed by 12-12-14. A \$50 reinspection fee will be charged on next inspection if card is not obtained.

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****RESTAURANTE LOS HERMANOS RAMIR****5009 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF3	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		11/24/2014	22	HM3
			Hand sink leaking. Needs repaired. Not draining properly.				
	EHF17	H10DAY	HAND WASH WITH SOAP/TOWELS		11/24/2014		
			Paper towels needed at hand sink.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		11/24/2014		
			Back door sweep needs repaired or replaced.				
	EHF14	H24 HOUR	WATER SUPPLY		11/24/2014		
			Hot water not available. Must close until repaired. Contact the Environmental Health Dept 806-378-9472 prior to reopening for reinspection.				
	EHF02	COS	COLD HOLDING		11/24/2014		
			Mayonnaise holding at 66°.Must refrigerate.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****RESTAURANTE LOS HERMANOS RAMIR**

HF3	EHF07	H24 HOUR	ADEQUATE HAND WASHING	11/24/2014	22	HM3
-----	-------	----------	-----------------------	------------	----	-----

Employees not seen washing hands. Need hot water.

	EHF28	COS	ALL OTHER VIOLATIONS	11/24/2014		
--	-------	-----	----------------------	------------	--	--

Can opener needed cleaned.

HF3	EHF14	IN	WATER SUPPLY	11/25/2014	0	HM4
-----	-------	----	--------------	------------	---	-----

Hot water now available. Corrected from previous inspection. This establishment may reopen effective today 11/25/14.

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

ROASTERS COFFEE & TEA

3429 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1406	EHF24	COS	THERMOMETERS		11/20/2014	3	HL1B
			a)Thermometer missing in cold hold unit.				
	EHF28	COS	ALL OTHER VIOLATIONS		11/20/2014		
			a)Hand wash sign needed at front hand sink.				
HFK47					11/25/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**ROSAS CAFE #22
3820 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1081	EHF28	H10DAY	ALL OTHER VIOLATIONS		11/20/2014	10	HL1B
			Tape dispenser needs to be cleaned. Ice buckets need to be inverted. Foil shelf covers need to be changed daily. Remove unused dirty fan. Air vent in prep area needs to be cleaned. Mop sink has a leak. Repair as needed. Fd mgr class 2nd Wed of each month				
	EHF25	H10DAY	FOOD CONTACT SURFACES		11/20/2014		
			Clean shelves w/splatter, rack above chips in hot hold, sm reachin cooler handles, gaskets, shelves, canopener carrier, dishes w/fd particles & stickers attached after cleaned. Dishes must be air dried before stacking. Utensils setting in stagnant water.				
	EHF17	H10DAY	HAND WASH WITH SOAP/TOWELS		11/20/2014		
			No paper towels at hand sink. Paper towels are required at all hand sinks at all times.				
	EHF10	COS	SOUND CONDITION		11/20/2014		
			Lid missing to seasoning mix container. Foods cannot be stored uncovered.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****ROUTE 66 DISCOUNT
3816 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1897	EHF09	COS	APPROVED SOURCE/LABELING		11/20/2014	10	HL1B
			Food made at home can not be offered for sale to the public (burritos).				
	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED		11/20/2014		
			You will need to have someone take Food Manager class December 10 and test on 12th. See handout.				
	EHF27	H30 DAY	ESTABLISHMENT PERMIT		11/20/2014		
			Need to post current establishment permits.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**RUBY TEQUILAS
3616 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2402	EHF15	H10DAY	EQUIPMENT ADEQUATE		11/24/2014	3	HFOL
			A)Four thermometers in the unit were at 60F. Food was still being held in the unit. All food should be discarded. Unit must be repaired in 24 hours or a \$50 reinspection fee will be charged.				
HF2402	EHF15	IN	EQUIPMENT ADEQUATE		11/25/2014	0	HFOL
			A)Unit is no longer in use.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

SADDLE BROOK JOCKEY CLUB

4332 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2327	EHF29	IN	RECOGNITION Very clean routinely.		11/21/2014	0	HL1B

SANBORN ELEMENTARY

700 S ROBERTS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF683	EHF02	IN	COLD HOLDING All cold hold units holding at 41F or less. In compliance.		11/25/2014	0	HL1B

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT

SLEEP INN WEST MEDICAL CENTER**6915 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2601	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED		11/21/2014	3	HFOL
No food manager. Attend class Dec. 10 and test Dec. 12, 2014. *Future violations of the #22 demerit will be charged a \$50 reinspection fee.*							

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**SONIC DRIVE IN
2707 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF52	EHF24	COS	THERMOMETERS		11/20/2014	3	HL1B	
			Thermometer broken in reach in cooler. Thermometer was replaced.					
	EHF28	COS	ALL OTHER VIOLATIONS		11/20/2014			
			a)Reach in cooler gaskets need to be cleaned. b)Can opener holder needed to be cleaned.					

7701 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF341	EHF23	IN	SEWAGE/WASTEWATER		11/24/2014	0	HFOL	
			Corrected.					
	EHF14	IN	WATER SUPPLY		11/24/2014			
			Corrected.					

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**SONIC DRIVE IN****SOUTHWEST BAPTIST CHURCH****8201 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2347	EHF02	IN	COLD HOLDING Cooler holding at 40 degrees.		11/26/2014	0	HL1B

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**SUBWAY
3130 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1204	EHF28	COS	ALL OTHER VIOLATIONS		11/20/2014	0	HL1B
			a)Seal the gap at the back door by the restrooms.				

7701 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1695	EHF03	COS	HOT HOLDING		11/26/2014	5	HL1B
			a)Meatballs at 110F. Must be 135F or above in hot hold.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT**SUBWAY #14315
3325 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2170	EHF25	COS	FOOD CONTACT SURFACES	Utensil and knife container needed to be cleaned.	11/20/2014	3	HL1B

**TACO BUENO
6001 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1150					11/26/2014	0	HFOL

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**TACOS LA HACIENDA
1021 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2119					11/21/2014	0	HL1B
HF2119					11/21/2014	0	HL1B

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT

TAMMES TENDER TOUCH TOO**1009 S HIGHLAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFD64	EHF02	IN	COLD HOLDING		11/24/2014	0	HL1B	
			All cold hold units holding at 41F or below. In compliance.					

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

TAQUERIA SAN CARLOS

3510 NE 24TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1678	EHF07	H24 HOUR	ADEQUATE HAND WASHING		11/20/2014	11	HL1B
			Hand sink not working properly. Hands should be washed before putting on gloves.				
	EHF23	H24 HOUR	SEWAGE/WASTEWATER		11/20/2014		
			Ice machine leaking water. Repair by 11/21/14.				
	EHF14	H24 HOUR	WATER SUPPLY		11/20/2014		
			Hot water needed at hand sink. Repair by 11/21/14.				
HF1678	EHF23	IN	SEWAGE/WASTEWATER		11/21/2014	0	HFOL
			Corrected from previous inspection.				
	EHF14	IN	WATER SUPPLY		11/21/2014		
			Corrected from previous inspection.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT**TAQUERIA SAN CARLOS**

HFM286	EHF24	COS	THERMOMETERS		11/20/2014	3	HL1B
--------	-------	-----	--------------	--	------------	---	------

Thermometer needed for reach in cooler.

**TASCOSA HIGH SCHOOL
3921 WESTLAWN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF671	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/20/2014	0	HL1B

a)Sneeze shield on serving line for self serve needs to be repaired. b)Floor in walk in needs to be repaired.
c)Ceiling in kitchen needs to be smooth easily cleanable.

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**TASCOSA HS CULINARY
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5203					11/20/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

TAYLOR FOOD MART #2080

3400 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2192	EHF27	H90 DAY	ESTABLISHMENT PERMIT		11/24/2014	6	HFOL
			A)No current food establishment permit posted. Must be corrected by next inspection or a \$50 reinspection fee may be charged.				
	EHF15	IN	EQUIPMENT ADEQUATE		11/24/2014		
			a)Corrected.				
	EHF22	H90 DAY	MANAGER KNOWLEDGE/CERTIFIED		11/24/2014		
			A)Food manager needs to register Learn2Serve with City of Amarillo. If not corrected by next inspection, a \$50 reinspection fee may be charged.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**TEA 2 GO
2207 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2630	EHF09	COS	APPROVED SOURCE/LABELING		11/25/2014	7	HL1B
			A)Law states that food must have the common name, ingredients list, quantity and name and place of business where it was made on the food package for sale.				
	EHF22	COS	MANAGER KNOWLEDGE/CERTIFIED		11/25/2014		
			A)Food manager card expired.				

6200 HILLSIDE RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2631	EHF27	H24 HOUR	ESTABLISHMENT PERMIT		11/20/2014	3	HM3
			No current food establishment permit. Establishment must close.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

TEA 2 GO

HF2631	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED	11/20/2014	17	HL1B
			Food manager needed.(40 hrs/wk or 2 individuals).			
	EHF23	H10DAY	SEWAGE/WASTEWATER	11/20/2014		
			Water leak at drain to ice machine. Must be properly plumbed by a plumber.			
	EHF24	H10DAY	THERMOMETERS	11/20/2014		
			No thermometer in large reach in cooler.			
	EHF25	H10DAY	FOOD CONTACT SURFACES	11/20/2014		
			Utensil tub not clean. Used tea dispensers must be cleaned properly. Disassemble wash, rinse, sanitizer, air dry parts. Ice machine lid needed.			
	EHF02	COS	COLD HOLDING	11/20/2014		
			Small reach in cooler at 51°F. Unit must hold at 41°F or less.			
	EHF28	H10DAY	ALL OTHER VIOLATIONS	11/20/2014		
			All bare wood in kitchen must be sealed. Ceiling panel missing in back room. Air vent dusty.			

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14**

ESTABLISHMENT**TEA 2 GO****THE 806
2812 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1557	EHF11	COS	PROPER HANDLING RTE		11/20/2014	7	HL1B
			Placing chips on plate with bare hands, need to use glove or utensil to handle ready to eat food.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		11/20/2014		
			Back door needs to be sealed at top and bottom.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

**TOKYO STEAK HOUSE
5807 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2324	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/21/2014	0	HL1B	
			Sanitizer too strong. Check dish washer for proper strength daily. Walk in cooler not at proper temperature. Adjust to hold below 42°.					

**TOOT N TOTUM #5
1500 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF352					11/26/2014	0	HL1B

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****TRAIL BOSS RANCH COOKING****4925 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2480	EHF28	H90 DAY	ALL OTHER VIOLATIONS One dirty fan.		11/26/2014	0	HL1B

TRAVIS MIDDLE SCHOOL**2815 MARTIN RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF669	EHF15	COS	EQUIPMENT ADEQUATE Walk in cooler went out. See destruction sheet.		11/24/2014	0	HOTHER

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

TRINITY LUTHERAN CHURCH SCHOOL

5005 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF112					11/26/2014	0	HL1B

TX CHICKEN BOWL
3011 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF708	EHF28	COS	ALL OTHER VIOLATIONS		11/24/2014	3	HL1B
			a)Employee restroom needs a trash can with a lid. b)Vent hood needs to be cleaned. c)Bathroom door hinge needed to be connected so that it is self closing.				
	EHF20	COS	TOXIC ITEMS		11/24/2014		
			Chemical bottles found without labels. Corrected.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

UNIQUE INDIVIDUALS LLC**7701 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD61	EHF02	IN	COLD HOLDING		11/24/2014	0	HL1B
			A)Cooler holding at 39 degrees.				
	EHF03	IN	HOT HOLDING		11/24/2014		
			A)Turkey holding at 195 degrees. B)Green beans holding at 167 degrees.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

UNITED SUPERMARKET

201 N 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC138	EHF03	IN	HOT HOLDING		11/25/2014	8	HL1B
			A)Sausage holding at 135 degrees. B)Corndogs 165 degrees.				
	EHF02	COS	COLD HOLDING		11/25/2014		
			A)Eggs holding at 47 degrees. Rapidly cooled to 41 degrees.				
	EHF20	H10DAY	TOXIC ITEMS		11/25/2014		
			A)Sanitizer dispenser dispensing well over 400ppm. Must be 200-400 as label states. Fix within 10 days.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****UNITED SUPERMARKETS #527****1501 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF346	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/20/2014	3	HL1B
			Dust needed to be cleaned off air intakes in fruit cooler.				
	EHF25	COS	FOOD CONTACT SURFACES		11/20/2014		
			A)Soda nozzles in deli needed to be cleaned. B)Rusty knives in produce cutting room.				

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

WAL-MART SUPERCENTER #3383

4215 CANYON DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1232	EHF23	H24 HOUR	SEWAGE/WASTEWATER		11/24/2014	10	HL1B
			A)Hand sink in bakery not draining for over a week. Must be repaired within 24 hours.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/24/2014		
			A)Heat test strips needed for dish machine in bakery (Deli) (Repeat). A \$50 reinspection fee will be charged for future repeat of this violation.				
	EHF10	COS	SOUND CONDITION		11/24/2014		
			A)Cracked and moldy eggs found. B)Dented cans found.				
	EHF17	H24 HOUR	HAND WASH WITH SOAP/TOWELS		11/24/2014		
			A)Soap needed at hand sink in bakery.				
HF1232	EHF17	IN	HAND WASH WITH SOAP/TOWELS		11/26/2014	0	HFOL
			Corrected.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****WAL-MART SUPERCENTER #3383**

HF1232	EHF23	IN	SEWAGE/WASTEWATER		11/26/2014	0	HFOL
Corrected.							

WESLEY COMMUNITY DAY CARE**1615 S ROBERTS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD27	EHF22	H24 HOUR	MANAGER KNOWLEDGE/CERTIFIED		11/21/2014	3	HL1B
Food manager card has expired and needs to be renewed by 11/21/14.							

Food Establishment Public Inspection Report

From 11/20/14 thru 11/26/14

ESTABLISHMENT

WESTOVER PARK INTERMEDIATE

7200 PINNACLE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF877	EHF21	COS	MANUAL WARE WASHING		11/24/2014	12	HL1B
			A)Sanitizer dispenser out of chemical and reading 0ppm. Once changed machine worked properly.				
	EHF13	COS	HACCP PLAN/TIME		11/24/2014		
			A)Cut ready to eat ham and turkey found in the cooler past 7 days. B)Cooked sliced turkey in the cooler longer than 24 hours without a preparation date.(A)was discarded.				
	EHF02	IN	COLD HOLDING		11/24/2014		
			A)Milk holding at 41 degrees.				
	EHF03	COS	HOT HOLDING		11/24/2014		
			A)Chicken nuggets holding at 118 degrees. B)Chicken sandwiches holding at 118 degrees. All must stay above 135 degrees at all times. All products reheated to 200 degrees.				

Food Establishment Public Inspection Report**From 11/20/14 thru 11/26/14****ESTABLISHMENT****WINGSTOP
5807 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1052	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/21/2014	0	HL1B
			Clothing stored on rack used for food items. Hang clothing on hooks provided.				

**WTAMU MEAT LAB
2501 RUSSELL LONG BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC272	EHF28	H90 DAY	ALL OTHER VIOLATIONS		11/25/2014	0	HL1B
			A)Quat test strips needed.				