Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

ABC LEARNING CENTER I

5901 HILLSIDE RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD30	EHF02	IN	COLD HOLDING		10/29/2014	0	HL1B

A)Cooler holding at 40 degrees.

ABC LEARNING CENTER II

5709 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD8	EHF28	H60 DAY	ALL OTHER VIOLATIONS		10/29/2014	0	HL1B

Keep all foods separated from non food equipment.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

AFC SUSHI @ UNITED #526

2530 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1320					10/23/2014	0	HL1B

ALCOHOLIC RECOVERY CENTER

412 SE 16TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF105	EHF02	IN	COLD HOLDING		10/29/2014	0	HL1B

All cold hold units holding at 41F or below. In compliance.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

AMARILLO CLUB
600 S TYLER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK17					10/29/2014	0	HL1B

AMARILLO COLLEGE CHILD DEV LAB
6222 SW 9TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD48					10/27/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

AMARILLO SENIOR CITIZENS ASSOC

1200 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF34	EHF27	H 6 HOUR	ESTABLISHMENT PERMIT		10/23/2014	3	HOTHER

Permit expired 10/19/14. Please pay today.

AMERICOLD LOGISTICS

10300 SE 3RD AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF63					10/24/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

AMIGOS #524 DELI/BAKERY

3300 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1815	EHF15	IN	EQUIPMENT ADEQUATE		10/27/2014	0	HFOL

Corrected from previous inspection.

AQUA ONE INC

4600 PARKSIDE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1028	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/29/2014	0	HL1B

Keep overhead door closed when not in use. b)Ceiling panel needs to be in place in dry storage room.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BAKER BROS AMERICAN DELI
3300 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2245	EHF28	COS	ALL OTHER VIOLATIONS		10/27/2014	19	HL1B
			a)Dust the ceiling around the vents.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/27/2014		
			a)Bucket in front hand sink. Hand sinks may not be used for any other purposes.				
	EHF13	COS	HACCP PLAN/TIME		10/27/2014		
			a)Date marks missing on multiple ready to eat items.				
	EHF03	COS	HOT HOLDING		10/27/2014		
			a)Potato soup in the hot hold at 120F. Must be 135F or above.				
	EHF24	COS	THERMOMETERS		10/27/2014		
			a)Thermometers missing in 2 cold hold units.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BAKER BROS AMERICAN DELI

HF2245	EHF25	COS	FOOD CONTACT SURFACES	10/27/2014	19	HL1B

a)Clean the microwave inside and out. b)Clean the inside top of the ice machine. c)Clean the buildup from tea nozzles.

BIG STATE BEAUTY SUPPLY

2800 CIVIC CIR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF659					10/29/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BITI PIES INC

604 S MARYLAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1495					10/27/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BIZZY BEES CHILDCARE & PRESCHL

6500 OFFICE PARK DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD55	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/29/2014	9	HL1B
			Dust tops of cabinets to prevent dust from falling onto cooking surfaces.All food must be stored at least 6" off floor.All thawing must be done either under cold running water or in refrigerator to maintain temp below 41°.Employee food must be separate.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/29/2014		
			Utensil tray dirty. Clean cooler handles. Clean out utensil drawers. TO GO utensil containers dirty. Clean food containers found with dead bug in it.				
	EHF24	H10DAY	THERMOMETERS		10/29/2014		
			Thermometer reading 9° in ice water. Must be calibrated to read 32° in ice water.				
	EHF20	H10DAY	TOXIC ITEMS		10/29/2014		
			Rat poison found in kitchen w/o mfg use directions included in labeling & for a pesticide,mfg label instructions that state the use is allowed in a food estab.Personal care items,medicines can't be stored on top of refrigerator.Chemicals stored w/therm.				
	EHF02	IN	COLD HOLDING		10/29/2014		
			Cooler holding foods at 40°.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BLUE SKY

4201 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF976					10/29/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BRACEROS BAR AND GRILL
2822 SW 6TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2152	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/24/2014	27	HL1B
			Dirty shelves in food cooling. No test strips available. Personal clothing touching onions.				
	EHF07	COS	ADEQUATE HAND WASHING		10/24/2014		
			Cook was not washing hands when working with food.				
	EHF10	H10DAY	SOUND CONDITION		10/24/2014		
			Sugar container was stored open without a lid.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/24/2014		
			Open drinks found in kitchen without lid.				
	EHF16	COS	HAND WASH FACILITIES ADEQUATE		10/24/2014		
			Hand sink blocked. Must be available for use.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BRACEROS BAR AND GRILL

HF2152	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS	10/24/2014	27	HL1B

Screen door needs to be sealed on top and bottom.

EHF21	H10DAY	MANUAL WARE WASHING	10/24/2014	

Dishwasher not releasing sanitizing agent. Needs repair. Sanitizing solution not adequate. Must be chlorine 100ppm or quat ammonia as label reads.

EHF24	H10DAY	THERMOMETERS	10/24/2014	

Thermometers needed in all coolers and freezers.

EHF25	H10DAY	FOOD CONTACT SURFACES	10/24/2014	

Food slicer stored on the floor. Onions stored on the floor. Microwave needs to be cleaned of splatter. Utensil tubs need cleaned. Reachin cooler gasket needs replaced.Telephone sitting inside of to go box.Cardboard box sitting on prep table when in use.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BRISTOLS BAR

1911 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2283	EHF15	H10DAY	EQUIPMENT ADEQUATE		10/29/2014	3	HL1B

Sinks not draining properly.

BROWNS PLAYHOUSE DAY CARE CNTR

605 4TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC113	EHF13	COS	HACCP PLAN/TIME		10/27/2014	4	HL1B

A)Cooked ready to eat foods sitting in cooler with no preparation date.

	EHF02	IN	COLD HOLDING		10/27/2014		

A)Cooler holding at 40 degrees.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BUCKHORN FAMILY RESTAURANT

7000 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF801	EHF25	COS	FOOD CONTACT SURFACES		10/23/2014	3	HL1B
			Nozzles on soda fountain needed to be cleaned.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/23/2014		
			A)Remove dust buildup from area around vent on server line. B)Raw eggs stored over RTE.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BURGER KING #3432
1314 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF236	EHF28	COS	ALL OTHER VIOLATIONS		10/27/2014	7	HL1B

a)Invert all single use containers to prevent contamination. b)Cups found stored on floor in storage room. Must be at least 6" off the ground. c)Walk in cooler gasket replaced. Correction from previous inspection.

	EHF24	COS	THERMOMETERS		10/27/2014		

Thermometer broken in front reach in cooler.

	EHF13	COS	HACCP PLAN/TIME		10/27/2014		

Onions being held past the 4 hour time limit. Onions were discarded.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BUSHLAND BURGER
2300 WELLS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP48					10/23/2014	0	HFOL

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BUSHLAND HIGH SCHOOL BOOSTER C

1201 S FM 2381

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP24	EHF18	IN	INSECT CONTAMINATION		10/24/2014	0	HFOL
			Fly control still a problem.				
	EHF14	IN	WATER SUPPLY		10/24/2014		
			Public water supply.				
	EHF03	IN	HOT HOLDING		10/24/2014		
			Hot Dogs at 167°F. Hamburgers 140°F.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BUTLERS MARTINI BAR

703 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1993					10/25/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BYOB BURGER COMPANY
6200 HILLSIDE RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2140	EHF28	COS	ALL OTHER VIOLATIONS		10/23/2014	21	HL1B
			Waste grease bin open when not in use. Bin must stay closed. Area around waste grease bin must be clean. b)Top of reach in freezer dirty.(outside).				
	EHF25	COS	FOOD CONTACT SURFACES		10/23/2014		
			Reach in coolers and freezer gaskets not clean.				
	EHF10	COS	SOUND CONDITION		10/23/2014		
			Dented can on shelf for use.				
	EHF07	COS	ADEQUATE HAND WASHING		10/23/2014		
			Hands not washed before putting on gloves.				
	EHF11	COS	PROPER HANDLING RTE		10/23/2014		
			Touching cheese with bare hands. Cheese is ready to eat food. No bare hand contact.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

BYOB BURGER COMPANY

HF2140	EHF24	COS	THERMOMETERS	10/23/2014	21	HL1B

No thermometer in reach in freezer.

	EHF20	COS	TOXIC ITEMS	10/23/2014		

Nicotene solution and smoking apparatus setting on food prep table. b)Two containers chemical cleaner on food rack.

CANYON BOOSTER CLUB

19501 US HIGHWAY 87

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC205					10/24/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

CARNICERIA LA POPULAR

1505 SE 3RD AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF87	EHF25	COS	FOOD CONTACT SURFACES		10/28/2014	19	HL1B
			a)Utensil containers needed to be cleaned. b)Pot holders found stored on top of clean pans. c)Do not store knives in crack between table and wall. d)Cups found stored on cloth towel. e)Pork skins stored in cardboard box. Use plastic container instead.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/28/2014		
			a)Gasket on walk in freezer door needs to be repaired. b)Food found stored on floor in walk in freezer. c)Cup being used as scoop in rice. All scoops must have a handle.				
	EHF20	COS	TOXIC ITEMS		10/28/2014		
			a)Bleach stored above food items on shelf for sale. b)Beans found stored next to glass cleaner.				
	EHF21	COS	MANUAL WARE WASHING		10/28/2014		
			Store all sanitizer rags in sanitizer bucket when not in use.				
	EHF15	COS	EQUIPMENT ADEQUATE		10/28/2014		
			Produce cooler holding at 48F and needs to be repaired. Should be 41F or below. Produce was discarded.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

CARNICERIA LA POPULAR

HF87	EHF17	COS	HAND WASH WITH SOAP/TOWELS	10/28/2014	19	HL1B

Paper towels needed at hand sink.

	EHF10	COS	SOUND CONDITION	10/28/2014

Can found stored for use dented and without a label.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

CECILS LAST CHANCE
12800 S US HWY 287

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP2	EHF14	IN	WATER SUPPLY		10/24/2014	0	HL1B
			Water sample tests required monthly. Monthly sample ok.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/24/2014		
			Electrical boxes in walkin, exposed wires no covers, 3rd notice. $50 reinspection fee if not corrected. Seal holes in kitchen and ware washing, 3rd notice. $50 reinspection fee if not corrected.				
	EHF01	NO	COOLING FOR COOKED FOOD		10/24/2014		
			Chili found on stove at 100°F. Discussed proper cooking methods. One hr left placed in walkin.(2hrs 135°-71°/4hrs 71°-41°).				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

CHEETAHS
3437 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1497	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/25/2014	16	HL1B
			No test strips for sanitizer.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/25/2014		
			Ice machine dirty. Ice scoop dirty. Soda gun and holster not clean.				
	EHF07	COS	ADEQUATE HAND WASHING		10/25/2014		
			Hand sink blocked.				
	EHF20	COS	TOXIC ITEMS		10/25/2014		
			Chemical stored with glasses.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		10/25/2014		
			No food manager. Food mgr class Nov 12th. Test Nov 14th.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

CHEETAHS

HF1497	EHF23	H10DAY	SEWAGE/WASTEWATER	10/25/2014	16	HL1B

a)Leaks in ice machine room. b)Roof leaks at stage. Repair as needed. c)Leak at bar. Repair as needed.

CHOP CHOP JAPANESE STEAKHOUSE

3300 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1476	EHF24	COS	THERMOMETERS		10/27/2014	3	HL1B

a)Thermometer needed for small front cooler.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

CIELITO LINDO RESTAURANT
2618 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2576	EHF20	COS	TOXIC ITEMS		10/27/2014	22	HL1B
			a)Chlorine sanitizing solution for cleaning surfaces was more than 200ppm. Must be 100ppm for cleaning. b)Unapproved pest control agent found in kitchen. Pest control sprays must be approved for food establishments.				
	EHF10	COS	SOUND CONDITION		10/27/2014		
			Onions stored on floor next to mop sink. Must be at least 6 inches off the floor away from chemicals/cleaning areas.				
	EHF02	COS	COLD HOLDING		10/27/2014		
			Raw beef holding at 66F degrees.				
	EHF13	COS	HACCP PLAN/TIME		10/27/2014		
			a)Food items stored in refrigerator without dates and labels. b)Food items found out of date in refrigerator. Must be kept no longer than 7 days.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		10/27/2014		
			Screen door off kitchen needs to be sealed at bottom. Follow up 11-6-14.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

CIELITO LINDO RESTAURANT

HF2576	EHF25	COS	FOOD CONTACT SURFACES	10/27/2014	22	HL1B

a)Take out containers needed to be inverted. b)Utensil drawers need to be cleaned and free of items not intended for food contact. c)Gaskets on reachin cooler need to be cleaned.

	EHF28	COS	ALL OTHER VIOLATIONS	10/27/2014

Eggs found stored above ready to eat foods in refrigerator.

COCANUTZ

3605 OLSEN BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1587	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/23/2014	3	HL1B

Lights in cooler need to be covered or have shatter resistant bulbs, Current Food Manager card must be posted.

	EHF25	COS	FOOD CONTACT SURFACES	10/23/2014

Holder for ice scoop needed to be cleaned.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

CONNER PLACE
2 COTTONWOOD LN

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC324	EHF27	H10DAY	ESTABLISHMENT PERMIT		10/27/2014	6	HL1B

Permit has been expired since 10/21/14. A $2000 a day fine can be charged for not renewing this permit. An inspection is needed when hot water is restored.

	EHF14	H24 HOUR	WATER SUPPLY		10/27/2014		

Establishment has had no hot water since Friday. Establishment is still operating without hot water. No food can be prepared without hot water.

CORNERSTONE OUTREACH CENTER
1111 N BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1138	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/28/2014	0	HL1B

Light shield needed in walkin freezer.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

CRUSH WINE BAR & DELI

701 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1670	EHF25	H10DAY	FOOD CONTACT SURFACES		10/24/2014	23	HL1B
			a)Food items found on floor. Must be at least 6 inches off floor. b)Defrost freezer. c)Clean can openers. d)Take out containers must be inverted. e)Utensil drawers need cleaned. f)Microwave, freezer, cooler, panini press need cleaned.				
	EHF14	H10DAY	WATER SUPPLY		10/24/2014		
			Hand sink in kitchen does not have hot water. Needs to be repaired by 11/3/14.				
	EHF13	COS	HACCP PLAN/TIME		10/24/2014		
			Ready to eat foods out of date. Employee trashed them.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		10/24/2014		
			Paper towels needed at hand sink.				
	EHF02	COS	COLD HOLDING		10/24/2014		
			Sliced tomatoes holding at 48F degrees. Need to be 41F degrees or below.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

CRUSH WINE BAR & DELI

HF1670	EHF10	COS	SOUND CONDITION	10/24/2014	23	HL1B

Moldy food found in walkin cooler.

CURTIS FLEMMING LEARNING CTR

3001 WOLFLIN AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD62	EHF20	COS	TOXIC ITEMS		10/29/2014	3	HL1B

a)Do not store chemicals on food prep tables.

	EHF28	COS	ALL OTHER VIOLATIONS		10/29/2014	

a)Wipe out bottom of right refrigerator.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

DENNYS #8557

9601 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1966	EHF28	COS	ALL OTHER VIOLATIONS		10/29/2014	3	HL1B
			Walls and ceilings needed to be cleaning.				
	EHF25	COS	FOOD CONTACT SURFACES		10/29/2014		
			Dirty ladle found stored with clean dishes.				

DOBBINS PAULA

4515 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5189					10/25/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

DOLLAR GENERAL STORE #14106

203 E WILLOW CREEK DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2390	EHF25	COS	FOOD CONTACT SURFACES		10/27/2014	13	HL1B
			Bottom of reachin coolers need to be cleaned out.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/27/2014		
			Women's bathroom needs to have a covered trash can.				
	EHF24	COS	THERMOMETERS		10/27/2014		
			Thermometers needed in each reachin cooler.				
	EHF10	COS	SOUND CONDITION		10/27/2014		
			Dented cans found on shelves.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		10/27/2014		
			Back door sweep needs to be replaced. Followup in 10 days.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

EDDIES NAPOLIS
2301 12TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC331	EHF02	COS	COLD HOLDING		10/23/2014	24	HL1B
			Sliced tomatoes holding at 44F degrees. Need to be 41F degrees or lower.				
	EHF03	IN	HOT HOLDING		10/23/2014		
			Sausage meatballs holding at 145F degrees.				
	EHF21	COS	MANUAL WARE WASHING		10/23/2014		
			Sanitizer did not have sanitizing agent. Chlorine or Quat ammonia sanitizing solution can be used. Chlorine 100ppm, Quat as label states.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/23/2014		
			a)Open drinks found in kitchen without lids or straws. b)Employee found washing hands in three compartment sink. Hand washing must be done in hand sink only.				
	EHF20	COS	TOXIC ITEMS		10/23/2014		
			Unapproved fly spray found in kitchen. Must be approved product for food establishment.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

EDDIES NAPOLIS

HFC331	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED	10/23/2014	24	HL1B

Food manager card must be obtained by a full-time employee within 30 days. Next class is November 12, 2014 at 8:00 at 821 S. Johnson.

	EHF25	COS	FOOD CONTACT SURFACES	10/23/2014

a)Utensils need to be inverted, handle up. b)All take out containers and dishes must be inverted.

	EHF27	H90 DAY	ESTABLISHMENT PERMIT	10/23/2014

Food establishment permit not available. If permit cannot be found a copy must be purchased for $25 by next inspection.

FAIRFIELD INN AMA AIRPORT

1740 AIRPORT BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2600	EHF28	COS	ALL OTHER VIOLATIONS		10/27/2014	0	HL1B

Disposable plates and napkins found stored on floor. Must be stored at least 6" off the ground.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

FAST STOP #25
890 S FM 1912

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP31	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/24/2014	3	HL1B
			Light fixture in grease hood has build up of grease. Clean and install cover. Repair/replace floor tile cracked broken. Clean floor and back soda box closet.				
	EHF24	H10DAY	THERMOMETERS		10/24/2014		
			Thermometer required in chest freezer at food prep and outside storage.				
	EHF14	IN	WATER SUPPLY		10/24/2014		
			Water sample tests required monthly. Samples ok. Must collect monthly.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

FOUNTAIN OF HEALTH
4151 SW 34TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2558	EHF28	COS	ALL OTHER VIOLATIONS		10/29/2014	0	HL1B

a)English and Spanish hand wash signs needed in restroom. b)Label employee refrigerator.

FRIENDSHIP RANCH
1108 24TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC136	EHF02	IN	COLD HOLDING		10/27/2014	0	HL1B

A)Cheese holding at 29 degrees.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

GEORGIA MANOR NURSING HOME
2611 SW 46TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1898	EHF25	COS	FOOD CONTACT SURFACES		10/23/2014	3	HL1B

Nozzles on glass drink urns needed to be cleaned.

GEOS FOOD
1111 N BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2147	EHF28	COS	ALL OTHER VIOLATIONS		10/28/2014	3	HL1B

Utensil storage containers needed to be cleaned out.

	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED		10/28/2014		

Food manager card must be obtained within 30 days. The next class is 11-12-14 at 8:00am at 821 S. Johnson.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

GOONEYS BAR & GRILL
705 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2334	EHF20	COS	TOXIC ITEMS		10/29/2014	10	HL1B
			Medication not stored properly. Keep medications in a closed container labeled as personal medication. Sanitizer over 200ppm. Sanitizer for wipe down solution must be at 100ppm. Use test strips.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/29/2014		
			Open employee drinks in kitchen.				
	EHF25	COS	FOOD CONTACT SURFACES		10/29/2014		
			Employee touched inside bowl with bare hands. Touch only the outside of the bowl or use gloves. Glasses being stored on paper towels. Paper is a porous surface. Glasses must be stored on non-porous surface such as glass, plastic or metal.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/29/2014		
			Cook not wearing hair restraint.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

GUITARS & CADILLACS
3601 OLSEN BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2495	EHF14	H 3 DAYS	WATER SUPPLY		10/23/2014	4	HL1B

No hot water in bar, you can not operate without hot water.

HF2495	EHF14	IN	WATER SUPPLY		10/23/2014	0	HFOL

Water heater replaced.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

HEALTHY LIFE CLUB
3511 SE 12TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2535	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		10/28/2014	0	H PREOPEN

Food manager needed at establishment.

	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/28/2014		

English hand washing sign needed in restroom. Covered trash can needed in restroom. Hand washing sign needed at hand sink.

HERNANDEZ BAKERY
1421 N NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2463	EHF28	IN	ALL OTHER VIOLATIONS		10/24/2014	0	HFOL

Light bulb replaced in storage room.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

HILS BURGERS
1300 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC225	EHF23	H10DAY	SEWAGE/WASTEWATER		10/23/2014	17	HL1B
			Condensate leak in walkin freezer needs to be repaired.				
	EHF20	COS	TOXIC ITEMS		10/23/2014		
			Chlorine sanitizer solution must be 100ppm for cleaning surfaces.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/23/2014		
			a)Inside of ice maker needs to be cleaned out. b)Ice maker lid and front cover needs to be replaced. c)Blower covers/ceiling/shelves need to be cleaned in walkin cooler. d)Soda nozzles need to be cleaned. e)Clean gaskets on walkin cooler and freezer.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		10/23/2014		
			Flies found in walkin cooler and walkin freezer gaskets. Licensed pesticide control professional needs to treat the area by 11/3/14.				
	EHF02	COS	COLD HOLDING		10/23/2014		
			Diced tomatoes holding at 50F degrees. Must be 41F degrees or lower.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

HOOTS PUB
2426 HOBBS RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2470	EHF17	COS	HAND WASH WITH SOAP/TOWELS		10/23/2014	13	HL1B
			No soap and towels at hand washing sink in back.				
	EHF16	COS	HAND WASH FACILITIES ADEQUATE		10/23/2014		
			Hand washing sink in bar being used as dump sink, sink is for hand washing only.				
	EHF11	COS	PROPER HANDLING RTE		10/23/2014		
			Gallon of orange juice in ice used for drinks, ice used for drinks can not be used for cooling.				
	EHF25	COS	FOOD CONTACT SURFACES		10/23/2014		
			Soda gun stored in water with scum on top of water.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/23/2014		
			a)No hand washing signs in womens restroom. b)No hand washing signs in mens restroom. c)Door closer on womens restroom needs to be adjusted to close door.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

HUMMERS

2600 PARAMOUNT BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF721	EHF28	IN	ALL OTHER VIOLATIONS		10/28/2014	0	HL1B

HUNGRY HOWIES

3300 S WASHINGTON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2602	EHF15	IN	EQUIPMENT ADEQUATE		10/27/2014	0	HFOL

Corrected from previous inspection.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

INTER FAITH HUNGER PROJECT

200 S TYLER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF907					10/29/2014	0	HL1B

J DAWGS

7651 S WHITAKER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5151					10/25/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

JERSEY MIKES SUBS
2311 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2578					10/24/2014	0	H PREOPEN

JIMMY JOHNS
2330 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2041					10/27/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

JNB QUICKI SHOP 2
4809 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF287	EHF28	COS	ALL OTHER VIOLATIONS		10/27/2014	9	HL1B
			a)Defrost reachin freezers. b)Sweep and mop floor in dry storage.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		10/27/2014		
			Paper towels needed at hand sink.				
	EHF25	COS	FOOD CONTACT SURFACES		10/27/2014		
			a)Food items stored on floor. Must be at least 6 inches off the floor. b)Ice maker in dry storage needs to be cleaned out. c)Soda and tea nozzles need to be cleaned and sanitized. d)Soda machines need to be cleaned. e)Clean ceiling in walkin cooler.				
	EHF21	COS	MANUAL WARE WASHING		10/27/2014		
			Sanitizing solution needs sanitizing agent. Chlorine 100ppm or Quat Ammonia 200ppm.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

KIDS CAFE KITCHEN CATERING

2199 SE 8TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK140	EHF03	IN	HOT HOLDING		10/23/2014	0	HL1B

Brisket holding at 181°F. In compliance.

	EHF28	COS	ALL OTHER VIOLATIONS		10/23/2014		

Do not leave food unattended outside. Food must be attended at all times.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

KIDS KOLLEGE

2620 RUSSELL LONG BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC276	EHF28	COS	ALL OTHER VIOLATIONS		10/23/2014	7	HL1B
			a)Hair restraint must be worn when working with food. b)Lids are needed for ready to eat foods when being stored.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/23/2014		
			Hand sink being used for items other than hand washing.				
	EHF20	COS	TOXIC ITEMS		10/23/2014		
			Chlorine santizing solution over 200ppm. Needs to be 100ppm for cleaning.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

KIDS LEARNING ACADEMY DBA JUST

4407 CANYON DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD66	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/28/2014	0	HL1B

A)Raw eggs over ready to eat food in cooler. B)Items stored in hand sink. C)Sinking ceiling tiles over stove needed to be replaced.(90 days)

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

LA BELLA PIZZA
700 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC329	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/27/2014	6	HL1B
			Partition needed between hand sink and fryers by next inspection.				
	EHF20	COS	TOXIC ITEMS		10/27/2014		
			Sanitizer well over 200ppm. Must be 100ppm for cleaning, 50ppm for dishes.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		10/27/2014		
			Food manager needed within 45 days.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

LA FRONTERA

1401 S ARTHUR ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF411	EHF28	COS	ALL OTHER VIOLATIONS		10/24/2014	0	HL1B

Portable fans need to be dusted.

LA MILPA

4511 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF950	EHF02	IN	COLD HOLDING		10/28/2014	0	HL1B

Reachin cooler holding at 41F degrees.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

LEGEND THE

600 W AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2593	EHF16	COS	HAND WASH FACILITIES ADEQUATE		10/27/2014	6	HL1B
			Hand washing sink in kitchen was blocked and could not be used.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/27/2014		
			Lights in kitchen need to have light shields, restrooms needed Spanish hand washing signs. You will need to have someone take Food Manager Class 11-12 and test 11-14 (see handout).				
	EHF18	COS	INSECT CONTAMINATION		10/27/2014		
			Several flies in kitchen.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

LOVES TRAVEL STOP #261
8615 CANYON DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF614	EHF28	IN	ALL OTHER VIOLATIONS		10/29/2014	4	HL1B
			A)Corrected from last inspection.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/29/2014		
			A)Employees eating on preparation table. Eating must be done at managers station or in the lobby.				
	EHF02	IN	COLD HOLDING		10/29/2014		
			A)Ham holding at 39 degrees.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

MAKE ME A SANDWICH
2300 N WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2596	EHF13	COS	HACCP PLAN/TIME		10/27/2014	4	HL1B

Potentially hazordous foods stored refrigerated must be date marked if kept over 24 hours.

	EHF28	H45 DAY	ALL OTHER VIOLATIONS		10/27/2014		

You will need to bring Learn 2 Serve certificate to our office and register as Food Manager.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

MARSHALL COFFEE
4709 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1886	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/28/2014	9	HL1B
			Small freezer needs to be defrosted. Personal coat on counter used for food prep or storage. No ammonia test strips available for ammonia sanitizer.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		10/28/2014		
			No self closer on back door.				
	EHF20	COS	TOXIC ITEMS		10/28/2014		
			Sanitizer reading over 200ppm for chlorine sanitizer. Chlorine sanitizer must be at 100pm for tables, counters and 50ppm for food contact utensils. b)Ammonia sanitizer over 400 ppm. Ammonia sanitizer must be used at 200ppm to 400ppm.				
	EHF25	COS	FOOD CONTACT SURFACES		10/28/2014		
			Reach in shelves have spills and rust. Shelves must be clean and rust free.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

MAXWELLS MUNCHIES
12908 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR77	EHF18	H10DAY	INSECT CONTAMINATION		10/25/2014	3	HL1B
			Fly control must be addressed.				
	EHF28	H180 DAY	ALL OTHER VIOLATIONS		10/25/2014		
			Ye Olde German Kettle Corn working for Maxwells set up as temp. No running water. Will discuss proper setup for next year.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

MCDONALDS

1815 S GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2321	EHF25	COS	FOOD CONTACT SURFACES		10/24/2014	3	HL1B

Soda nozzle in driveway needed to be cleaned.

2910 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2020	EHF24	COS	THERMOMETERS		10/27/2014	10	HL1B

a)No thermometer in the whipped cream cooler.

	EHF21	H10DAY	MANUAL WARE WASHING		10/27/2014		

a)Dishwasher dispensing less than 50 ppm chlorine.

	EHF13	COS	HACCP PLAN/TIME		10/27/2014		

a)Open pack of ham in the cooler was dated to be thrown away on October 24. Management stated this date was wrong. Dates must be put on correctly, otherwise they are useless.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

MCDONALDS

HF2020	EHF28	COS	ALL OTHER VIOLATIONS	10/27/2014	10	HL1B

a)Wet rags must be stored in sanitizer solution when not in use.

715 S LAKESIDE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1901	EHF28	COS	ALL OTHER VIOLATIONS		10/24/2014	0	HL1B

A)Raw eggs over ready to eat food in walk in cooler. B)Dining room needed to be swept.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

MCLELLAN LEARNING CENTER

401 S VAN BUREN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD20	EHF10	COS	SOUND CONDITION		10/28/2014	7	HL1B

Food marked refrigerate after open found not refrigerated.

	EHF20	COS	TOXIC ITEMS		10/28/2014		

Chemicals stored over food counter. Store below all food.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

MEXICO LINDO
4515 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1853	EHF20	COS	TOXIC ITEMS		10/29/2014	25	HL1B
			a)Medicine stored in cooler with food. b)Bleach water for wipe down over 200 ppm.				
	EHF21	H10DAY	MANUAL WARE WASHING		10/29/2014		
			a)Dishwasher at 0 ppm chlorine sanitizer. Must be 50 ppm.				
	EHF24	COS	THERMOMETERS		10/29/2014		
			a)Thermometer missing in cold hold unit.				
	EHF10	COS	SOUND CONDITION		10/29/2014		
			a)Produce was no longer in sound condition.				
	EHF02	COS	COLD HOLDING		10/29/2014		
			a)Butter must be kept refrigerated, per label. b)Mayo must be kept refrigerated after opening, per label. c)Lettuce and cheese in cooler at 56F.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

MEXICO LINDO

HF1853	EHF11	COS	PROPER HANDLING RTE	10/29/2014	25	HL1B

a)A bin of beans was inside of the ice machine where the ice is used for drinks. Never store food in contact with ice used for customers.

	EHF28	COS	ALL OTHER VIOLATIONS	10/29/2014

a)Do not store ice scoop on soda boxes. b)Wipe down racks in the large walk in cooler while it is not in use.

	EHF27	COS	ESTABLISHMENT PERMIT	10/29/2014

a)Post current permit.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

MICROTEL INN & SUITES
1501 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1001	EHF28	COS	ALL OTHER VIOLATIONS		10/24/2014	3	HL1B

Food and single use items found stored on floor in storage room. Must be stored at least 6" off the ground.

	EHF25	COS	FOOD CONTACT SURFACES		10/24/2014		

Apples being stored on cloth towel. Cloth is not a sanitary surface, use disposable towel instead.

MY POLLO & MIMIS RESTAURANT
1400 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1824	EHF25	COS	FOOD CONTACT SURFACES		10/24/2014	3	HL1B

Can opener needed to be cleaned.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

OPPORTUNITY SCHOOL
1525 N GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD42	EHF25	COS	FOOD CONTACT SURFACES		10/27/2014	3	HL1B
			a)Shelves in refrigerator need to be cleaned. b)Handles on refrigerator and freezer need to be cleaned.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/27/2014		
			Eggs stored over ready to eat foods in refrigerator. Must be placed on bottom shelf.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

OSCARS
4214 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2181	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/29/2014	3	HL1B

Walkin cooler shelves need to be cleaned. b)Blower covers in walkin cooler need to be cleaned. c)Waste cans not clean. d)Air intake at dishwasher room not clean. e)Back door has gap. Seal gap to prevent insects and dust.

	EHF25	H10DAY	FOOD CONTACT SURFACES		10/29/2014		

Can opener and carrier not clean. b)Splatter on shelf bottom above grill.

PALACE COFFEE CO
817 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK135					10/25/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

PALACE COFFEE COMPANY

420 15TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC299	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/27/2014	6	HL1B
			A)Ice scoop cannot be left in ice machine that is self replenishing. B)All shelving must be smooth and easily cleanable. Shelf covered in a cloth material must be fixed.				
	EHF24	COS	THERMOMETERS		10/27/2014		
			A)Thermometer broken in cooler under coffee machine.				
	EHF20	COS	TOXIC ITEMS		10/27/2014		
			A)All chemical bottles must be labeled at all times.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

PANDA EXPRESS #2100
4710 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2256	EHF21	COS	MANUAL WARE WASHING		10/28/2014	14	HL1B
			a Date mark stickers must be removed during the ware wash process.				
	EHF22	H90 DAY	MANAGER KNOWLEDGE/CERTIFIED		10/28/2014		
			a)No current food manager. If found again, a $50 reinspection fee will be charged.				
	EHF02	COS	COLD HOLDING		10/28/2014		
			a)Garlic/ginger mixtures is labeled as "keep refrigerated". It is being held on the wok at room temperature. Maintain at 41F or below.				
	EHF27	H90 DAY	ESTABLISHMENT PERMIT		10/28/2014		
			a)No current copy of food establishment permit. If found again, a $50 reinspection fee will be charged.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

PETRO DUNKIN DONUTS 307

8500 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2320	EHF25	COS	FOOD CONTACT SURFACES		10/23/2014	3	HL1B

A)Back prep table needed to be cleaned. B)Frosting/donut glaze needed to be cleaned off of appliances.

PETRO STOPPING CENTERS I S R

8500 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1559	EHF28	COS	ALL OTHER VIOLATIONS		10/23/2014	0	HL1B

A)Cook's line needed to be swept. B)Dust needed to be cleaned off of ceiling on cook's line.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

PIPPAS COFFEE SHOP/LIBRARY

2402 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC280	EHF16	H 3 DAYS	HAND WASH FACILITIES ADEQUATE		10/27/2014	3	HL1B

A)The only hand sink in the kitchen has been broken for 3+ weeks. This hand sink is required by law to sell anything other than prepackaged foods. Hand sink must be fixed by 10/29/14.

PIZZA HUT

6019 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1725					10/28/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

PIZZA PLANET

2400 PARAMOUNT BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF726	EHF28	COS	ALL OTHER VIOLATIONS		10/28/2014	3	HL1B

A) Clean the dust out of the walk in cooler. B) Keep all food stored at least 6 inches off the floor.

	EHF15	H 3 DAYS	EQUIPMENT ADEQUATE		10/28/2014		

Pizza topping cooler not functioning properly.

POTTER HOUSE

6800 PLUM CREEK DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2462					10/23/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

R BAR

2616 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2372	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/28/2014	0	HL1B

Womens bathroom needs a covered trash.

RED LOBSTER #0168

3311 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2561	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/28/2014	0	HL1B

Light tubes need covers in walk in cooler. b)Light tubes near salad cooler need covered and cover at wait staff area broken - replace. Lid for salad bar.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

REGION 16 CLEVELAND HEADSTART

1601 S CLEVELAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD6	EHF03	IN	HOT HOLDING		10/27/2014	0	HL1B

Peas holding at 173F. In compliance.

ROCK N ROLL SODA SHOPPE

404 15TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC325	EHF02	IN	COLD HOLDING		10/27/2014	3	HL1B

A)Cooler holding at 40 degrees.

	EHF25	COS	FOOD CONTACT SURFACES		10/27/2014		

A)Clean to go utensil holders.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

RUDYS COUNTRY STORE & BAR B Q

3751 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1658	EHF02	COS	COLD HOLDING		10/23/2014	5	HL1B
			Turkey thawing improperly. Turkey cannot thaw above 41 degrees F. Turkey at 59 degrees F.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/23/2014		
			Obtain a City of Amarillo Food Manager Card.				

SAIGON RESTAURANT

2909 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2381					10/28/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

SALTGRASS STEAKHOUSE
8300 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1910	EHF15	IN	EQUIPMENT ADEQUATE		10/27/2014	0	HFOL

a)Corrected.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

SKY WEST ASSISTED LIVING CTR
2623 12TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC285	EHF07	COS	ADEQUATE HAND WASHING		10/23/2014	14	HL1B
			Employee did not wash hands before putting on gloves.				
	EHF10	COS	SOUND CONDITION		10/23/2014		
			Dented cans in dry storage.				
	EHF25	COS	FOOD CONTACT SURFACES		10/23/2014		
			Tongs were sitting on cooked chicken. Tongs must be stored handle out.				
	EHF20	COS	TOXIC ITEMS		10/23/2014		
			Chlorine santitizing solution tested at over 200ppm. Needs to be 100ppm for cleaning surfaces.				
	EHF28	H60 DAY	ALL OTHER VIOLATIONS		10/23/2014		
			a) Light shield in kitchen needs to be repaired. b) Ceiling in kitchen over dishwashing station needs to be repaired.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

SLEEP INN WEST MEDICAL CENTER

6915 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2601	EHF28	H30 DAY	ALL OTHER VIOLATIONS		10/27/2014	7	HL1B
			a)Cabinet next to refrigerators need to have bare wood painted or sealed. b)Single service items must be stored off of floor.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		10/27/2014		
			You will need to have someone take Food Manager Class (see handout).				
	EHF09	H24 HOUR	APPROVED SOURCE/LABELING		10/27/2014		
			Labeling required for food placed for self service, must include manufacturer name, ingredients and nutritional claims.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

SNACKS TO GO
213 SW 7TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1842	EHF18	IN	INSECT CONTAMINATION		10/27/2014	0	HFOL

Corrected from previous inspection.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

SONIC DRIVE IN
7417 SW 34TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF593	EHF28	COS	ALL OTHER VIOLATIONS		10/28/2014	6	HL1B
			a)Empty the crumb bin at the fryer.				
	EHF27	H90 DAY	ESTABLISHMENT PERMIT		10/28/2014		
			a)Establishment permit must be paid by 5:00 pm 10/28/14 or a $50 fee will be applied.				
	EHF21	COS	MANUAL WARE WASHING		10/28/2014		
			a)All sanitizer buckets at 100 ppm quat. Must be 200 ppm.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

SPROUSE SHRADER SMITH PLLC

800 N FM 2381

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5183					10/25/2014	0	HL1B FOOD

STOCKYARDS CAFE

100 N MANHATTAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2450	EHF25	COS	FOOD CONTACT SURFACES		10/29/2014	6	HL1B

a)Can opener blade needed to be cleaned. b)Knives stored under wooden box on table top. Store knives in container instead.

	EHF24	COS	THERMOMETERS		10/29/2014		

Thermometer in reach in cooler not accurate and needs to be replaced.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

SUBWAY
1701 N 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC251	EHF02	IN	COLD HOLDING		10/27/2014	0	HL1B
			A)Turkey holding at 38 degrees. B)Ham 37 degrees.				
	EHF03	IN	HOT HOLDING		10/27/2014		
			A)Meatballs holding at 175 degrees.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/27/2014		
			A)Fly strips cannot be placed anywhere over any food contact surface. So no where in the kitchen because of size. B)To go bags need to be stored at least 6 inces off the ground.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

SUBWAY #
2004 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1198	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/28/2014	0	HL1B

a)The floor in front of the ice machine must be made to be smooth and easily cleanable.

SUBWAY #57312
1900 SE 34TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2369	EHF25	COS	FOOD CONTACT SURFACES		10/23/2014	3	HL1B

a)Scales found stored dirty. b)Inside of reach in coolers needed to be cleaned. c)Remove all writing from the outside of pans when washing.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

SUBWAY/TRAVEL CENTER #436

715 S LAKESIDE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF709	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED		10/24/2014	3	HL1B

Full time employee needs to take and pass food manager class with the City of Amarillo.

TACO VILLA #16

6601 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF545	EHF28	H 3 DAYS	ALL OTHER VIOLATIONS		10/23/2014	0	HFOL

Clean: fryer units - grease deposits must be removed, walk in gaskets & tortilla press warmer, grill not properly cleaned. Remove all food particles from grill and waste chute. Foods marked keep refrigerated must be held at 41° or less.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

TACOS GARCIA
1100 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF185	EHF28	COS	ALL OTHER VIOLATIONS		10/23/2014	25	HL1B
			Ceiling and blower covers need to be dusted in all walk in coolers.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		10/23/2014		
			Rain water leaking into building. Wall must be repaired to stop leak.				
	EHF21	COS	MANUAL WARE WASHING		10/23/2014		
			Store all wipe down rags in sanitizer buckets when not in use.				
	EHF24	COS	THERMOMETERS		10/23/2014		
			Thermometer needed in keg cooler in bar.				
	EHF25	COS	FOOD CONTACT SURFACES		10/23/2014		
			a)Inside reach in coolers and cooler gaskets needed to be cleaned. b)Inside back ice machine needed to be cleaned. c)Tea nozzles needed to be cleaned.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

TACOS GARCIA

HF185	EHF03	COS	HOT HOLDING	10/23/2014	25	HL1B

Cooked vegetables found sitting out at room temp. Must either be held above 135F or below 41F.

	EHF10	COS	SOUND CONDITION	10/23/2014

Dented cans found stored on shelf for use. Store on a seperate shelf labeled "dented cans".

	EHF08	COS	GOOD HYGIENIC PRACTICES	10/23/2014

Employee drinks found without lids and straws.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

TAQUERIAYPALETERIA EL MEXICANO

4509 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2069	EHF28	COS	ALL OTHER VIOLATIONS		10/29/2014	0	HL1B
			Needed to chip off excess condensate in reach in freezers.				
HFM366					10/29/2014	0	HL1B
HFM367					10/29/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

TAQUERIAYPALETERIA EL MEXICANO

HFM368				10/29/2014	0	HL1B
HFM369				10/29/2014	0	HL1B
HFM370				10/29/2014	0	HL1B
HFM371	EHF28	COS	ALL OTHER VIOLATIONS	10/29/2014	0	HL1B

Replace permit numbers on side of cart.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

TAQUERIAYPALETERIA EL MEXICANO

HFM372	10/29/2014	0	HL1B
HFM373	10/29/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

TASTE OF THAI
1900 SE 34TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1961	EHF28	COS	ALL OTHER VIOLATIONS		10/28/2014	3	HL1B
			a)Spanish hand washing sign needed in restroom. b)Outside of microwave needed to be cleaned.				
	EHF25	COS	FOOD CONTACT SURFACES		10/28/2014		
			a)Can opener needed to be cleaned. b)Utensil containers needed to be cleaned. c)Shelf above prep table needed to be cleaned.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

TEXAS STEAK EXPRESS
2600 S KENTUCKY ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2277	EHF17	COS	HAND WASH WITH SOAP/TOWELS		10/28/2014	3	HL1B

No paper towels at hand sink near back door.

	EHF28	COS	ALL OTHER VIOLATIONS		10/28/2014		

Blower covers needed to be cleaned in walk in cooler.

TODAY DISCOUNT #3
2210 E FM 1151

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR24	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/23/2014	0	HFOL

Repair door latch - cooler. Install cleanout - broken. Pickup debris - back.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

TOOT N TOTUM #14
1735 S NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF584	EHF03	IN	HOT HOLDING		10/23/2014	0	HL1B

Hot dogs holding at 141F. In compliance.

TOOT N TOTUM #32
1701 S EASTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF598	EHF20	COS	TOXIC ITEMS		10/29/2014	3	HL1B

a)Chemicals found stored above food in storage room. b)Sanitizer bottle found mixed above 400 ppm. Should be 200ppm.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

TOOT N TOTUM #77
421 TASCOSA RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF159					10/27/2014	0	HL1B

TOYS R US
2403 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF500					10/23/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

WAFFLE HOUSE #1354
2804 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1298	EHF28	COS	ALL OTHER VIOLATIONS		10/23/2014	7	HL1B

Floor drains have buildup. Clean daily. b)Coffee bean plastic tub is broken. Replace tub. c)Top of coffee makers not clean. d)Thermometers must be in the warmest part of the cooler. The door area. Where cold air blows out is the coldest part of the unit.

	EHF25	COS	FOOD CONTACT SURFACES		10/23/2014		

Toasters have heavy buildup. Clean daily. b)Small reach in gaskets not clean. c)Water standing in bottom of small reach in cooler.

	EHF12	COS	CROSS CONTAMINATION		10/23/2014		

Syrup bottles stored in room temperature water. This is a very dangerous practice. Water from bottles will drip on food, possibly spreading dangerous bacteria. A $50 reinspection fee will be charged if this is ever observed again.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

WENDY'S #4101
4613 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF65	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/28/2014	0	HFOL

Put dates on filters to ice machine/soda lines. b)Replace dish racks that are peeling or rusted.

WHATABURGER #371
3401 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF954	EHF28	COS	ALL OTHER VIOLATIONS		10/28/2014	0	HL1B

a)Single service items must be 6" off the ground. b)Do not store ice scoop in self-replenishing ice machine. c)Hand wash sign needed at back hand sink.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

WHATABURGER #427
734 N PIERCE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF285	EHF28	COS	ALL OTHER VIOLATIONS		10/28/2014	3	HL1B

a)Soda machine needed to be cleaned. b)Condensate on ceiling and door of walkin freezer needed to be chipped off and disposed of.

	EHF25	COS	FOOD CONTACT SURFACES		10/28/2014		

a)Inside of ice maker needed to be cleaned. b)Blower covers in walkin cooler needed to be cleaned.

WIENERSCHNITZEL #303
600 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2524	EHF25	COS	FOOD CONTACT SURFACES		10/27/2014	3	HL1B

Soda nozzles needed to be cleaned.

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

WILD CARD
715 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1950	EHF25	H10DAY	FOOD CONTACT SURFACES		10/25/2014	15	HL1B
			Food contact surfaces not clean/sanitized. Inside ice machine not clean.				
	EHF24	H10DAY	THERMOMETERS		10/25/2014		
			Thermometers needed in all cold hold units.				
	EHF20	H10DAY	TOXIC ITEMS		10/25/2014		
			Chemicals with no labels.				
	EHF21	H10DAY	MANUAL WARE WASHING		10/25/2014		
			Not using sanitizer on glasses.				
	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		10/25/2014		
			Employees not knowledgable of food safety. Mgr must train employees.				

Food Establishment Public Inspection Report

From 10/23/14 thru 10/29/14

ESTABLISHMENT

WILD CARD

HF1950	EHF28	H10DAY	ALL OTHER VIOLATIONS	10/25/2014	15	HL1B

Test strips needed for sanitizer.