

Food Establishment Public Inspection Report
From 10/9/14 thru 10/15/14

ESTABLISHMENT

ABC LEARNING CENTER
2707 S BIVINS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFD71	EHF02	IN	COLD HOLDING		10/15/2014	0	HL1B	
			All cold hold units holding at 41F or below. In compliance.					

ACCDC ST JOSEPH CAMPUS
4108 S BONHAM ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFD35	EHF21	COS	MANUAL WARE WASHING		10/13/2014	3	HL1B	
			a)Dishes only being washed with soapy water then rinsed. Must be washed, rinsed and then sanitized.					
	EHF28	COS	ALL OTHER VIOLATIONS		10/13/2014			
			a)Seal bare wood in kitchen.					

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**ALAMO SEASONING
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5716					10/10/2014	0	HL1B FOOD

**ALL OF US
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5138					10/10/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

ALL THE CHILDRENS CAFE**901 S NELSON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF232	EHF25	COS	FOOD CONTACT SURFACES		10/15/2014	6	HL1B
			Microwave needed to be cleaned.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		10/15/2014		
			Roof leaking above hand sink and needs to be repaired by next inspection.				

ALLENS GOURMET NUTS**401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5148					10/10/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

AMARILLO COURTYARD INN 8006 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1358	EHF22	COS	MANAGER KNOWLEDGE/CERTIFIED		10/9/2014	13	HL1B
			No current food manager. A city of Amarillo food manager card is required. Must be a full time kitchen employee.				
	EHF20	COS	TOXIC ITEMS		10/9/2014		
			Food products stored on shelf with chemicals.				
	EHF25	COS	FOOD CONTACT SURFACES		10/9/2014		
			Food scoop stored in stagnant water. Scoop must be held hot at 135 degrees F. or cold at 41 degrees or below, or in a running dip well. b)Hot hold water not clean. Change water daily. c)Reach in cooler drawer gaskets not clean.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/9/2014		
			Drawer gaskets broken. Replace. b)Dish washer outside not clean. c)Air intake vent dirty. d)Several ceiling panels out of place. Reset. e)Food product or equipment on floor. Must be 6"off floor.				
	EHF10	COS	SOUND CONDITION		10/9/2014		
			Product marked refrigerate after open found not refrigerated. b)Milk with expired dates.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

AMARILLO FAMILY YMCA NORTH**1330 NW 18TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD67	EHF17	COS	HAND WASH WITH SOAP/TOWELS No paper towels at hand washing sink.		10/14/2014	3	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**AMBASSADOR HOTEL
3100 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2541	EHF28	COS	ALL OTHER VIOLATIONS		10/9/2014	14	HL1B
			All walk in cooler door edges and gaskets must be cleaned. b)Walk in shelves need to be cleaned. c)Light cover needed in walk in cooler. d)Clean fans.				
	EHF25	COS	FOOD CONTACT SURFACES		10/9/2014		
			Stickers not being removed at dish wash. Pans must be clean to sight and touch. b)Tea nozzles not being disassembled during cleaning.				
	EHF10	COS	SOUND CONDITION		10/9/2014		
			Dented cans on rack for use.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/9/2014		
			Open employee drinks on microwave.				
	EHF15	COS	EQUIPMENT ADEQUATE		10/9/2014		
			Small refrigerator is not commercial. All equipment must be NSF certified or equivalent.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

AMBASSADOR HOTEL

HFK132	EHF21	COS	MANUAL WARE WASHING Dishwasher not sanitizing.	10/9/2014	3	HL1B
--------	-------	-----	---	-----------	---	------

**AMIGOS #524 DELI/BAKERY
3300 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1815	EHF25	COS	FOOD CONTACT SURFACES		10/9/2014	3	HL1B
			A)Soda nozzles needed to be cleaned. B)Tea nozzle needed to be cleaned.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/9/2014		
			A)Walk in freezer in deli needs to have condensate ice removed. B)Walk in freezer in tortilleria needs to be defrosted.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**AMIGOS #524 GROCERY
3300 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF111	EHF25	COS	FOOD CONTACT SURFACES	Cooler doors in meat market needed to be cleaned.	10/9/2014	3	HL1B

**ARBORS, THE
7000 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1261					10/13/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**BAHAMA BUCKS
1921 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1354	EHF25	COS	FOOD CONTACT SURFACES		10/15/2014	6	HL1B
			Gaskets on reachin needed to be cleaned.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/15/2014		
			Light shield needed in back room over ice block freezer.				
	EHF24	COS	THERMOMETERS		10/15/2014		
			No thermometer found in reach in refrigerator.				

5509 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1106	EHF28	H45 DAY	ALL OTHER VIOLATIONS		10/14/2014	8	HL1B
			Post current food establishment permit.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**BAHAMA BUCKS**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1106	EHF25	COS	FOOD CONTACT SURFACES	Soda gun moldy. Clean daily.	10/14/2014	8	HL1B
	EHF02	COS	COLD HOLDING	Cream sitting on counter at 45°F, must be kept below 41° at all times.	10/14/2014		

BAPTIST ST ANTHONYS HOSPITAL

1600 WALLACE BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2337					10/15/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**BISHOP DEFALCO RETREAT CTR****2100 N SPRING ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF922	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/10/2014	0	HFOL
			a)Condensate in walk in freezer needs to be repaired. Do not let ice build up on food items. Will reinspect in 90 days. b) Light bulb was replaced in walk in freezer.				
	EHF23	IN	SEWAGE/WASTEWATER		10/10/2014		
			Ice dispenser in lobby repaired. Corrected from previous inspection.				

BRADYS DAIRY QUEEN**1900 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF146	EHF15	IN	EQUIPMENT ADEQUATE		10/15/2014	0	HFOL
			Corrected from last inspection.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

BRAUMS ICE CREAM #186

1101 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC101	EHF02	IN	COLD HOLDING		10/13/2014	7	HL1B
			A)Eggs holding at 39 degrees.				
	EHF03	IN	HOT HOLDING		10/13/2014		
			A)Gravy holding at 161 degrees. B)Sausage holding at 165 degrees.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/13/2014		
			A)Hand sink found being used for other purposes than hand washing.				
	EHF25	COS	FOOD CONTACT SURFACES		10/13/2014		
			A)Clean fruit and candy topping bins. B)Clean togo cup holder bins. C)Wipe off shelve above toppings.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/13/2014		
			A)Replace missing wall tile by hand sink by next inspection.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**BURGER KING
7000 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF831					10/13/2014	0	HL1B

**BURGER KING #13483
4900 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF62	EHF25	COS	FOOD CONTACT SURFACES		10/15/2014	3	HFOL
			Store pitchers inverted so they won't hold stagnant water.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**BUSHLAND HIGH SCHOOL BOOSTER C**

1201 S FM 2381

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP24	EHF24	COS	THERMOMETERS		10/10/2014	14	HL1B
			Thermometers required in all cold hold units.				
	EHF03	COS	HOT HOLDING		10/10/2014		
			Hamburger found at 120°F. Reheated to 165°F.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		10/10/2014		
			Screen door screen torn.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/10/2014		
			Hair restraints required for all food workers. 3 comp sink found with sanitizer at 200ppm. Discusses proper warewashing & wipe down. Outside cookers require lids for insect & debri control. Volunteer seen washing hands in 2 comp prep sink.				
	EHF18	H10DAY	INSECT CONTAMINATION		10/10/2014		
			Fly control needs to be addressed.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

CAMP DON HARRINGTON

15401 FM 1541

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR84					10/10/2014	0	HL1B

CANYONVIEW ESTATES RETIREMENT

7404 WALLACE BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1968	EHF13	COS	HACCP PLAN/TIME		10/15/2014	7	HL1B
			a)Boiled eggs for salads were past the 7 day hold limit.				
	EHF25	COS	FOOD CONTACT SURFACES		10/15/2014		
			a)Tea nozzle had build up on it. Clean daily.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**CARVER EARLY CHILDHOOD ACADEMY**

1800 N TRAVIS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF849					10/13/2014	0	HFOL

CBA CONCESSION

1501 28TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC320	EHF28	COS	ALL OTHER VIOLATIONS		10/11/2014	0	HL1B

Cups found stored on floor must be at least 6 off the floor. b)Freezer needed to be cleaned.

Food Establishment Public Inspection Report**From 10/9/14 thru 10/15/14****ESTABLISHMENT****CHICK FIL A AT GEORGIA STREET
2525 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2122	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/15/2014	7	HFOL
			Replace broken gaskets on front of small coolers.				
	EHF13	COS	HACCP PLAN/TIME		10/15/2014		
			When chicken is cooling down time must be monitored to ensure chicken is cooled properly in time 135-70 in 2 hrs 70-41 in 4 hrs. (REPEAT)				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		10/15/2014		
			Drive thru window being left open all the time without air curtain on. If window is left open, air curtain has to be on constantly. If seen again a \$50 reinspection fee will be charged.				
	EHF15	IN	EQUIPMENT ADEQUATE		10/15/2014		
			Corrected.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**COLE MEMORIAL COMMUNITY CTR****300 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC219	EHF02	IN	COLD HOLDING Cooler holding at 37°.		10/13/2014	0	HL1B

**COMPANYS COMIN
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5172					10/10/2014	0	HL1B FOOD

Food Establishment Public Inspection Report**From 10/9/14 thru 10/15/14**

ESTABLISHMENT**CONNER HOUSE
2 COTTONWOOD LN**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC324	EHF28	COS	ALL OTHER VIOLATIONS A)Dust air vents in kitchen.		10/13/2014	4	HL1B
	EHF02	IN	COLD HOLDING A)Coolers holding at 40 degrees.		10/13/2014		
	EHF13	COS	HACCP PLAN/TIME A)Several cut meats found being held past 7 days. All were discarded.		10/13/2014		

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**CVS/PHARMACY #7762
2012 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF754					10/15/2014	0	HL1B

**DENNYS RESTAURANT #6674
1710 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF392	EHF02	COS	COLD HOLDING		10/9/2014	10	HL1B
			French toast mix out of temperature.				
	EHF03	COS	HOT HOLDING		10/9/2014		
			Grits temped at 110F. Must hold above 135F.				

Food Establishment Public Inspection Report**From 10/9/14 thru 10/15/14****ESTABLISHMENT****DOLLAR GENERAL #4285****3412 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF725	EHF14	H 3 DAYS	WATER SUPPLY	No hot water at hand sink. Must be repaired by 10/16/14. If not repaired, a \$50 reinspection fee will be charged.	10/13/2014	4	HFOL

DOLLAR GENERAL STORE #11624**4308 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1876	EHF28	COS	ALL OTHER VIOLATIONS	Bottom of cooler needed to be cleaned.	10/14/2014	0	HL1B

Food Establishment Public Inspection Report**From 10/9/14 thru 10/15/14**

ESTABLISHMENT**DOLLAR GENERAL STORE #12590****3611 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2008	EHF19	IN	RODENTS/ANIMALS/OPENINGS		10/15/2014	0	HFOL	
			Back door sweeps are repaired. Corrected from previous inspection.					

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

DOLLAR GENERAL STORE #14181

1430 W AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2352	EHF14	H10DAY	WATER SUPPLY		10/13/2014	9	HL1B
			No hot water in restrooms.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		10/13/2014		
			a)No paper towels in womens restroom. b)No paper towels in mens restroom.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/13/2014		
			Refrigerator with eggs needs to be cleaned out.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

DON HARRINGTON DISCOVERY CTR

1200 STREIT DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1755					10/14/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**DONUT STOP INC
100 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC259	EHF08	COS	GOOD HYGIENIC PRACTICES		10/13/2014	11	HL1B
			A)Employee drinks found without a lid or a straw. B)Hand sink being used to clean dishes, hand sinks are for hand washing only.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/13/2014		
			A)Keep coffee filters covered.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		10/13/2014		
			A)Hand sink found without hand soap.				
	EHF14	COS	WATER SUPPLY		10/13/2014		
			A)Hot water turned off at wall because it drips, drip must be fixed, hot water can not be turned off.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**DRURY INN & SUITES
8540 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1448	EHF09	COS	APPROVED SOURCE/LABELING		10/15/2014	7	HL1B
			a)Bulk cereal that is available for consumer self dispensing shall be prominently labeled with the manufacturer's label or a sign of some sort that has the common name, ingredients and nutrition label.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/15/2014		
			a)Boxes in freezer and dry storage must be 6" off ground. b)1 correction from last inspection.				
	EHF18	COS	INSECT CONTAMINATION		10/15/2014		
			a)Excessive flies in kitchen. b)Dead flies in ice scoop holder.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**EASTRIDGE LANES INC
5405 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF186	EHF28	COS	ALL OTHER VIOLATIONS		10/9/2014	20	HL1B
			a)Grease from the grill needs to be disposed. b)Can opener blade needs to be sharpened or replaced.				
	EHF25	COS	FOOD CONTACT SURFACES		10/9/2014		
			Tea nozzle smells sour and had buildup on it. Clean daily.				
	EHF11	COS	PROPER HANDLING RTE		10/9/2014		
			Scoop handle for the ice needs to be kept out of the ice, handle up.				
	EHF13	COS	HACCP PLAN/TIME		10/9/2014		
			Cooked hamburger meat must have a date marked.				
	EHF24	COS	THERMOMETERS		10/9/2014		
			Need a thermometer in the refrigerator.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

EASTRIDGE LANES INC

HF186	EHF22	COS	MANAGER KNOWLEDGE/CERTIFIED	10/9/2014	20	HL1B
-------	-------	-----	-----------------------------	-----------	----	------

Food manager card needs to be posted.

	EHF27	COS	ESTABLISHMENT PERMIT	10/9/2014		
--	-------	-----	----------------------	-----------	--	--

No permit on site. Duplicate copy must be purchased if not found.

**EL PUENTE
4027 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF186	EHF22	COS	MANAGER KNOWLEDGE/CERTIFIED		10/9/2014	20	HL1B
HF186	EHF27	COS	ESTABLISHMENT PERMIT		10/9/2014		
HF352					10/9/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**ELMOS DRIVE INN
2618 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF11					10/14/2014	0	HL1B

**EMERITUS @ SEVILLE ESTATES
7401 SEVILLE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF499	EHF25	COS	FOOD CONTACT SURFACES		10/14/2014	3	HL1B
			a)Clean the tea nozzle.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/14/2014		
			a)Clean the fan in the kitchen. b)Hand wash sign needed at front hand sink.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

EVOCATION COFFEE ROASTERS CO**4132 BUSINESS PARK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2222	EHF02	IN	COLD HOLDING Cooler holding at 34°.		10/9/2014	0	HL1B

FAMILY DISCOUNT #2**2601 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2094	EHF28	COS	ALL OTHER VIOLATIONS Post last inspection.		10/14/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**FAMOUS DAVES
8518 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1837	EHF29	IN	RECOGNITION		10/14/2014	3	HL1B
			a)All food temperatures were spot on. Employee seen cleaning sinks/walls after normal duties were done. Management does a great job				
	EHF24	COS	THERMOMETERS		10/14/2014		
			a)Thermometers missing in several units.				

**FLOWERS BAKING COMPANY
3530 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1548	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		10/13/2014	3	HL1B
			Roof leaks need to be repaired.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

FROSTY TREATS OF TEXAS INC

1017 SW 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM272					10/15/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**GOLDEN CORRAL #533
7220 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1378	EHF18	H10DAY	INSECT CONTAMINATION		10/9/2014	26	HL1B
			A)Large amounts of flies in the establishment, rid establishment of flies by 10-20-14.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/9/2014		
			A)Chocolate fountain must be fully behind sneeze shield by 10-20-14.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/9/2014		
			A)Shelving in meat refrigerator moldy. B)Several clean dishes found with food debris still on them. C)Ice machine moldy. D)Soda nozzles sticky. E)Dough mixer dirty from day before. All must be washed, rinsed, sanitized, air dried.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		10/9/2014		
			A)Door to dry storage has a large gap underneath it, new door must be installed or gap fixed by 10-20-14.				
	EHF02	COS	COLD HOLDING		10/9/2014		
			A)Raw chicken holding at 60 degrees. B)Fish 45 degrees. C)Tomatoes 50 degrees. D)Sour cream 56 degrees.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

GOLDEN CORRAL #533

HF1378	EHF04	COS	PROPER COOKING TEMPERATURES	10/9/2014	26	HL1B
A)Chicken breasts cooked to 156 before being made ready to eat. Chicken must be cooked to 165 degrees.						
	EHF07	COS	ADEQUATE HAND WASHING	10/9/2014		
A)Employee seen not washing hands before gloves.						
	EHF23	H10DAY	SEWAGE/WASTEWATER	10/9/2014		
A)Drain pan for condensor in meat walk in is rusted out causing waste water to drain on product. Drain pan must be replaced by 10-20-14. All product must be moved from underneath the leak.						

**GOURMET TEXAS PASTA
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5726					10/10/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**GRACE LEARNING CENTER
4214 RIDGECREST CIR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD69					10/13/2014	0	HL1B

**HAPPY BURRITO
908 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1226	EHF15	IN	EQUIPMENT ADEQUATE		10/13/2014	0	HFOL	
			a)All food in cooler was at 41F or below.					

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**HASTINGS HARDBACK CAFE**

5512 GEM LAKE RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1097					10/15/2014	0	HFOL

HEALTH KYK! NUTRITION

2805 WOLFLIN AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2105	EHF02	IN	COLD HOLDING		10/14/2014	0	HL1B
			Cold hold units holding at 41F or less.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**HEATH HUT THE
5114 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2553	EHF15	COS	EQUIPMENT ADEQUATE		10/10/2014	6	HL1B
			Refrigerator not at proper temperature. Adjusted. Check every 4 hours.				
	EHF25	COS	FOOD CONTACT SURFACES		10/10/2014		
			Ice scoop holder not clean.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**HERNANDEZ BAKERY
1421 N NELSON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2463	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/10/2014	3	HL1B
			a)Light bulb needs to be replaced in storage room. b)Outside of bulk containers needs to be cleaned. COS c)If backdoor is open for ventilation it must be screened.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		10/10/2014		
			Condensate is leaking under reachin cooler. Needs to be repaired.				

**HICKORY PIT
501 S MCMASTERS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1744					10/14/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

HOMEWOOD SUITES BY HILTON

8800 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF965	EHF28	COS	ALL OTHER VIOLATIONS		10/15/2014	15	HL1B
			a)Ice level to keep cream cheese cold must be up to the product level. b)Ice scoop may not be stored in a self-replenishing ice machine. c)1 correct from last inspection. d)Clean out utensil drawer.				
	EHF21	COS	MANUAL WARE WASHING		10/15/2014		
			a)Dishwasher not sanitizing. Sanitizer was empty.				
	EHF25	COS	FOOD CONTACT SURFACES		10/15/2014		
			a)Tea nozzle had large amount of build up. Clean daily.				
	EHF13	COS	HACCP PLAN/TIME		10/15/2014		
			a)Dates must be on all ready to eat potentially hazardous food prepped in the kitchen.				
	EHF03	COS	HOT HOLDING		10/15/2014		
			a)Sausage was in a hot hold at 66F.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**HONEY POT THE
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5174					10/10/2014	0	HL1B FOOD

**HUDSON HOUSE CANYON, INC
20 SPUR 48**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC221	EHF02	IN	COLD HOLDING		10/13/2014	4	HL1B
			A)Cooler holding at 40 degrees.				
	EHF13	COS	HACCP PLAN/TIME		10/13/2014		
			A)Opened/cut meats found in the cooler with no date marking. B)Opened ham being held longer than manufacturers use by date. Establishment must prove that the use by date is not for food safety to be able to continue doing that.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**J DAWGS
7651 S WHITAKER RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT5151	EHF11	COS	PROPER HANDLING RTE		10/11/2014	5	HL1B FOOD	
			All foods must be made fresh at temp. events daily.					

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

JOE DADDYS

2108 PARAMOUNT BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2300	EHF19	COS	RODENTS/ANIMALS/OPENINGS		10/15/2014	20	HL1B
			Back door open when not in use. b)Back door has no self closer. All exterior doors must have a self closer.				
	EHF09	COS	APPROVED SOURCE/LABELING		10/15/2014		
			Bulk flour container not labeled. b)Sugar stored in baggies not labeled.				
	EHF10	COS	SOUND CONDITION		10/15/2014		
			Cookies stored overnight not covered.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		10/15/2014		
			No paper towels in employee restroom. b)No paper towels at bar hand sink.				
	EHF20	COS	TOXIC ITEMS		10/15/2014		
			Sanitizer over 200ppm. Chlorine sanitizer must be between 100 and 200 for table wipe down. Chemical cleaner stored with food equipment.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

JOE DADDYS

HF2300	EHF28	H10DAY	ALL OTHER VIOLATIONS	10/15/2014	20	HL1B
--------	-------	--------	----------------------	------------	----	------

Door to bar from kitchen & shelves in walk in coolers dirty.Kitchen floor drain cleanouts holding stagnant water after cleaning.Splash shield needed at handsink next to food containers.Plastic lightshield needed. Ice bin needs lid. No test strips.

**JUST ADD WATER
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5173					10/10/2014	0	HL1B FOOD

Food Establishment Public Inspection Report**From 10/9/14 thru 10/15/14**

ESTABLISHMENT**KALEIDO SCOOPS
6010 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1274	EHF28	COS	ALL OTHER VIOLATIONS		10/15/2014	3	HL1B
			a)Spanish hand wash sign needed in restroom per city ordinance.				
	EHF21	COS	MANUAL WARE WASHING		10/15/2014		
			a)Quat sanitizer for dish washingt must be at 200 ppm.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**KATHYS KITCHEN
4517 STATE HIGHWAY 136**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP50	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		10/10/2014	3	HL1B
			Certified food mgr required by 10/16/14.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/10/2014		
			Finish baseboard cove mold in kitchen. Hair restraints required for food prep employee.				

**KIMBLE LEARNING CENTER
2200 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD16					10/9/2014	0	HL1B

Food Establishment Public Inspection Report**From 10/9/14 thru 10/15/14****ESTABLISHMENT****LIL DADZ LOUNGE
4001 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2100	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED	Corrected from previous inspection.	10/14/2014	0	HFOL

**LITTLE NEST
1400 SW 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD70	EHF25	COS	FOOD CONTACT SURFACES	Containers holding clean utensils needed to be cleaned.	10/14/2014	3	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**LUPITAS GRILL
3221 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2218	EHF18	IN	INSECT CONTAMINATION		10/10/2014	0	HFOL
			Corrected from previous inspection.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/10/2014		
			Front door needs self closing mechanism. (90 Days)				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**MALCOLMS ICE CREAM
2100 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF283	EHF28	COS	ALL OTHER VIOLATIONS		10/14/2014	18	HL1B
			a)Eggs and chicken found stored above ready to eat foods. b)Cups found stored on floor. Must be stored at least 6" off the ground.				
	EHF24	COS	THERMOMETERS		10/14/2014		
			Thermometer broken in back room reach in cooler and needed to be replaced.				
	EHF21	H10DAY	MANUAL WARE WASHING		10/14/2014		
			Dish washing machine at above 200ppm and needs to be repaired.				
	EHF20	COS	TOXIC ITEMS		10/14/2014		
			Wipe down sanitizer above 200 ppm. Should be 100 ppm.				
	EHF10	COS	SOUND CONDITION		10/14/2014		
			Lemons found distressed in storage room. Lemons were removed.				

Food Establishment Public Inspection Report**From 10/9/14 thru 10/15/14****ESTABLISHMENT****MALCOLMS ICE CREAM**

HF283	EHF03	COS	HOT HOLDING		10/14/2014	18	HL1B
-------	-------	-----	-------------	--	------------	----	------

Gravy found sitting at room temperature. Must either be stored at 41F or below or 135F or above. Gravy was discarded.

MARBLE SLAB CREAMERY
201 WESTGATE PKWY WEST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

HF855	EHF09	COS	APPROVED SOURCE/LABELING		10/15/2014	4	HL1B
-------	-------	-----	--------------------------	--	------------	---	------

a)Pie prepared in a private home may not be used or offered for food at a permitted food establishment.

	EHF28	COS	ALL OTHER VIOLATIONS		10/15/2014		
--	-------	-----	----------------------	--	------------	--	--

a)Keep waffle cones in storage covered.

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**MCCARTY-HULL INC
4714 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF957	EHF28	COS	ALL OTHER VIOLATIONS		10/14/2014	0	HL1B
Food items stored in boxes on the floor in walkin freezer. Must be at least 6 inches off the floor.							

**MUDD RACK
500 E HASTINGS AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2134	EHF25	COS	FOOD CONTACT SURFACES		10/10/2014	3	HL1B
a)Ice scoop in bar stored with bottles. Store scoop in ice with handle up. b)Inside of ice machine needed to be cleaned. c)Utensil container needed to be cleaned.							

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

MURPHY EXPRESS #8685

2109 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2254	EHF27	H5DAYS	ESTABLISHMENT PERMIT		10/15/2014	3	HFOL
			Food establishment permit needs to be posted on site. Renewal form is not acceptable. A copy can be purchased for \$25 at our office. If permit is not posted in 3 days a \$50 reinspection fee will be charged.				
	EHF21	IN	MANUAL WARE WASHING		10/15/2014		
			Corrected.				
	EHF28	H5DAYS	ALL OTHER VIOLATIONS		10/15/2014		
			Bleach test strips needed by follow up.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

OPPORTUNITY SCHOOL SVC KITCHEN**1100 S HARRISON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFD72	EHF15	H10DAY	EQUIPMENT ADEQUATE		10/14/2014	3	HL1B	
			Dishwasher not sanitizing properly. It needs to test at 50 ppm. Currently testing at less than 10 ppm.					

PAK A SAK #18
5703 GEM LAKE RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1911	EHF25	COS	FOOD CONTACT SURFACES		10/15/2014	3	HL1B	
			a)Soda nozzles at drink station needed to be cleaned. b)Soda nozzles at drive up needed to be cleaned.					

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**PALACE COFFEE CO
817 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2513					10/10/2014	0	HL1B

**PALO DURO CREEK GOLF CLUB
50 COUNTRY CLUB DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC268	EHF02	IN	COLD HOLDING Turkey holding at 39°F.		10/13/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**PAVILLARD LEARNING CENTER**

2404 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD11					10/10/2014	0	HL1B

PIE IN THE SKY

401 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5725					10/10/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

PIZZA HUT 7000 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF844	EHF02	IN	COLD HOLDING Sausage was 38.6F		10/13/2014	0	HL1B

POPEYES 7000 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF890	EHF25	COS	FOOD CONTACT SURFACES		10/13/2014	6	HL1B
			a)Utensil containers need to be cleaned out. b)Food splatter needs to be cleaned off of clean containers stored on dish rack.				
	EHF24	COS	THERMOMETERS		10/13/2014		
			Thermometer needed in reach in cooler.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**POTATO FACTORY
2808 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2026	EHF24	COS	THERMOMETERS		10/14/2014	3	HL1B
			Thermometer needed in reach in cooler.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/14/2014		
			Store all employee items in a separate location away from kitchen items. b)Store all single use items inverted to prevent contamination.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**PUBLIC HOUSE AMARILLO
3333 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2543	EHF28	COS	ALL OTHER VIOLATIONS		10/14/2014	10	HL1B
			a)A hand wash sign is needed at the hand sink at the bar.				
	EHF24	COS	THERMOMETERS		10/14/2014		
			a)Thermometer missing in cold hold unit.				
	EHF25	COS	FOOD CONTACT SURFACES		10/14/2014		
			a)Ice cream scoop may not be stored in room temperature, un-moving water. Must be in a dip well or water above 135F. b)Clean inside top of microwave.				
	EHF13	COS	HACCP PLAN/TIME		10/14/2014		
			a)All potentially hazardous, ready to eat food in the walk in cooler must be date marked.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

QUALITY INN 1515 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2577	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED	Corrected from previous inspection.	10/9/2014	0	HFOL

RANCH HOUSE 7117 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1707	EHF27	COS	ESTABLISHMENT PERMIT	Food establishment permit is expired. Pay by 12:00 noon tomorrow.	10/9/2014	3	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**ROBINSONS BBQ
5920 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF244	EHF20	COS	TOXIC ITEMS		10/9/2014	6	HL1B
			A)Bleach bottle used as a sanitizer found well over 200ppm, must be 100ppm for cleaning. B)Chemicals found hanging with clean dishes. Store all chemicals separatly.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		10/9/2014		
			A)Doors and windows are being left open to outside smoker area. This area is also used to cut meat. Windows and doors must remain closed.				
	EHF02	IN	COLD HOLDING		10/9/2014		
			A)Ham holding at 30 degrees.				
	EHF04	IN	PROPER COOKING TEMPERATURES		10/9/2014		
			A)Sausage cooked to 171 degrees.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/9/2014		
			A)Clean ceiling fan. B)Clean chemical rack.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**ROCKIN NUTRITION
3428 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2371	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/15/2014	0	HFOL
			NSF certified cooler needed by next inspection.				
	EHF14	IN	WATER SUPPLY		10/15/2014		
			Corrected.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**SNACKS TO GO
213 SW 7TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1842	EHF28	COS	ALL OTHER VIOLATIONS Floor needs to be swept.		10/15/2014	3	HL1B
	EHF18	H10DAY	INSECT CONTAMINATION Establishment needs to be treated by a licensed pest control specialist.		10/15/2014		

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**SONIC #12
4151 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1004	EHF28	COS	ALL OTHER VIOLATIONS		10/14/2014	10	HL1B
			Chip off condensate in small freezer. b)Clean air vents.				
	EHF07	COS	ADEQUATE HAND WASHING		10/14/2014		
			Hands must be washed and gloves changed after touching dirty hat.				
	EHF24	COS	THERMOMETERS		10/14/2014		
			Small make table needs thermometer.				
	EHF25	COS	FOOD CONTACT SURFACES		10/14/2014		
			Clean soda nozzles (moldy).Clean dishes found with food debris still on them. Clean out all coolers. Clean grill area. Ice cream cone holder dirty. Top dust all units/shelving.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**SPUDNUTS
312 S MCMASTERS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2250					10/13/2014	0	HL1B

**STOP N GO DISCOUNT STORE
2903 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2075	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		10/13/2014	6	HL1B
			a)No water at hand washing sink in restroom. b)No water at hand washing sink in ware washing area.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/13/2014		
			a)Soda nozzles need to be cleaned. b)Ice machine needs to be cleaned.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**SUBWAY****6000 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1616	EHF02	IN	COLD HOLDING		10/14/2014	4	HL1B
			Ham holding at 31°, tomatoes 55°.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/14/2014		
			Hand sinks being used for other purposes than hand washing.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/14/2014		
			Replace front cooler gaskets at front cooler. b)Chip off condensate in freezer.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

SUNSHINE CHILD CARE

2108 13TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC114	EHF02	IN	COLD HOLDING Cooler holding at 39°.		10/13/2014	0	HL1B

Food Establishment Public Inspection Report**From 10/9/14 thru 10/15/14****ESTABLISHMENT****SYBIL B HARRINGTON LEARNING CT****2500 DALE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD23	EHF14	H24 HOUR	WATER SUPPLY		10/9/2014	4	HL1B
			Hand sink needs to have hot water at 100 degrees or higher.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/9/2014		
			Hand washing signs are needed at hand sink.				
HFD23	EHF14	IN	WATER SUPPLY		10/10/2014	0	HFOL
			Hot water available at hand sink. Correction from previous inspection.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**TACO VILLA #16
6601 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF545	EHF08	COS	GOOD HYGIENIC PRACTICES		10/9/2014	23	HL1B
			Open employee drinks in kitchen.				
	EHF02	COS	COLD HOLDING		10/9/2014		
			Diced tomatoes at 65°F. Tomatoes are potentially hazardous and must be kept at 41°F.				
	EHF07	COS	ADEQUATE HAND WASHING		10/9/2014		
			Employee did not wash hands before putting on gloves.				
	EHF10	COS	SOUND CONDITION		10/9/2014		
			Seam dented can on rack for use.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/9/2014		
			Inside ice machine not clean. Food splatter on bottom of shelf over food prep.(from prev. day) Frayed spatulas. Do not use utensils that are frayed, worn or not easily cleanable. Coffee filters not stored covered.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**TACO VILLA #16**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF545	EHF20	COS	TOXIC ITEMS		10/9/2014	23	HL1B
			Spray can chemical with no label. Cans of spray paint stored over soda bag and box.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/9/2014		
			Ceiling panels not set properly.Clean ice buckets, fans, tops of equip, walk in freezer gasket, grill, tortilla press warmer & fryer units.Remove grease buildup. Spatulas & tongs are worn & not easily cleanable. Replace. Ice machine panel exposing ice.				

TAILWIND AMA POST-SECURITY**10801 AIRPORT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2355	EHF25	COS	FOOD CONTACT SURFACES		10/13/2014	7	HL1B
			Soda nozzle holster needed to be cleaned.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/13/2014		
			Hand sink being used for purposes other than hand washing.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**TAILWIND AMA PRE-SECURITY****10801 AIRPORT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2354	EHF25	COS	FOOD CONTACT SURFACES		10/13/2014	3	HL1B	
			a)Bulk sugar container needed a scoop with a handle. Cups can not be used. b)Tea filter being stored on a cloth towel. Use disposable towels instead.					
	EHF28	COS	ALL OTHER VIOLATIONS		10/13/2014			
			Store employee items in seperate location away from kitchen prep areas.					

TASTE DESSERT BAR**1909 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2487					10/9/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**TEJANO ROSE
1111 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2458	EHF28	COS	ALL OTHER VIOLATIONS	Top of ice machine needed to be cleaned.	10/9/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**TEJANO WILD WEST
1200 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2383	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/10/2014	10	HL1B
			Trash can with lid needed in womens restroom.				
	EHF25	COS	FOOD CONTACT SURFACES		10/10/2014		
			Inside of ice machine needed to be cleaned.				
	EHF20	COS	TOXIC ITEMS		10/10/2014		
			Chemicals found stored with food items. Unapproved insecticide being used in establishment. Must be restaurant approved.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/10/2014		
			Knives stored in hand sink. Hand sink is for hand washing only.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**TEJAS CAFE
1401 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2560	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED	Obtained food managers card. Correction from previous inspection.	10/9/2014	0	HFOL

**TEXAS JAK
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5727					10/10/2014	0	HL1B FOOD

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**THAI ARAWAN
2834 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2249	EHF16	COS	HAND WASH FACILITIES ADEQUATE		10/15/2014	7	HL1B
			Hand wash sink in kitchen leaks. Hot water was shut off due to leak. Repair sink to operate as intended.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/15/2014		
			Walk in cooler door handle has food buildup. Clean daily. Fan dirty. Blower unit in walk in cooler is dusty. Vent hood has grease droplets.				
	EHF10	COS	SOUND CONDITION		10/15/2014		
			Food product marked refrigerate after open found not refrigerated.				
	EHF03	IN	HOT HOLDING		10/15/2014		
			Egg drop soup found at 180°F.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**THAI SIAM
717 S FILLMORE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1836					10/9/2014	0	HFOL

**TOOT N TOTUM #35
4224 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF645	EHF20	COS	TOXIC ITEMS		10/14/2014	3	HL1B

a)Bleach bottle labeled improperly. b)Bleach mixed above 200ppm. Should be mixed at 50 ppm.

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**TOOT N TOTUM #38
2015 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF803					10/15/2014	0	HL1B

**TOOT N TOTUM #54
3601 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF82	EHF28	COS	ALL OTHER VIOLATIONS		10/15/2014	0	HFOL
			Hand washing signs at hand sinks. Corrected.				
	EHF15	IN	EQUIPMENT ADEQUATE		10/15/2014		
			Walk in cooler is 34 degrees. Corrected from previous inspection.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

TOOT N TOTUM #55

5901 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF450	EHF13	COS	HACCP PLAN/TIME Hot dogs held past 7 days.		10/9/2014	4	HL1B
	EHF28	H90 DAY	ALL OTHER VIOLATIONS Seal all wooden shelving in walk in by next inspection.		10/9/2014		

TOOT N TOTUM #64

2621 S OSAGE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF415	EHF03	IN	HOT HOLDING Hot dogs holding at 161F. In compliance.		10/15/2014	0	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**TRAVELODGE
2035 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2089					10/13/2014	0	HL1B

**TRAVIS MIDDLE SCHOOL
2815 MARTIN RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF669	EHF20	IN	TOXIC ITEMS		10/10/2014	0	HFOL	
			Sanitizer dispenser repaired. Correction from previous inspection.					

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**VIBRA REHAB HOSPITAL OF AMA
7200 SW 9TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2447	EHF25	COS	FOOD CONTACT SURFACES	Can opener needed to be cleaned.	10/13/2014	3	HL1B

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

**WENDY'S #4102
2000 ROSS-OSAGE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF494	EHF28	COS	ALL OTHER VIOLATIONS		10/15/2014	3	HFOL
			Onions found stored on floor. Must be stored at least 6" off the ground.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		10/15/2014		
			Food manager card needed. Obtain by 11/28/14.				
	EHF15	IN	EQUIPMENT ADEQUATE		10/15/2014		
			Condensate leak repaired in reach in cooler.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**WESLEYS BEAN POT & BBQ****6406 RIVER RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1341	EHF19	COS	RODENTS/ANIMALS/OPENINGS		10/14/2014	13	HL1B
			Screens and door openings need to be sealed in the smoke room.				
	EHF13	COS	HACCP PLAN/TIME		10/14/2014		
			Potato salad and coleslaw need to be labeled with dates.				
	EHF20	COS	TOXIC ITEMS		10/14/2014		
			Chemicals are being stored with food items. Must be moved to a different location.				
	EHF25	COS	FOOD CONTACT SURFACES		10/14/2014		
			Utensil storage containers need to be cleaned out.				

Food Establishment Public Inspection Report**From 10/9/14 thru 10/15/14****ESTABLISHMENT****WESTGATE ENTERPRISE #2****2608 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF894	EHF28	COS	ALL OTHER VIOLATIONS		10/13/2014	6	HL1B
			a)English and Spanish hand wash signs must be in restroom.				
	EHF27	COS	ESTABLISHMENT PERMIT		10/13/2014		
			a)No current permit posted. If current permit cannot be found a duplicate copy must be purchased for \$25.				
	EHF20	COS	TOXIC ITEMS		10/13/2014		
			a)Unlabeled chemical spray bottle. b)Sunscreen stored with coffee.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT**WHATABURGER #114****4111 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF422	EHF24	COS	THERMOMETERS		10/9/2014	14	HL1B
			No thermometer in small reach in cooler.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/9/2014		
			Walk in door gasket is broken. Replace gasket. b)Outside ice machine lid not clean. Hang mops handle up to dry.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/9/2014		
			Soda and tea nozzles have buildup. Soda and tea nozzles must be disassembled, washed, rinsed, sanitized and air dried daily. b)Reach in gaskets not clean. c)Ice machine near door is not clean and has loose parts inside. d)Hot hold water not clean.				
	EHF12	COS	CROSS CONTAMINATION		10/9/2014		
			Liquid egg product stored over ready to eat lettuce in walk in cooler.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		10/9/2014		
			Open employee drink on food counter. Drinks must have a lid and straw or sport cap. b)Employee drink setting on ice machine. Store drinks away from food and food equipment.				

Food Establishment Public Inspection Report

From 10/9/14 thru 10/15/14

ESTABLISHMENT

WILLIS CHILI SEASONING

401 N BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5169					10/10/2014	0	HL1B FOOD

YELLOW CITY STREET FOOD

909 S MADISON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2380	EHF28	IN	ALL OTHER VIOLATIONS		10/10/2014	0	HFOL
			Corrected from previous inspection.				