

**Food Establishment Public Inspection Report**

From 8/6/15 thru 8/12/15

---

**ESTABLISHMENT**

---

**BEEF O BRADYS BEEFS AT THE BAL****3901 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2362	EHF17	COS	HAND WASH WITH SOAP/TOWELS		8/10/2015	6	HL1B
			Handsoap needed at handsink.				
	EHF25	COS	FOOD CONTACT SURFACES		8/10/2015		
			a)Panini press needed to be cleaned. b)Gaskets on reachin coolers needed to be cleaned.				

**BRAUMS ICE CREAM #186****1101 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC101	EHF28	IN	ALL OTHER VIOLATIONS		8/6/2015	0	HFOL
			Corrected.				

## Food Establishment Public Inspection Report

From 8/6/15 thru 8/12/15

---

### ESTABLISHMENT

**BURGER KING #1583**  
**415 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF83	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		8/12/2015	9	HL1B
			Food manager card holder no longer works at establishment. Need to have a current food manager on file.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		8/12/2015		
			a)AC wasterwater is leaking on floor, needs to be repaired. b)Pipe from soda machine needs to reach floor drain.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		8/12/2015		
			a)Clean bottom of reach-in coolers. b)Replace slicer blade.cos c)Clean grease build up on fry holder. d)Clean shake lid holder. e)Replace or paint shelves in walk-in.(90days)				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		8/12/2015		
			Clean all walls/floors.Clean all air vents. Replace floor coving in drive thru area. (90days) Replace/regROUT tiles behind soda machine (90days) Clean top of soda & ice cream machine.Clean vent hoods. Replace gasket in salad reach-in. Need light shields.				

## Food Establishment Public Inspection Report

From 8/6/15 thru 8/12/15

---

**ESTABLISHMENT**

**CAKES N MORE  
2812 SE 27TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1718	EHF20	COS	TOXIC ITEMS		8/10/2015	6	HL1B
			Wipe down bleach sanitizer mixed above 200 ppm. Should be mixed at 100 ppm.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		8/10/2015		
			Walk in freezer has condensate leak that needs to be repaired. Repair within 10 days.				
	EHF28	COS	ALL OTHER VIOLATIONS		8/10/2015		
			Pans found stored on floor. Store pans at least 6" off the ground.				

**Food Establishment Public Inspection Report**

**From 8/6/15 thru 8/12/15**

---

**ESTABLISHMENT**

**CATTLEMANS CAFE  
3801 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1936	EHF07	COS	ADEQUATE HAND WASHING		8/12/2015	4	HINVEST	
			Hands need to be washed before placing gloves on and before touching ready to eat foods. b)Gloves need to be worn when working with ready to eat foods.					

**CHICK FIL A S COULTER  
4510 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2446	EHF25	COS	FOOD CONTACT SURFACES		8/10/2015	3	HINVEST	
			Tea nozzles needed to be cleaned. Clean daily.					
	EHF28	IN	ALL OTHER VIOLATIONS		8/10/2015			
			Hair nets and hats are being worn. Suggest longer hair be put in a hair net and hat.					

**Food Establishment Public Inspection Report**

From 8/6/15 thru 8/12/15

---

**ESTABLISHMENT****DAYS INN EAST  
1701 E INTERSTATE 40**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2693	EHF15	IN	EQUIPMENT ADEQUATE A)Corrected.		8/11/2015	0	HFOL
	EHF21	IN	MANUAL WARE WASHING A)Corrected.		8/11/2015		
	EHF27	IN	ESTABLISHMENT PERMIT A)Corrected.		8/11/2015		
	EHF28	IN	ALL OTHER VIOLATIONS A)Corrected.		8/11/2015		

## Food Establishment Public Inspection Report

From 8/6/15 thru 8/12/15

---

**ESTABLISHMENT**

**FRIENDSHIP RANCH**

**1108 24TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC136	EHF13	COS	HACCP PLAN/TIME		8/12/2015	7	HL1B
			Potentially hazardous foods being stored in cooler past 7 days. Food was discarded.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		8/12/2015		
			Cooler holding at 50F. All potentially hazardous foods were discarded.				
	EHF28	COS	ALL OTHER VIOLATIONS		8/12/2015		
			Eggs stored above ready to eat foods. Store eggs below all RTE foods to prevent cross contamination.				

**Food Establishment Public Inspection Report**

From 8/6/15 thru 8/12/15

---

**ESTABLISHMENT****FRUTI GLEZ  
4511 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2397	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		8/10/2015	3	HFOL	
			Food manager card needs to be displayed in the establishment.					

**HIGH PLAINS FOOD BANK  
815 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF291					8/7/2015	0	HL1B

**Food Establishment Public Inspection Report**

**From 8/6/15 thru 8/12/15**

---

**ESTABLISHMENT**

**KIDS CAFE KITCHEN  
2199 SE 8TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2590	EHF08	COS	GOOD HYGIENIC PRACTICES	Handsink was used for purposes other than hand washing.	8/7/2015	4	HL1B

**Food Establishment Public Inspection Report**

From 8/6/15 thru 8/12/15

---

**ESTABLISHMENT**

---

**KIDS LEARNING ACADEMY DBA JUST****4407 CANYON DR**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFD66	EHF15	IN	EQUIPMENT ADEQUATE Corrected.		8/6/2015	0	HFOL
	EHF24	IN	THERMOMETERS Corrected.		8/6/2015		
	EHF28	IN	ALL OTHER VIOLATIONS Corrected.		8/6/2015		

**Food Establishment Public Inspection Report**

**From 8/6/15 thru 8/12/15**

---

**ESTABLISHMENT**

**MCDONALDS  
1720 ROSS ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF1602	EHF23	IN	SEWAGE/WASTEWATER	Condensate leak repaired in reach in cooler.	8/10/2015	0	HFOL

## Food Establishment Public Inspection Report

From 8/6/15 thru 8/12/15

---

**ESTABLISHMENT**

**MI CASA  
2618 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM704	EHF14	H24 HOUR	WATER SUPPLY	Hot and cold running water needed.	8/6/2015	0	H PREOPEN
	EHF15	H24 HOUR	EQUIPMENT ADEQUATE	All hot and cold hold equipment must be working. b)Freezer must be NSF certified commercial.	8/6/2015		
	EHF28	H24 HOUR	ALL OTHER VIOLATIONS	Permit numbers must be on two sides of truck. b)Hole in waste tank must be patched or waste tank replaced.	8/6/2015		

**Food Establishment Public Inspection Report**

From 8/6/15 thru 8/12/15

**ESTABLISHMENT****PALO DURO CREEK GOLF CLUB  
50 COUNTRY CLUB DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC268	EHF15	H10DAY	EQUIPMENT ADEQUATE		8/6/2015	3	HFOL
			Make table is still leaking and pooling water inside the unit. Cooler must be fixed or replaced within 10 days. (Repeat). If not repaired or fixed within 10 days a \$50 reinspection fee will be charged.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		8/6/2015		
			Clean ceiling around air vent. b)Corrected. c)Fix ceiling spot with water damage.				

**PLUM CREEK PLACE  
6800 PLUM CREEK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2462	EHF25	COS	FOOD CONTACT SURFACES		8/12/2015	3	HL1B
			Can opener needed to be cleaned.				

**Food Establishment Public Inspection Report**

From 8/6/15 thru 8/12/15

---

**ESTABLISHMENT****ST LAURANCE PARISH  
2300 N SPRING ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT5556					8/8/2015	0	HL1B FOOD
HFT5557	EHF16	COS	HAND WASH FACILITIES ADEQUATE	Basins needed to wash hands. COS.	8/8/2015	4	HL1B FOOD
HFT5558	EHF16	COS	HAND WASH FACILITIES ADEQUATE	Basins needed for hand washing. COS.	8/8/2015	4	HL1B FOOD

**Food Establishment Public Inspection Report****From 8/6/15 thru 8/12/15**

---

**ESTABLISHMENT**

---

**ST LAURANCE PARISH**

Inspection Number	Establishment ID	City	Category	Date	Score	Comments
HFT5559	EHF03	IN	HOT HOLDING	8/8/2015	0	Pork meat was 142F.
HFT5560	EHF02	COS	COLD HOLDING	8/8/2015	5	Sour cream holding at 50F. More ice was added.
HFT5561	EHF16	COS	HAND WASH FACILITIES ADEQUATE	8/8/2015	4	Basins needed to wash hands.COS

**Food Establishment Public Inspection Report**

**From 8/6/15 thru 8/12/15**

---

**ESTABLISHMENT**

**ST LAURENCE PARISH  
2300 N SPRING ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5555					8/8/2015	0	HL1B FOOD

**STARS DRIVE IN  
2216 SE 27TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF816	EHF25	COS	FOOD CONTACT SURFACES		8/10/2015	7	HL1B
				a)Can opener needed to be cleaned. b)Dicer needed to be cleaned. c)Shelf below tea urns needed to be cleaned.			
	EHF10	COS	SOUND CONDITION		8/10/2015		
				Dented cans found stored on shelf for use. Cans were removed.			

**Food Establishment Public Inspection Report**

From 8/6/15 thru 8/12/15

---

**ESTABLISHMENT****TAQUERIA SAN CARLOS****3510 NE 24TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>	
HF1678	EHF28	H10DAY	ALL OTHER VIOLATIONS		8/12/2015	0	HFOL	
			a)Fire suppression system needs to be reinspected. Waiting on Fire Marshall to sign off on corrections/repairs made. b)Venthood has been replaced with appropriate size.					

## Food Establishment Public Inspection Report

From 8/6/15 thru 8/12/15

---

**ESTABLISHMENT**

**TWISTED T  
5120 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2707	EHF23	H10DAY	SEWAGE/WASTEWATER		8/7/2015	0	H PREOPEN
			Walkin freezer and cooler has leaks that need to be repaired.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		8/7/2015		
			Back door in kitchen needs new door seal.				
	EHF21	H10DAY	MANUAL WARE WASHING		8/7/2015		
			Wire racks needed to hold clean and dirty dishes in snack bar.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		8/7/2015		
			a)Fire suppression sys. is red tagged must be inspected prior to opening.b)Smooth ceiling tiles needed in snack bar kitchen and bar area.c)Light shield needed in snack bar.d)Repair hole in wall in snack bar.e)Replace all missing/damaged floor coving.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		8/7/2015		
			All rusted wire shelves must be either repaired or removed.				

**Food Establishment Public Inspection Report**

**From 8/6/15 thru 8/12/15**

---

**ESTABLISHMENT**

---