

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**ALDACOS TACOS
3623 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF821					3/3/2015	0	HL1B

**AMA TRANSITIONAL TREATMENT CTR
9300 SE 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2002	EHF20	COS	TOXIC ITEMS		3/3/2015	6	HL1B
			Chemical bottle found without a label.				
	EHF25	COS	FOOD CONTACT SURFACES		3/3/2015		
			a)Inside of ice machine needed to be cleaned. b)Can opener needed to be cleaned. c)Tea urn needs to be replaced. Tea urn is no longer smooth and easily cleanable.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

AMARILLO CTR FOR SKILLED CARE

6641 W AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2451	EHF20	COS	TOXIC ITEMS		3/4/2015	3	HL1B	
			Wipe down solution was over 400 PPM Qt.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**AMARILLO FAIRFIELD INN & STES****6600 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2654	EHF03	COS	HOT HOLDING		3/4/2015	19	HL1B
			Eggs not at proper temperature. Eggs must be held at 135 degrees or higher.				
	EHF07	COS	ADEQUATE HAND WASHING		3/4/2015		
			Employee did not wash hands before putting on gloves to work with foods.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		3/4/2015		
			Hand sink used for other purposes. Hand sinks are only for hand washing.				
	EHF25	COS	FOOD CONTACT SURFACES		3/4/2015		
			Clean utensils stored in container with stagnant water in bottom. Store utensils where they will dry and then in a clean, dry location.				
	EHF28	COS	ALL OTHER VIOLATIONS		3/4/2015		
			Utensils may not be stored upside down with mouth parts exposed. Employees must touch the handle only. Store right side up. Handle up. b)coffee filters must be stored covered.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

AMARILLO FAIRFIELD INN & STES

HF2654	EHF22	COS	MANAGER KNOWLEDGE/CERTIFIED	3/4/2015	19	HL1B
--------	-------	-----	-----------------------------	----------	----	------

Manager on duty not familiar with critical food safety rules. All food service managers must know food safety rules.

AMARILLO FAMILY YMCA NORTH

1330 NW 18TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD67					3/2/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**AMARILLO HIGH SCHOOL
4225 DANBURY DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF647	EHF28	COS	ALL OTHER VIOLATIONS		3/3/2015	0	HL1B	
			a)Gaskets on lower reach in needed to be cleaned. b)Top of ice maker needed to be cleaned off. c)Dented cans found in dry storage. Moved to dented can area. d)1 correction from last inspection.					

**AMARILLO RESIDENCE INN
6700 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2653	EHF28	COS	ALL OTHER VIOLATIONS		3/4/2015	0	HL1B	
			Plastic wrap stored touching unclean box. Wrap must stay sanitary. Wrap dispensers are available.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**ATMOSPHERE CAFE
804 N WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF152	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/26/2015	0	HL1B	
			Peeling paint on vent hood needs to be removed.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

BANGKOK RESTAURANT 5901 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF168	EHF25	COS	FOOD CONTACT SURFACES		2/26/2015	12	HL1B
			a)Ice maker in back room needed to be cleaned out. b)Door handles and gaskets on reach in coolers needed to be cleaned.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		2/26/2015		
			Condensate leak found in walk in freezer.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		2/26/2015		
			Front walk in cooler holding at 48F degrees. Must be 41F degrees or lower.				
	EHF18	COS	INSECT CONTAMINATION		2/26/2015		
			Non-living roaches found in reach in cooler. Must be cleaned out and sanitized.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**BEST WESTERN MEDICAL CENTER IN
1610 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1384					3/4/2015	0	HL1B

**BISHOP DEFALCO RETREAT CTR
2100 N SPRING ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF922	EHF25	COS	FOOD CONTACT SURFACES		3/4/2015	3	HL1B
			a)Microwave needed to be cleaned out. b)Knives stored in drawer needed to be on a smooth easily cleanable surface. Cardboard is porous and not easily cleanable. Remove cardboard.				
	EHF28	COS	ALL OTHER VIOLATIONS		3/4/2015		
			a)Underneath side of shelf over stove top needed to be cleaned. b)Underneath side of shelf over buffet line needed to be cleaned. c)Chip excess ice off of walk in freezer.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**BPO ELKS #923
932 CLYDE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF158					2/26/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**BRAUMS ICE CREAM 180
801 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF166	EHF28	H10DAY	ALL OTHER VIOLATIONS		3/3/2015	6	HL1B
			a)Roof leak. Water dripping in food prep area. Must be repaired by 3-13-15. b)Top of ice maker needed to be cleaned. COS c)Floor needed to be cleaned around food prep area. Excess food draws in insects and rodents. COS				
	EHF25	COS	FOOD CONTACT SURFACES		3/3/2015		
			a)Soda nozzles and machine needed to be cleaned in dining area and kitchen. b)Utensil storage drawers needed to be cleaned out.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		3/3/2015		
			Condensate leak in walk in freezers. Must be repaired by 3-13-15.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

BYOB BURGER COMPANY

6200 HILLSIDE RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2140	EHF28	IN	ALL OTHER VIOLATIONS		3/3/2015	0	HFOL	
			In compliance. Dumpster and grease bin are clean.					

CAMPUS CAFE THE

910 9TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFC281	EHF28	H90 DAY	ALL OTHER VIOLATIONS		3/4/2015	0	HL1B	
			Fix condensate leak in small cooler. b)Bathroom doors must be self closing by next inspection - 5/1/15.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

CANYON AFTER SCHOOL PROGRAM

506 8TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC264	EHF02	IN	COLD HOLDING Cooler holding at 40°F.		3/3/2015	0	HL1B
HFC264	EHF02	IN	COLD HOLDING Cooler holding at 41°F.		3/3/2015	0	HL1B
HFC264	EHF28	H90 DAY	ALL OTHER VIOLATIONS All food must be stored off ground.		3/3/2015	0	HL1B
	EHF02	IN	COLD HOLDING Cooler holding at 40°F.		3/3/2015		

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

CANYON AFTER SCHOOL PROGRAM

HFC264	EHF02	IN	COLD HOLDING		3/3/2015	0	HL1B
Cooler holding at 40°.							

CANYON INTERMEDIATE SCHOOL

506 8TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC201	EHF03	IN	HOT HOLDING		3/4/2015	0	HL1B
A)Chicken patties holding at 184 degrees.							

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**CANYON JUNIOR HIGH****910 9TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC200	EHF03	COS	HOT HOLDING		3/4/2015	5	HL1B
Pre-cooked rice and ground beef placed into hot hold to be kept at 98° until needed, then fully cooked. All products must be held at 41° or below or 135° and above at all times.(Reheated to 165°).							

CARVER ACADEMY
1905 NW 12TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF164					3/2/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**CARVER EARLY CHILDHOOD ACADEMY**

1800 N TRAVIS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF849	EHF28	H90 DAY	ALL OTHER VIOLATIONS		3/2/2015	4	HL1B
			Ceiling tiles replaced with acoustic tiles, need to be smooth easily cleanable.				
	EHF10	COS	SOUND CONDITION		3/2/2015		
			Distressed produce in walk in.				

CASA RICA FOODS

609 S GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF585					3/2/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

CHIPOTLE MEXICAN GRILL

2414 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2500	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED		2/26/2015	8	HFOL
			A food manager is needed at this establishment.				
	EHF15	IN	EQUIPMENT ADEQUATE		2/26/2015		
			Hot hold has been repaired.				
	EHF03	COS	HOT HOLDING		2/26/2015		
			Grilled chicken holding at 120F in hot hold. Rapidly reheated to 165F.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**CHIYOS
810 N PIERCE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1575	EHF08	COS	GOOD HYGIENIC PRACTICES Items stored in hand sink.		3/2/2015	0	HL1B
	EHF24	H10DAY	THERMOMETERS Thermometer needed for taking temps of ready to eat food.		3/2/2015		
	EHF28	H90 DAY	ALL OTHER VIOLATIONS A)Dust needed to be cleaned off of blower covers in walk in cooler. b)Floor needed to be swept in walk in freezer.		3/2/2015		

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**CORONADO ELEMENTARY
3210 WIMBERLY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF686	EHF28	COS	ALL OTHER VIOLATIONS		2/26/2015	0	HL1B
			Ground beef stored above tator tots and vegetables in reach-in freezer. Ground beef needs to be stored below vegetables and tator tots in order to prevent cross contamination.				
	EHF03	IN	HOT HOLDING		2/26/2015		
			Gravy in hot hold holding at 156F. In compliance.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**CRACKER BARREL #210
2323 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF891	EHF08	COS	GOOD HYGIENIC PRACTICES		3/2/2015	11	HL1B
			Employee drinks must have a lid and a straw.				
	EHF10	COS	SOUND CONDITION		3/2/2015		
			Dented cans found on shelf.				
	EHF25	COS	FOOD CONTACT SURFACES		3/2/2015		
			A)Food contact surfaces throughout kitchen, especially microwaves needed to be cleaned. B)Can opener holder needed to be cleaned. C)Date sticker residue found on clean dishes.				
	EHF28	COS	ALL OTHER VIOLATIONS		3/2/2015		
			Floor in walk in freezer needs to be cleaned.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**CRAZY LARRYS PIT BBQ
4315 TECKLA BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF407	EHF28	COS	ALL OTHER VIOLATIONS		2/26/2015	3	HL1B
			a)Gaskets to walk-in cooler need to be replaced. Must be smooth and easily cleanable. b)Onions stored on floor to walk-in cooler. All foods need to be stored at least 6inches off the ground. cos				
	EHF21	COS	MANUAL WARE WASHING		2/26/2015		
			Dish machine sanitizing below 50PPM when tested with test strip.				
	EHF03	IN	HOT HOLDING		2/26/2015		
			Brisket holding at 139F in hot hold unit. In compliance.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**CRESTVIEW ELEMENTARY
80 HUNSLEY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC207	EHF02	IN	COLD HOLDING	A)Walk in cooler holding at 39 degrees.	3/4/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

CURTIS FLEMMING LEARNING CTR

3001 WOLFLIN AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD62	EHF10	COS	SOUND CONDITION		3/3/2015	7	HL1B
			Dented cans found on shelf for use. Dented cans must be stored separately so they will not be used.				
	EHF25	COS	FOOD CONTACT SURFACES		3/3/2015		
			a)Clean bottom of reach-in cooler. b)Clean shelf above stove top. c)Clean clean dish shelf below prep. table. d)Dishes store with food debris still on them, must be cleaned to sight and touch.				
	EHF28	COS	ALL OTHER VIOLATIONS		3/3/2015		
			a)Ice in milk cooler needs to be chipped or defrosted. b)Gaskets to reach-in cooler need to be cleaned. c)Clean cart by oven. d)Paper towels found stored on ground; must be at least 6 inches off ground. e)Used rag found out of sanitizer.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**DOBLER WINES LTD****19290 FM 1541**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR72	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		3/3/2015	3	HL1B
			Food manager required.				
	EHF14	IN	WATER SUPPLY		3/3/2015		
			Water sample tests required monthly. Last sample 9/14. Water sample must be obtained within 10 days.				

Food Establishment Public Inspection Report**From 2/26/15 thru 3/4/15****ESTABLISHMENT****DOLLAR GENERAL #3488****307 E HASTINGS AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF810	EHF25	COS	FOOD CONTACT SURFACES		3/3/2015	7	HL1B
			Mold found on shelves in reach in coolers. Needed to be cleaned.				
	EHF10	H10DAY	SOUND CONDITION		3/3/2015		
			Dented cans found on shelves.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		3/3/2015		
			a)Candy stored on floor. Must be at least 6" off the floor. COS b)Covered trash can needed in restroom.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**DONUT STOP
4300 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2616	EHF08	COS	GOOD HYGIENIC PRACTICES		3/4/2015	4	HFOL	
			Personal jacket stored on sugar bags. Second notice. Future violation of item #8 will result in a reinspection fee.					

**EL CARBONERO RESTAURANT
1700 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2173	EHF20	COS	TOXIC ITEMS		3/4/2015	3	HL1B	
			Chemical bottle found without label.					
	EHF28	COS	ALL OTHER VIOLATIONS		3/4/2015			
			a)Gaskets on reach in coolers needed cleaned. b)Handles on reach in coolers needed cleaned. c)Eggs found stored above ready to eat foods in reach in cooler.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**EL MANANTIAL
3823 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM327					2/26/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**FAT CAT FISH MARKET
1309 DUMAS DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1063	EHF28	H10DAY	ALL OTHER VIOLATIONS		2/26/2015	9	HL1B
			a)Light shields needed over three compartment sink. b)Freezer needs to be defrosted. c)Covered trash needed in restroom. d)Fish in walk in needed to be covered. COS				
	EHF21	COS	MANUAL WARE WASHING		2/26/2015		
			Sanitizer in three compartment sink was not at proper strength, should be at least 50 PPM Cl.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		2/26/2015		
			a)Vent hood needs to be cleaned. b)Refrigeration unit in walk in needs to be cleaned.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		2/26/2015		
			Drain on hand washing sink needs to be connected.				

Food Establishment Public Inspection Report**From 2/26/15 thru 3/4/15****ESTABLISHMENT****FELDMANS WRONG WAY DINER****2100 N 2ND AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC277	EHF25	COS	FOOD CONTACT SURFACES		2/26/2015	7	HL1B
			A)Microwave no longer easily cleanable. (Replace) B)Can opener blade dirty. C)All scoops must have handles.				
	EHF13	COS	HACCP PLAN/TIME		2/26/2015		
			A)ROP packages found without proper date marking.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/26/2015		
			A)Clean all air vents. B)Replace light shield by dish machine.				
HFCK52	EHF28	H10DAY	ALL OTHER VIOLATIONS		3/4/2015	6	HL1B
			Replaceable lids are needed for all food items that are self-service.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

FELDMANS WRONG WAY DINER

HFCK52	EHF21	H10DAY	MANUAL WARE WASHING	3/4/2015	6	HL1B
--------	-------	--------	---------------------	----------	---	------

Sanitizer needed for cleaning.

	EHF24	H10DAY	THERMOMETERS	3/4/2015		
--	-------	--------	--------------	----------	--	--

No thermometer on site.

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

GENE HOWE ELEMENTARY

5108 PICO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF338	EHF20	COS	TOXIC ITEMS		3/3/2015	3	HL1B
			Chemical bottle found with unkown liquid inside of it.				
	EHF05	IN	RAPID REHEATING		3/3/2015		
			Rice cooked to 198°F.				
	EHF02	IN	COLD HOLDING		3/3/2015		
			Cooler holding at 40°F.				
	EHF28	COS	ALL OTHER VIOLATIONS		3/3/2015		
			Chip off condensate in freezer.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

GREENWAYS INTERMEDIATE SCHOOL

8100 PINERIDGE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF302	EHF28	H90 DAY	ALL OTHER VIOLATIONS Dust all air vents.		3/4/2015	3	HL1B
	EHF02	IN	COLD HOLDING Cooler holding at 38°.		3/4/2015		
	EHF03	IN	HOT HOLDING Eggs holding at 151°.		3/4/2015		
	EHF25	COS	FOOD CONTACT SURFACES Clean dishes found with food debris still on them. b)Spatulas peeling (discard).c)Top dust clean dish racks.		3/4/2015		

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**HAGY LEARNING CENTER****1301 STREIT DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD63	EHF14	COS	WATER SUPPLY		3/3/2015	4	HL1B
			Faucet leak on hot water at three compartment sink.				
	EHF28	H60 DAY	ALL OTHER VIOLATIONS		3/3/2015		
			Gasket in refrigerator needs to be replaced.				

HERITAGE CONVALESCENT CENTER**1009 CLYDE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF597					3/4/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**HILLSIDE ELEMENTARY
9600 PERRY AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1832	EHF02	IN	COLD HOLDING		3/4/2015	0	HL1B	
			A)Cooler holding at 40 degrees.					

**HILLTOP SENIOR CITIZENS
1311 N TAYLOR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF978	EHF19	IN	RODENTS/ANIMALS/OPENINGS		3/2/2015	0	HFOL	
			Back door sweep has been repaired. Corrected from last inspection.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**HOAGIES DELI
2207 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1777	EHF25	COS	FOOD CONTACT SURFACES		3/2/2015	6	HL1B
			a)Dishes found stored uncleaned. If dishes are no longer used in establishment; remove. b)Clean inside of ice scoop container.				
	EHF20	COS	TOXIC ITEMS		3/2/2015		
			Chemical bottle found without label. COS				
	EHF28	COS	ALL OTHER VIOLATIONS		3/2/2015		
			a)Label needed on bulk sugar container. b)Handles and gaskets to reach-in cooler need to be cleaned. c.)Clean top of potato hot hold. d)Employee items need to be stored separate from food items.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**HOUSTON MIDDLE SCHOOL
815 S INDEPENDENCE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF674	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/26/2015	0	HL1B
			a)Frost buildup in walkin freezer. b)Ceiling tiles over three compartment sink need replacing. c)Floor in doorway to walk ins needs repair. d)Bulk container of salt needs to be labeled.				

**IHOP #3003
1711 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2592	EHF28	COS	ALL OTHER VIOLATIONS		2/26/2015	3	HL1B
			Dust needed to be removed from area around exhaust vents on cook's line.				
	EHF25	COS	FOOD CONTACT SURFACES		2/26/2015		
			A)Date sticker residue found on clean dishes. B)Handles to coolers throughout cook's line needed to be cleaned. C)Food debris found on dishes on the clean dish rack.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**JUBA COFFEE
3410 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2490					3/2/2015	0	HL1B

**KIMBLE LEARNING CENTER
2200 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFD16	EHF02	IN	COLD HOLDING		3/4/2015	0	HL1B	
			All coolers holding at 41F or below.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

KING & I RESTAURANT

2300 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1890	EHF28	COS	ALL OTHER VIOLATIONS		3/3/2015	0	HL1B	
			Floor below grills needs to be degreased. b)Handle to walk in cooler not clean. Remove foods from handles.					

KITCHEN EXPRESS 6007 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2652	EHF25	COS	FOOD CONTACT SURFACES		3/3/2015	6	HL1B	
			Ice chest top needs to be cleaned. b)Splatter on bottom of shelf over cooktop. c)Sanitized items with non sanitized items in drawers. Store separately.					
	EHF20	COS	TOXIC ITEMS		3/3/2015			
			Chemical bottle not labeled.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**LA CAMPANA
2220 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF267	EHF13	COS	HACCP PLAN/TIME		3/3/2015	4	HL1B
			A)Potentially hazardous foods not being date marked correctly.				
	EHF03	IN	HOT HOLDING		3/3/2015		
			A)Beef holding at 150 degrees.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		3/3/2015		
			A)Back door must be self closing. B)Light sheilds needed in storage room.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**LA FIESTA GRANDE
2200 ROSS-OSAGE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF241	EHF28	IN	ALL OTHER VIOLATIONS		3/3/2015	3	HFOL
			a)Unnecessary equipment removed from kitchen. b)Obtained covered trash can for employee restroom. c)Replaced walk in cooler gaskets. d)Cleaned walk in freezer floor.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		3/3/2015		
			Prep cooler has condensate leak and needs to be repaired.				

**LA PASADITA BURRITOS
2730 NE 16TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1688	EHF25	COS	FOOD CONTACT SURFACES		2/26/2015	3	HL1B
			Microwaves needed to be cleaned out .b)Handles and gaskets on reach in coolers needed to be cleaned.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**LANDERGIN ELEMENTARY****3209 S TAYLOR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF679	EHF03	IN	HOT HOLDING		3/3/2015	0	HL1B	
			Green Beans holding at 153F. In compliance.					

LEGACY REHABILITATION & LIVING**4033 SW 51ST AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2368	EHF25	COS	FOOD CONTACT SURFACES		3/3/2015	3	HL1B	
			Coffee filters not covered. b)Utensil drawer not clean. c)Keys and phone on food prep table.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**LOVES TRAVEL STOP #200****6930 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF770	EHF25	IN	FOOD CONTACT SURFACES		2/26/2015	0	HFOL
			Corrected from previous inspection.				
	EHF28	IN	ALL OTHER VIOLATIONS		2/26/2015		
			Corrected from previous inspection.				

M & B LEATHERS
4518 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF190					3/4/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**MCDONALDS
2000 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2399	EHF17	COS	HAND WASH WITH SOAP/TOWELS		3/3/2015	6	HL1B
			No towels at hand washing sink.				
	EHF24	COS	THERMOMETERS		3/3/2015		
			Broken thermometer in reach in.				

4215 CANYON DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1239	EHF28	COS	ALL OTHER VIOLATIONS		3/2/2015	16	HL1B
			A)Several food items stored on the floor in the walk in. B)Cups stored on the floor in the kitchen.				
	EHF25	COS	FOOD CONTACT SURFACES		3/2/2015		
			A)Employee keys stored with clean single service cups. B)Employee phone stored on make table. C)Employee jacket stored with single service utensils.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

MCDONALDS

HF1239	EHF24	COS	THERMOMETERS	3/2/2015	16	HL1B
--------	-------	-----	--------------	----------	----	------

A)Cooler missing a thermometer.

	EHF13	COS	HACCP PLAN/TIME	3/2/2015		
--	-------	-----	-----------------	----------	--	--

A)Potentially hazardous foods held out of temp. control without being properly marked with the discard time.

	EHF17	COS	HAND WASH WITH SOAP/TOWELS	3/2/2015		
--	-------	-----	----------------------------	----------	--	--

A)Two hand sinks found without soap or paper towels.

	EHF21	COS	MANUAL WARE WASHING	3/2/2015		
--	-------	-----	---------------------	----------	--	--

A)Employee dropped dish on floor and did not properly wash, rinse, sanitize, air dry dish prior to using it again in food service.

Food Establishment Public Inspection Report**From 2/26/15 thru 3/4/15****ESTABLISHMENT****MERCADO LATINO
3500 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1180	EHF24	H10DAY	THERMOMETERS		3/2/2015	10	HFOL
			Thermometers still needed in some of the reach in coolers in kitchen.				
	EHF23	IN	SEWAGE/WASTEWATER		3/2/2015		
			One correction from last inspection.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		3/2/2015		
			a)Clean handles/gaskets on all reach in coolers. b)Ice maker needs to be emptied and cleaned out. c)Meat packager, slicer and scales need to be cleaned. d)1 correction from last inspection.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		3/2/2015		
			a)Chip ice away in walk in freezer. b)Broken gaskets on reach in cooler in kitchen need replaced. c)Blower covers in reach in coolers need to be cleaned. d)4 corrections from last inspection.				
	EHF15	IN	EQUIPMENT ADEQUATE		3/2/2015		
			Two corrections from last inspection.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

MERCADO LATINO

HF1180	EHF10	H10DAY	SOUND CONDITION	3/2/2015	10	HFOL
--------	-------	--------	-----------------	----------	----	------

a)Distressed vegetables found in walk in cooler. Correct by 3/12/15. b)1 Correction from last inspection.

MID AMERICA SERV/POTTER CO DET

13100 NE 29TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF470	EHF15	COS	EQUIPMENT ADEQUATE		3/2/2015	6	HL1B
			Hand sink broken and needs to be repaired. Use other hand sink until repairs are made.				
	EHF21	COS	MANUAL WARE WASHING		3/2/2015		
			Ware washing machine not sanitizing properly and needs to be repaired.				
	EHF28	COS	ALL OTHER VIOLATIONS		3/2/2015		
			All walkin cooler floors needed to be cleaned.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**MR GATTIS
4412 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF6	EHF28	IN	ALL OTHER VIOLATIONS Corrected.		3/4/2015	0	HFOL
	EHF25	IN	FOOD CONTACT SURFACES Corrected.		3/4/2015		

MRS BAIRDS BAKERIES 6460 FM 1541

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1383					3/2/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**OHMS CAFE
619 S TYLER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF969	EHF03	IN	HOT HOLDING Shepherd's pie 156F.		2/26/2015	0	HL1B

**PHO SOFIA
5625 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2516	EHF21	IN	MANUAL WARE WASHING Sanitizer now working in dishwasher.		2/26/2015	0	HFOL

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**PIZZA HUT
3404 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2330	EHF21	H24 HOUR	MANUAL WARE WASHING		3/2/2015	3	HFOL	
			Dishwasher is not releasing sanitizer. Must be repaired. Chlorine sanitizer should release 50ppm.					
HF2330	EHF21	IN	MANUAL WARE WASHING		3/4/2015	0	HFOL	
			Dishwasher is repaired. Sanitizing at 50ppm chlorine.					

5101 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF351					3/3/2015	0	HFOL

6019 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

Food Establishment Public Inspection Report**From 2/26/15 thru 3/4/15**

ESTABLISHMENT**PIZZA HUT**

HF1725	EHF17	COS	HAND WASH WITH SOAP/TOWELS	3/2/2015	3	HL1B
--------	-------	-----	----------------------------	----------	---	------

Hand sink needed paper towels.

	EHF28	H90 DAY	ALL OTHER VIOLATIONS	3/2/2015		
--	-------	---------	----------------------	----------	--	--

Walk in cooler needs door gasket replaced. Pans found stacked wet. Completely air dry all dishes prior to stacking. Walk in cooler ceiling needed to be dusted. Improperly thawing ham. Thaw either under cold, running water or in cooler.

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

PIZZA HUT/WING STREET 2509 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF32	EHF28	IN	ALL OTHER VIOLATIONS Corrected.		2/26/2015	0	HFOL
	EHF25	IN	FOOD CONTACT SURFACES Corrected.		2/26/2015		

PUCKETT ELEMENTARY 6700 OAKHURST DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF743					3/3/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**QUALITY INN
1515 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2577	EHF25	COS	FOOD CONTACT SURFACES	Inside of cooler needed to be cleaned out.	2/26/2015	3	HL1B

**RADICAL ICE
3301 OLSEN BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM684	EHF28	IN	ALL OTHER VIOLATIONS	Two corrections from last inspections.	2/26/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**RIDGECREST ELEMENTARY****5306 SW 37TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF769	EHF28	COS	ALL OTHER VIOLATIONS		3/3/2015	12	HL1B	
			a)Sanitizer stored on top of clean dishes, must be stored separately. b)Shelves have been painted (correction from last inspection).					
	EHF25	COS	FOOD CONTACT SURFACES		3/3/2015			
			a)Clean inside of ice machine. b.)Clean bottom gaskets to reach-in coolers. c)Clean utensil drawer and line so surface is smooth and easily cleanable.					
	EHF13	COS	HACCP PLAN/TIME		3/3/2015			
			Food items found in reach-in cooler past the seven day date mark. (Discarded).					
	EHF02	COS	COLD HOLDING		3/3/2015			
			Cut melon holding at 46F without any temperature control. Cut melons are considered potentially hazardous food and must be maintained at 41F or below at all times.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**RUBY TEQUILAS
2001 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2401	EHF13	COS	HACCP PLAN/TIME		3/3/2015	14	HL1B
			RTE food items held longer than 24 hours found in walk-in cooler without date mark.				
	EHF25	COS	FOOD CONTACT SURFACES		3/3/2015		
			a)Clean utensil tray b)Food debris found on clean dishes. c)Clean gaskets to reach in coolers. d)Clean walk in cooler shelves. e)Clean lids to chip containers where scoop is stored. f)Clean mold from soda nozzle in bar. g)Discard broken wire strainer.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		3/3/2015		
			Condensate leak in walk-in freezer (10-days to repair).				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		3/3/2015		
			Replace broken gaskets & lid to ice cream freezer. Clean blower covers to walkin cooler & vents to ice machine.. Food boxes on floor of walkin freezer. Shelves to glass cooler chipping & rusting. Clean floor to storage room & walkin freezer.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		3/3/2015		
			Cigarette butts found in back storage. Smoking is not prohibited in areas where food items are being stored and exposure is possible.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

SALTGRASS STEAKHOUSE**8300 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1910	EHF28	COS	ALL OTHER VIOLATIONS		3/4/2015	3	HFOL
			Ice buckets not inverted. Ceiling tiles over ice machine missing. Floor drains not clean. All repeat violations will be charged a reinspection fee for future violations. Foods may not be stored in mechanical room. Ice at bar must be protected. Obtain lid.				
	EHF25	COS	FOOD CONTACT SURFACES		3/4/2015		
			Slicers stored with food particles attached. Ensure no food is left on slicers after cleaning. b) Utensils stored in containers with water. Store utensils in clean dry containers. 25 a,b are repeat violations.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

SAN JACINTO CHRISTIAN ACADEMY**501 S MISSISSIPPI ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF858	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/26/2015	6	HL1B
			Sneeze shield needed for salad bar.				
	EHF21	COS	MANUAL WARE WASHING		2/26/2015		
			Sanitizer at three compartment sink was not at proper strength.				
	EHF20	COS	TOXIC ITEMS		2/26/2015		
			Spray bottles not labeled.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**SAYAKOMARNS
421 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC339					2/26/2015	0	H PREOPEN

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**SONIC DRIVE IN
1714 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF512	EHF25	COS	FOOD CONTACT SURFACES		3/2/2015	3	HL1B
			Splash guard in ice machine needed to be cleaned.				

2707 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF52	EHF23	IN	SEWAGE/WASTEWATER		3/3/2015	3	HFOL
			a)Corrected. b)Corrected.				
	EHF28	IN	ALL OTHER VIOLATIONS		3/3/2015		
			a)Corrected. d)Corrected. f)Corrected.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		3/3/2015		
			Fry/tator hot hold unit holding food at 128°F. Fries and tator tots must be held at 135°F or above at all times. (10 days to repair)				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**SONIC DRIVE IN****SOUTHERN TEA & BURGERS**

4206 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2628	EHF20	COS	TOXIC ITEMS		3/4/2015	12	HL1B
			Chemical stored over food prep area. Chemicals when not in use must be stored separate from all food prep areas.				
	EHF03	COS	HOT HOLDING		3/4/2015		
			a)Cooked ground beef holding at 65F. b.)Cooked tator tots holding at 110F. All PHF must be held either at 41F or below or 135F or above at all times.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		3/4/2015		
			Employee beverage in kitchen without a lid or straw.				
	EHF28	COS	ALL OTHER VIOLATIONS		3/4/2015		
			a)Back door needs to be self-closing by next inspection. b)Eggs over salsa container in reach in cooler. Eggs need to be stored below RTE items.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**SOUTHLAWN ELEMENTARY****4719 BOWIE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF664	EHF03	IN	HOT HOLDING Mashed potatoes 138°F.		3/4/2015	0	HL1B
	EHF02	IN	COLD HOLDING Prepped salad in cold holding at 41°F.		3/4/2015		

ST ANNS CATHOLIC CHURCH**605 38TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5238					3/1/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**ST MARYS CATHEDRAL SCHOOL
1200 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF646					2/26/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

STARBUCKS COFFEE CO #6757

3240 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1034	EHF20	H10DAY	TOXIC ITEMS		3/2/2015	3	HFOL
			Sanitizer dispenser still needs to be fixed.				
	EHF28	IN	ALL OTHER VIOLATIONS		3/2/2015		
			Corrected.				
	EHF27	IN	ESTABLISHMENT PERMIT		3/2/2015		
			Corrected.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**SUBWAY #14315
3325 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2170	EHF28	COS	ALL OTHER VIOLATIONS		2/26/2015	0	HL1B
			English and Spanish hand washing signs are needed for mens restroom.				
	EHF02	IN	COLD HOLDING		2/26/2015		
			a)Sliced tomatoes holding at 39F on cold hold. In compliance. b)Cooked chicken holding at 40F on cold hold. In compliance.				

**SUBWAY 25610
2001 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF496	EHF02	COS	COLD HOLDING		3/2/2015	5	HL1B
			Roast beef was at 45°. b)Tomatoes were at 44°, cold hold should be 41° or below.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**SUNRISE ELEMENTARY
5123 SE 14TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF666	EHF03	IN	HOT HOLDING		3/4/2015	0	HL1B
			Meat loaf holding at 190F. In compliance.				
	EHF28	H60 DAY	ALL OTHER VIOLATIONS		3/4/2015		
			a)Hand sink drain properly. Correction from previous inspection. b)All split cooler door gaskets need to be replaced. Replace by next inspection (5-4-15).				

**TACOS EL TULE #2
4400 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM279	EHF14	H10DAY	WATER SUPPLY		2/26/2015	4	HM3
			Hot water not available. Lines are frozen. May not operate until repaired and follow-up inspection completed.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**TACOS LA HACIENDA
1021 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2119					3/4/2015	0	HL1B

**TAQUERIA EL TAPATIO #3
2028 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2532	EHF21	IN	MANUAL WARE WASHING Corrected.		3/4/2015	0	HFOL

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**TEXAS FIREHOUSE SPORTS BAR&GR**

3333 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1687	EHF21	COS	MANUAL WARE WASHING		3/2/2015	14	HL1B
			Ware washing machine not sanitizing properly.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		3/2/2015		
			Cold hold prep table not functioning properly and needs to be repaired.				
	EHF25	COS	FOOD CONTACT SURFACES		3/2/2015		
			Knives found stored dirty on magnetic strip. Remove all date marking stickers completely from containers. Utensil containers needed to be cleaned. Inside of ice machine needed to be cleaned.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		3/2/2015		
			All split cooler gaskets need to be replaced.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

**THAI HOUSE RESTAURANT
5601 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF136	EHF28	H10DAY	ALL OTHER VIOLATIONS		2/26/2015	6	HL1B
			a)Ceiling, walls, and floor of walk in cooler need to be cleaned. b)Blower covers in walk in cooler need to be cleaned.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		2/26/2015		
			a)Door handles and gaskets on all reach in coolers and freezers need to be cleaned. b)Bottom shelves inside reach in freezers and coolers needed to be cleaned. c)Tea nozzles need to be cleaned. d)Shelves used for dish storage need to be cleaned.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		2/26/2015		
			Side door and back door sweeps need repaired or replaced.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**THAI MENU
6204 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2537					3/3/2015	0	HFOL

**THE POP STOP
4310 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2650	EHF24	COS	THERMOMETERS		2/26/2015	3	HL1B	
			Thermometers needed for reach in coolers.					

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**TOOT N TOTUM #54
3601 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF82	EHF25	COS	FOOD CONTACT SURFACES		3/4/2015	3	HL1B
			Soda machines needed to be cleaned around nozzles.				

**TYLERS BARBEQUE
2014 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1931	EHF28	COS	ALL OTHER VIOLATIONS		2/26/2015	0	HL1B
			A)Top shelves in walk-in cooler need to be cleaned. B)Two corrections from last inspection.				
	EHF03	IN	HOT HOLDING		2/26/2015		
			Brisket holding at 167F in hot hold. In compliance.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

UNITED MARKET STREET #526

2530 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1310	EHF23	IN	SEWAGE/WASTEWATER	a)Corrected. b)Corrected.	3/3/2015	0	HFOL

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

UNITED SUPERMARKET

201 N 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC138	EHF03	COS	HOT HOLDING		2/26/2015	9	HL1B
			Potatoes holding at 91 degrees. Cooked potatoes must be kept at 135 degrees and above at all times.				
	EHF02	IN	COLD HOLDING		2/26/2015		
			A)Hot dogs holding at 37 degrees. B)Sausage holding at 36 degrees.				
	EHF13	COS	HACCP PLAN/TIME		2/26/2015		
			A)Cut meats found held past the discard dates. B)Cut meat found with a hold time of 30 days. Cut meats have a maximum hold time of 7 days.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**WAFFLE HOUSE #1239****2108 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1297	EHF25	COS	FOOD CONTACT SURFACES		3/2/2015	3	HL1B
			Holder for ice scoop needed to be cleaned. COS				
	EHF28	COS	ALL OTHER VIOLATIONS		3/2/2015		
			a)Blower cover in walk-in cooler needed to be cleaned. b)Insect light needed to be cleaned. c)Blower on inside of reach-in cooler needed to be cleaned. d)Handles to reach-in cooler needed to be cleaned. e)Chip ice from walk in freezer.				

WALGREENS #05614**1600 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF329					3/3/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

WAL-MART SUPERCENTER #3383

4215 CANYON DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1232	EHF28	H10DAY	ALL OTHER VIOLATIONS		3/2/2015	15	HL1B
			A)Partition needed by hand sink in deli to prevent splash on product.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		3/2/2015		
			A)No paper towels found at two hand sinks.				
	EHF20	COS	TOXIC ITEMS		3/2/2015		
			A)Several chemical bottles found mislabeled or with no label at all.				
	EHF02	COS	COLD HOLDING		3/2/2015		
			A)Turkey sitting on the counter at 43 degrees. B)Ham sitting on the counter at 45 degrees. C)Cut pineapple found at 52 degrees. All must be kept below 41 degrees at all times.				
	EHF03	IN	HOT HOLDING		3/2/2015		
			A)Chicken wings holding at 135 degrees.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

WAL-MART SUPERCENTER #3383

HF1232	EHF08	COS	GOOD HYGIENIC PRACTICES	3/2/2015	15	HL1B
--------	-------	-----	-------------------------	----------	----	------

A)Hand sinks found being used for purposes other than hand washing.

**WHISKEY RIVER
4001 SW 51ST AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

HF1335	EHF21	COS	MANUAL WARE WASHING		3/2/2015	6	HL1B
--------	-------	-----	---------------------	--	----------	---	------

Clean mold from inside of soda nozzles. These must be cleaned daily by using proper procedure: wash, rinse, sanitize & air dry. Clean mold growth from soda nozzle holders. These must be cleaned daily using procedures: wash, rinse, sanitize & air dry.

	EHF28	H90 DAY	ALL OTHER VIOLATIONS		3/2/2015		
--	-------	---------	----------------------	--	----------	--	--

Clean blower covers inside of walkin cooler & floor under shelves-storage closet.Repair handsink leak in bar area. spout. Single service items store on ground in storage closet.Doorframe and door sweep needs sealed or painted. Drying racks are needed.

	EHF25	COS	FOOD CONTACT SURFACES		3/2/2015		
--	-------	-----	-----------------------	--	----------	--	--

Clean inside of ice machine. Clean top of microwave in storage closet. Clean inside of utensil drawer in storage closet. Clean inside of ice storage container on bar end. Clean mold growth from black drink holder.

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

WILL ROGERS LEARNING CENTER

702 N JOHNSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD29					3/2/2015	0	HL1B

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**YE OLDE PANCAKE STATION****2800 S VIRGINIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2651	EHF25	H30 DAY	FOOD CONTACT SURFACES		3/2/2015	19	HL1B
			a)Inside of ice machine needs to be cleaned. b)Wood shelving throughout kitchen needs to be resealed, repainted, or replaced. (30-days).				
	EHF28	COS	ALL OTHER VIOLATIONS		3/2/2015		
			a)Lids to bulk sugar and flour need to be cleaned. b)A drop ceiling is needed for kitchen area (90-days).				
	EHF15	H30 DAY	EQUIPMENT ADEQUATE		3/2/2015		
			Refrigerators need to be NSF certified or equivalent (30-days).				
	EHF13	COS	HACCP PLAN/TIME		3/2/2015		
			Items found in walk-in cooler pass seven day date mark. Make sure to dispose of food when dispose date is reached.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		3/2/2015		
			Employees seen not washing hands before putting on disposable gloves. Hands must be washed before gloves are put on.				

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT

YE OLDE PANCAKE STATION

HF2651	EHF03	COS	HOT HOLDING	3/2/2015	19	HL1B
--------	-------	-----	-------------	----------	----	------

Eggs under hot hold holding at 116F and 128F. Need to hold at 135F or above at all times.

YUMMY CAKES BY KAY

2300 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2642	EHF28	H10DAY	ALL OTHER VIOLATIONS		3/4/2015	0	H PREOPEN

Walls must be smooth, nonporous floor to ceiling. ceiling panels must be nonporous, smooth, cleanable.
Paint any bare wood(seal).

Food Establishment Public Inspection Report

From 2/26/15 thru 3/4/15

ESTABLISHMENT**ZEMERS DELI LLC
701 S TAYLOR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2627	EHF28	COS	ALL OTHER VIOLATIONS		3/4/2015	3	HL1B
			Wall in prep room needed to be dusted.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		3/4/2015		
			No paper towels at hand sink in prep room.				