

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**A TO Z TIRE
813 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF809					1/30/2015	0	HL1B

**ACADEMY SPORTS AND OUTDOORS
4400 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1065					2/3/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**ALCOHOLIC RECOVERY CENTER**

412 SE 16TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF105	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/4/2015	0	HL1B	
			Gaskets on reach in cooler need to be replaced by next inspection.					

AMARILLO COLLEGE CHILD DEV LAB

6222 SW 9TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD48					1/29/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

BELMAR BAKERY & CAFE WOLFLIN V

2606 SW 22ND AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2475	EHF28	COS	ALL OTHER VIOLATIONS		2/3/2015	13	HL1B
			a)Eggs stored over RTE items in reach-in refrigerator--always store eggs below RTE items b)Clean air vent by service window c)Insect swatter stored near single service items--store seperately from single service items & food. d)Can opener needs new blade.				
	EHF13	COS	HACCP PLAN/TIME		2/3/2015		
			Items found in reach-in refrigerator pass seven days from date mark.(Discarded)				
	EHF21	H10DAY	MANUAL WARE WASHING		2/3/2015		
			Dish machine sanitizing below 50PPM--10 days to repair.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		2/3/2015		
			Condensation leak in walk-in freezer---10 days to repair.				
	EHF25	COS	FOOD CONTACT SURFACES		2/3/2015		
			a)Clean inside of ice machine. b)Clean oven shelves used for storing dishes.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**BENJAMIN DONUTS & BAKERY****7003 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1869	EHF25	COS	FOOD CONTACT SURFACES		2/3/2015	3	HL1B
			A)Baking equipment must be cleaned at least every 4 hours when being used.				
	EHF28	COS	ALL OTHER VIOLATIONS		2/3/2015		
			A)Large amounts of flour built up behind counters. Excess food baking ingredients must be cleaned up regularly. B)Light shield needed over food prep area.				

BIG LOTS #1436**3510 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF366					2/2/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**BLUE SKY
4201 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF976	EHF28	H90 DAY	ALL OTHER VIOLATIONS Ceiling panels over grill area not clean.		1/29/2015	3	HL1B
	EHF25	H10DAY	FOOD CONTACT SURFACES Slicers stored not clean.		1/29/2015		

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

BRACEROS BAR AND GRILL**2822 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2152	EHF25	COS	FOOD CONTACT SURFACES		2/3/2015	7	HL1B
			Freezer in kitchen needed to be cleaned.				
	EHF12	COS	CROSS CONTAMINATION		2/3/2015		
			a)Produce in wet cardboard boxes on floor of walk in. b)Ice scoop handle touching ice in bar.				
	EHF28	COS	ALL OTHER VIOLATIONS		2/3/2015		
			Container of salt without lid in pantry.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**BUFFALO WILD WINGS
9511 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2019					1/29/2015	0	HL1B

**BURGER BAR THE
614 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2378	EHF28	COS	ALL OTHER VIOLATIONS		2/3/2015	0	HL1B
			Light cover needed in kitchen. b)Back door seal needed.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

BURGER KING #4796
4210 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF493	EHF28	H10DAY	ALL OTHER VIOLATIONS		2/3/2015	16	HL1B
			Ice bucket not inverted when stored. Slicer stored on floor. Do not store food items on floor. Phone setting on food prep table.				
	EHF12	H24 HOUR	CROSS CONTAMINATION		2/3/2015		
			Plastic wrap container has grease and food spills contacting wrap. Plastic wrap and container must be kept clean. Plastic wrap must be protected from contamination. Second notice this violation. Future violations will result in \$50 reinspection fee.				
	EHF02	COS	COLD HOLDING		2/3/2015		
			Egg product marked keep refrigerated found at 60°F.				
	EHF07	COS	ADEQUATE HAND WASHING		2/3/2015		
			Employee did not wash hands prior to putting on gloves.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		2/3/2015		
			Splatter-bottom of shelf over food prep.Hothold units not being cleaned properly.Must be cleaned/sanitized daily.Inside oven & racks- buildup - foods & grease. Clean daily.Vegetable slicer stored not cleaned. Top of coffee machine has dust/food buildup.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

BUTTONS & BOWS PRESCHOOL**3815 S LIPSCOMB ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD21	EHF25	COS	FOOD CONTACT SURFACES		1/29/2015	3	HL1B
			Dirt and debris found in cabinet over stove needed to be cleaned out.				
	EHF28	H 3 DAYS	ALL OTHER VIOLATIONS		1/29/2015		
			Dust/fuzz accumulations throughout ceiling in kitchen and where children sit to eat needs to be cleaned.				
HFD21	EHF28	IN	ALL OTHER VIOLATIONS		2/2/2015	0	HFOL
			Corrected from previous inspection.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**BYOB BURGER
2207 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2205	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/30/2015	3	HL1B
			a)Gasket to reach in cooler needs to be replaced. b)Drain cover needed to be put back on drain. c)Boxes stored on onions - removed.				
	EHF25	COS	FOOD CONTACT SURFACES		1/30/2015		
			a)Service counter needed to be cleaned. b)Knives in container needed to be cleaned.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**CARNICERIA LA POPULAR
1505 SE 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF87	EHF25	COS	FOOD CONTACT SURFACES		2/2/2015	19	HL1B
			a)Walk in cooler shelves need to be cleaned. b)Pork skins being stored in cardboard. Cardboard is not smooth & easily cleanable.c)Can opener needed to be cleaned. d)Inside of meat cooler needed to be cleaned. e)Knife found stored dirty on magnetic strip.				
	EHF23	COS	SEWAGE/WASTEWATER		2/2/2015		
			Condensate leak in reach in freezer in meat room. Will not keep any food in freezer until repairs are made.				
	EHF24	COS	THERMOMETERS		2/2/2015		
			Thermometer needed in meat cooler.				
	EHF21	COS	MANUAL WARE WASHING		2/2/2015		
			Wipe down rags must be stored in sanitizer bucket when not in use.				
	EHF20	COS	TOXIC ITEMS		2/2/2015		
			Bleach bottle mix above 200 ppm. Must be mixed at100ppm.				

Food Establishment Public Inspection Report**From 1/29/15 thru 2/4/15**

ESTABLISHMENT

CARNICERIA LA POPULAR

HF87

EHF13

COS

HACCP PLAN/TIME

2/2/2015

19

HL1B

Date marks needed on ready to eat foods in walk in cooler.

EHF28

COS

ALL OTHER VIOLATIONS

2/2/2015

a)Deli hand sink blocked at time of inspection. b)Bleach found stored over food in store area. c)Inside of soda cooler needed to be cleaned.

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

CEFCO #2042

4430 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2194	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/2/2015	10	HL1B
			a)Defrost or chip ice from ice cream freezer. Ice is touching food items. b)Clean all blower covers in walk-in cooler. c)Clean floor under shelves in walkin cooler. d)Tiles in ware washing area need to be replaced or sealed--90 days.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		2/2/2015		
			Hand sink in front used for other purposes besides hand washing. Hand sinks must only be used for hand washing.				
	EHF21	COS	MANUAL WARE WASHING		2/2/2015		
			Soda nozzles found soaking in sanitizer. Soda nozzles need to be washed, rinsed, sanitized and air dried.				
	EHF16	COS	HAND WASH FACILITIES ADEQUATE		2/2/2015		
			Hand sink in ware washing area blocked. Hand sink must be readily accessible at all times.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**CHICKEN EXPRESS
3514 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2182	EHF25	COS	FOOD CONTACT SURFACES		2/4/2015	3	HL1B
			Area of soda machine where soda nozzles fit into needed to be cleaned.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		2/4/2015		
			Mold on ceilings and walls of both walk in coolers needs to be cleaned.				

7301 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1062	EHF20	COS	TOXIC ITEMS		1/29/2015	3	HL1B
			Sanitizer bottle hanging over chicken in prep sink.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

CHOP CHOP JAPANESE STEAKHOUSE

3300 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1476	EHF20	COS	TOXIC ITEMS		2/3/2015	3	HL1B	
			a)All working containers of chemical must be labeled with the common name.					

CITY CAFE

200 SE 3RD AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2618	EHF25	COS	FOOD CONTACT SURFACES		2/4/2015	3	HL1B	
			Utensil tub not clean. b)Duct tape covering hole to ice machine.					
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/4/2015			
			Freezer needs to be defrosted. b)Hair restraint needed.					

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**CLAIRMONT THE
4707 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF832	EHF28	COS	ALL OTHER VIOLATIONS		1/29/2015	0	HL1B	
			Air vents have dust buildup. Remove vent covers, clean inside intake and exhaust vents. Dust and bacteria are on the ceiling around vents. This indicates dirty ducts. Check ducts to verify if duct work cleaning is needed.					

COMPLETE BODY NUTRITION 5901 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2453	EHF02	IN	COLD HOLDING		2/2/2015	0	HL1B	
			Cooler holding at 40°.					

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**CRUSH WINE BAR & DELI****701 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1670	EHF25	COS	FOOD CONTACT SURFACES Utensil tub dirty.		2/4/2015	3	HL1B

DOLLAR TREE STORE #2920**2704 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1102					2/4/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**DOMINOS PIZZA
2609 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2200	EHF28	COS	ALL OTHER VIOLATIONS		2/2/2015	3	HL1B
			Boxes found on ground. Make sure all boxes containing single service items and food are stored at least 6 inches off the ground. COS.				
	EHF25	COS	FOOD CONTACT SURFACES		2/2/2015		
			a)Clean the bottom of reach-in cooler. b)Clean drying rack above 3-compartment sink. c)Clean shelves where clean dishes are stored.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**DONUT STOP
1905 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2615	EHF08	COS	GOOD HYGIENIC PRACTICES		2/4/2015	14	HL1B
			Rag found in hand sink in ware washing area. Hand sinks are only used for hand washing.				
	EHF20	COS	TOXIC ITEMS		2/4/2015		
			a)Chemical stored with paper towels and single service items. Chemicals must be stored separately from food items and single service items.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		2/4/2015		
			Disposable towels needed at hand washing sink in ware washing areas. Disposable towels should be available at hand washing sinks at all times.				
	EHF13	COS	HACCP PLAN/TIME		2/4/2015		
			Milk found past manufacturer date in reach in refrigerator needs to be discarded. (COS)				
	EHF28	COS	ALL OTHER VIOLATIONS		2/4/2015		
			Storage shelves in ware washing area need to be cleaned. b)Label needed on bulk flour container.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

EASTRIDGE ELEMENTARY**1314 EVERGREEN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF673	EHF28	H60 DAY	ALL OTHER VIOLATIONS		2/4/2015	0	HL1B	
			a)Vent hoods need to be cleaned. b)Clean behind hot hold cabinets and ovens. c) Utensils found stored with non food items.					

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**EASTRIDGE LANES INC
5405 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF186	EHF28	H10DAY	ALL OTHER VIOLATIONS		1/30/2015	9	HL1B
			Filter on ice maker needs cleaned.Drain caps needed over drains in kitchen floor. Ceiling tiles need repaired-storage room.Ceiling in stairwell over food storage needs repaired. Soda spill in drug storage needs cleaned. Label needed on flour container.				
	EHF20	COS	TOXIC ITEMS		1/30/2015		
			Unapproved pest control agent found in kitchen.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		1/30/2015		
			Bottom shelf of reach in cooler needs repaired. Top of pizza oven needs to be cleaned. Storage shelves need to be cleaned.				
	EHF24	H10DAY	THERMOMETERS		1/30/2015		
			Thermometer needed in reach in cooler.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**EBBYS GIFTS INC
500 S TAYLOR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1671					2/4/2015	0	HL1B

**EL GIRO
1800 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM681	EHF28	H10DAY	ALL OTHER VIOLATIONS		2/2/2015	0	H PREOPEN

Must have permit numbers on both sides of truck (M681) in 3 inch letters.

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**ELMOS DRIVE INN
2618 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF11	EHF08	COS	GOOD HYGIENIC PRACTICES Employee washing hands in three compartment sink.		1/29/2015	4	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**ELOTES CON RITMO
1210 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2025					1/30/2015	0	HL1B
HF359					1/30/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

FAMILY DOLLAR STORE #2387**831 MARTIN RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF765	EHF10	COS	SOUND CONDITION		1/30/2015	10	HL1B
			Dented cans found stored on shelves.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		1/30/2015		
			Soap and paper towels needed in restroom.				
	EHF24	H10DAY	THERMOMETERS		1/30/2015		
			Thermometers needed in all reach in coolers.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**FAST EDDIES BILLIARDS**

1619 S KENTUCKY ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1364	EHF25	COS	FOOD CONTACT SURFACES Ice machine needed to be cleaned.		1/30/2015	3	HL1B
	EHF28	COS	ALL OTHER VIOLATIONS a)Food container placed on floor must be at least 6 inches off floor.b)Freezer needs to be defrosted.		1/30/2015		

**FAST STOP #19
2305 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1685	EHF28	COS	ALL OTHER VIOLATIONS Box of cups stored on floor.		2/3/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**FOREST HILL ELEMENTARY
3515 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF668	EHF28	IN	ALL OTHER VIOLATIONS Lighting in walk in has been repaired.		1/30/2015	0	HFOL

**FRITO LAY
1051 N FOREST ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF316					2/4/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**GERBS WURST BAR
7145 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2565	EHF02	IN	COLD HOLDING Cooler holding at 40°.		2/2/2015	0	HL1B

**GLENWOOD ELEMENTARY
2409 S HOUSTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF655	EHF02	IN	COLD HOLDING All cold hold units holding at 41F or below. In compliance.		2/4/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

GOONEYS BAR & GRILL

705 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2334	EHF28	H10DAY	ALL OTHER VIOLATIONS		2/4/2015	0	HL1B
			Cook top has buildup - clean daily. Follow up - 10 days.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**GRANDMAS BURRITOS
7012 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1361	EHF28	COS	ALL OTHER VIOLATIONS		2/4/2015	14	HL1B
			A)All thawing must be done under cold running water, or part of the cooking process. B)All raw food must be stored below ready to eat food.				
	EHF02	COS	COLD HOLDING		2/4/2015		
			A)Shredded cheese sitting on the counter at room temp. Cheese is potentially hazardous and must be kept refrigerated.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		2/4/2015		
			A)Hand sink found without paper towels.				
	EHF25	COS	FOOD CONTACT SURFACES		2/4/2015		
			A)Clean out make table cooler.				
	EHF24	COS	THERMOMETERS		2/4/2015		
			A)Probe thermometer reading below 0 in ice water. Thermometer must read 32 degrees in ice water.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

GREYHOUND LINES-FOOD SERVICE**702 S TYLER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF926	EHF24	H 3 DAYS	THERMOMETERS		1/29/2015	10	HL1B
			Thermometer needed in sandwich/salad display cooler.				
	EHF15	H 3 DAYS	EQUIPMENT ADEQUATE		1/29/2015		
			A)Sandwich/salad display cooler not holding temperature properly. B)Standing cooler in prep area not holding temperature properly.				
	EHF10	COS	SOUND CONDITION		1/29/2015		
			Pancake batter had spoiled in standing cooler in prep area.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**GUTIERREZ ARTURO**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5237	EHF19	H 2 HOUR	RODENTS/ANIMALS/OPENINGS		1/31/2015	6	HL1B FOOD
			Outer windows screen required. Door must be self-closing.				
	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS		1/31/2015		
			Lid required for water tank. Light bulb protection required.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**HAPPY BURRITO
908 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM680	EHF28	IN	ALL OTHER VIOLATIONS		1/29/2015	0	HL1B
			a)Corrected.				
	EHF24	IN	THERMOMETERS		1/29/2015		
			a)Corrected.				

**HARRINGTON ASSISTED LIVING
401 SW 12TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1266					2/3/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**HICKORY PIT
501 S MCMASTERS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1744	EHF20	COS	TOXIC ITEMS		1/29/2015	3	HL1B	
			Sanitizer in three compartment sink was over 200 PPM Cl, should be 50 PPM.					

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**HOLIDAY INN WEST MEDICAL CTR****8231 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2599	EHF13	COS	HACCP PLAN/TIME		2/4/2015	11	HL1B
			Food date marked for 7 days was not removed from walkin after expiration date.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		2/4/2015		
			Personal drink in reach in refrigerator.				
	EHF16	COS	HAND WASH FACILITIES ADEQUATE		2/4/2015		
			Hand washing sink in kitchen needs to be repaired.				
	EHF28	COS	ALL OTHER VIOLATIONS		2/4/2015		
			Need to take Serve Safe to our office and register as Food Manager.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

HOPE SPRINGS ENTERPRISES LLC**2300 N WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2499					2/4/2015	0	HL1B

IMAGINATION STATION**7910 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD34	EHF02	IN	COLD HOLDING Cooler holding at 40°.		2/3/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**INDIAN OVEN LLC
5713 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2589	EHF08	COS	GOOD HYGIENIC PRACTICES		2/2/2015	10	HL1B
			a)Employee clothes stored on clean dish rack and touching clean dishes---personal items need to be stored away from clean dishes.				
	EHF25	COS	FOOD CONTACT SURFACES		2/2/2015		
			a)Clean gaskets to reach in cooler. b)Clean inside of all utensil containers. c)Store handles to scoops in bulk food supply vertically, so it is out of food.				
	EHF21	COS	MANUAL WARE WASHING		2/2/2015		
			Serving spoons in back area stored in a container of sanitizer. All dishes must be washed, rinsed, sanitized, and air dried. Do not store utensils in sanitizer.				
	EHF28	COS	ALL OTHER VIOLATIONS		2/2/2015		
			a)Clean blower covers to walk in cooler. b)Clean wall where exhaust is located. c)Meat thawing in bowl of water. Make sure when thawing meat it is under cool, running water.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**JAN WERNER ADULT DAY CARE**

3108 S FILLMORE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1822	EHF28	H60 DAY	ALL OTHER VIOLATIONS		1/29/2015	0	HL1B
			Walk in freezer needs gasket repaired or replaced.				

JORGES MEXICAN BAR & GRILL

6051 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1785	EHF02	IN	COLD HOLDING		2/2/2015	5	HL1B
			A)Beef holding at 40 degrees.				
	EHF03	COS	HOT HOLDING		2/2/2015		
			A)Enchiladas holding in warming cabinet at 90 degrees. They must be kept below 41 degrees or above 135 degrees at all times. B)Tamales holding at 89 degrees on steam table, must be 135 degrees or above at all times.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**LA SUPER ECONOMICA
1011 N BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2255	EHF10	IN	SOUND CONDITION		2/2/2015	0	HINVEST	
			Hamburger meat was fresh. No smell detected.					

LEMONGRASS 2222 SE 27TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2132	EHF25	COS	FOOD CONTACT SURFACES		2/4/2015	3	HL1B	
			Tea nozzle needed to be cleaned.					
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/4/2015			
			a)Covered trash can needed in restroom. b)Food found on floor in storage room. Must be at least 6" off the ground. c)Store all employee items in seperate area away from kitchen items.					

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**LOS BRACEROS
3303 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1921	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/4/2015	14	HL1B
			Eggs stored above cut onions. Raw bacon stored above cut jalapeno & touching bag of spinach. English handwash sign needed in mens restroom. Boxes of produce on floor of walkin freezer & cooler. Clean blower covers in walkin cooler, vents & replace filte				
	EHF25	COS	FOOD CONTACT SURFACES		2/4/2015		
			a)Clean bottom of glass cooler. b)Chip scoop store on cardboard, needs to be stored on a smooth and easily cleanable surface. COS. c)Clean dish rack needs to be cleaned.				
	EHF20	COS	TOXIC ITEMS		2/4/2015		
			Disposable towels store with chemicals, need to store chemicals separately.				
	EHF02	COS	COLD HOLDING		2/4/2015		
			Raw beef in prep cooler reading at 45F, needs to be 41F. (COS)				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		2/4/2015		
			Disposable towels needed at hand sink in back area. COS.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**LUPITAS GRILL
3221 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2218	EHF23	IN	SEWAGE/WASTEWATER		2/3/2015	0	HFOL	
			a)Plumbing under hand sink is fixed and not leaking. b)Vent above ice machine is fixed. Not leaking and covered.					

**MARIAS COCINA MEXICANA
1316 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2202	EHF13	COS	HACCP PLAN/TIME		1/30/2015	4	HL1B	
			Date marks needed on ready to eat foods.					

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**MCDONALDS
6312 HOLLYWOOD RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF482	EHF13	COS	HACCP PLAN/TIME		2/4/2015	10	HL1B
			Discard times for potentially hazardous foods are not being followed/changed.				
	EHF02	IN	COLD HOLDING		2/4/2015		
			Tomatoes holding at 40°.				
	EHF03	IN	HOT HOLDING		2/4/2015		
			Hamburger patties holding at 151°.				
	EHF20	COS	TOXIC ITEMS		2/4/2015		
			Chemical cleaner stored next to food.				
	EHF21	COS	MANUAL WARE WASHING		2/4/2015		
			Clean soda nozzles daily bt wash, rinse, sanitize, air dry.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

MCDONALDS

HF482	EHF28	H90 DAY	ALL OTHER VIOLATIONS	2/4/2015	10	HL1B
-------	-------	---------	----------------------	----------	----	------

Clean fan in kitchen. b)Cover coffee filters.

NORTHWEST TEXAS HEALTHCARE SYS

1501 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF310	EHF15	COS	EQUIPMENT ADEQUATE		2/4/2015	3	HL1B

Walkin in prep room was at 60 degrees, product was removed.

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**OAKDALE ELEMENTARY****2711 S HILL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF757	EHF28	COS	ALL OTHER VIOLATIONS		2/2/2015	0	HL1B	
			Raw meat found stored above ready to eat foods. Meat was relocated.					

PACIFIC CHEESE CO, INC**8850 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1651					1/29/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**PACIFIC RIM
2061 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF9	EHF28	COS	ALL OTHER VIOLATIONS		1/29/2015	18	HL1B
			a)Clean walk in blowers. b)Eggs stored above produce. Eggs needs to be stored below. c)Single service item stored on floor. Needs to be 6 inches off floor. d)Clean vent hood above grill and wok. e)Clean floor throughout kitchen.				
	EHF03	COS	HOT HOLDING		1/29/2015		
			Rice scoop stored in room temperature water. Needs to be stored in 135F or above water.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		1/29/2015		
			Apron stored on single service items.				
	EHF21	COS	MANUAL WARE WASHING		1/29/2015		
			Wipe down rags need to be stored in sanitizer when not in use.				
	EHF20	COS	TOXIC ITEMS		1/29/2015		
			Chemical bottles found without label. All chemicals need a label with commom name.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

PACIFIC RIM

HF9	EHF25	COS	FOOD CONTACT SURFACES	1/29/2015	18	HL1B
-----	-------	-----	-----------------------	-----------	----	------

Clean: a)All reachin coolers b)All walkin coolers c)Spoon and knife holder by prep d)Container for rice noodles e)Tea nozzles f)Inisde of ice machine g)All shelves in kitchen h)Prep table by grill.

PALO DURO HIGH SCHOOL

1400 N GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF682	EHF23	H 3 DAYS	SEWAGE/WASTEWATER		2/2/2015	3	HFOL

Condensate leak in the walkin freezer. This is a repeat violation. If not repaired by 2/5/15, a \$50 reinspection fee will be charged.

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**PANHANDLE SALVAGE
5811 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF780	EHF10	COS	SOUND CONDITION		2/4/2015	7	HL1B
			A)Dented cans found on shelf for consumer.				
	EHF02	IN	COLD HOLDING		2/4/2015		
			A)All other coolers holding below 40 degrees.				
	EHF15	COS	EQUIPMENT ADEQUATE		2/4/2015		
			A)Two cold hold units were in defrost and holding product at 45-49 degrees. Defrost cycle was turned down and units quickly recovered to 39 degrees.				
	EHF28	COS	ALL OTHER VIOLATIONS		2/4/2015		
			A)Remove bowl of growing corn from make table. B)Remove all personal items from prep table by hand sink.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**PARK PLACE TOWERS
1300 S HARRISON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF387	EHF17	COS	HAND WASH WITH SOAP/TOWELS		2/3/2015	16	HL1B
			No paper towels at hand washing sink in pot washing area.				
	EHF10	COS	SOUND CONDITION		2/3/2015		
			Molded strawberries in produce walk in.				
	EHF24	COS	THERMOMETERS		2/3/2015		
			No thermometer found in new refrigerator (Ware II).				
	EHF21	COS	MANUAL WARE WASHING		2/3/2015		
			Ware washing machine was not sanitizing at time of inspection.				
	EHF25	COS	FOOD CONTACT SURFACES		2/3/2015		
			Ice machine needed to be cleaned (Ware II).				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

PETRO STOPPING CENTERS C S

8500 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1561					2/3/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

PETRO STOPPING CENTERS I S R**8500 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1559	EHF28	H10DAY	ALL OTHER VIOLATIONS		2/3/2015	7	HL1B
			Seals on standing cooler and make table on cook's line need to be replaced.				
	EHF25	COS	FOOD CONTACT SURFACES		2/3/2015		
			Price stickers found on bulk food containers in walk in cooler.				
	EHF09	COS	APPROVED SOURCE/LABELING		2/3/2015		
			Items found in walk in cooler that needed to be dated.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**PETRO STOPPING CENTERS T S****8500 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1560	EHF25	COS	FOOD CONTACT SURFACES		2/3/2015	3	HL1B	
			Seal around inside of coffee cream dispenser needs to be cleaned.					

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

PIZZA HUT

800 N BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF799	EHF25	COS	FOOD CONTACT SURFACES		2/3/2015	6	HL1B
			a)Containers used for utensil storage needed to be cleaned out. b)Containers used for lid storage needed to be cleaned out.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		2/3/2015		
			Side door sweep in kitchen needs to be replaced or repaired by 2/13/15.				
	EHF28	COS	ALL OTHER VIOLATIONS		2/3/2015		
			a)Area around blower covers in walkin coolers and freezer needed to be cleaned. b)Shelves in walkin coolers and freezer needed to be cleaned.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**PIZZA PLANET
335 E HASTINGS AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF962	EHF28	COS	ALL OTHER VIOLATIONS		1/29/2015	0	HL1B	
			a)Chlorine sanitizing agent too weak. Must be 100ppm for sanitizing dishes. b)Storage shelves needed to be cleaned.					

**PLAINS PRODUCE LTD
1813 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF713					1/29/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

PLEASANT VALLEY BAPTIST CHURCH

555 E HASTINGS AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD41					2/2/2015	0	HL1B

PLEASANT VALLEY ELEMENTARY

4413 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF654	EHF25	COS	FOOD CONTACT SURFACES		2/2/2015	3	HL1B

a)Ice maker needed to be cleaned out. b)Shelves in kitchen used for storage needed to be cleaned. c)Vent hood in kitchen needed to be cleaned.

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**POPEYES
7200 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF943	EHF15	COS	EQUIPMENT ADEQUATE		2/3/2015	7	HL1B
			A)Make table holding potentially hazardous foods was unplugged and holding at 70 degrees. Once plugged in cooler recovered. All hazardous foods were discarded.				
	EHF03	IN	HOT HOLDING		2/3/2015		
			A)Fried chicken holding at 155 degrees.				
	EHF14	COS	WATER SUPPLY		2/3/2015		
			A)Hot water wasn't working upon arrival. Hot water was reset and recovered by end of inspection.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/3/2015		
			A)Replace rusty clean dish shelf by next inspection.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**POTATO FACTORY
114 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2217	EHF29	IN	RECOGNITION		1/29/2015	0	HL1B
			Continuously good inspections!!!				

2808 SW 34TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2026	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/29/2015	6	HL1B
			Reach in freezer needs to be defrosted. Defrost by next inspection.				
	EHF03	IN	HOT HOLDING		1/29/2015		
			Chili holding at 156F.				
	EHF25	COS	FOOD CONTACT SURFACES		1/29/2015		
			a)Inside of ice machine needs to be cleaned. b)Used towel stored touching clean dishes, needs to be stored away from clean dishes.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

POTATO FACTORY

HF2026

EHF23

H10DAY

SEWAGE/WASTEWATER

1/29/2015

6

HL1B

Condensation leak in reach in prep cooler---10 days to repair.

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

RAIN PREMIER SUSHI BAR

817 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2096	EHF23	COS	SEWAGE/WASTEWATER		2/3/2015	17	HL1B
			Mop sink is not draining. Repair as needed.				
	EHF25	COS	FOOD CONTACT SURFACES		2/3/2015		
			Utensil tubs not clean. Repeat violation. b)Microwave not cleaned prev day. c)Soda gun at bar not cleaned prev. day.				
	EHF07	COS	ADEQUATE HAND WASHING		2/3/2015		
			Employees put on gloves without hand wash.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		2/3/2015		
			Small gap at bottom of back door. Seal to prevent insects.				
	EHF09	COS	APPROVED SOURCE/LABELING		2/3/2015		
			Bulk batter not labeled.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

RAIN PREMIER SUSHI BAR

HF2096	EHF28	H90 DAY	ALL OTHER VIOLATIONS	2/3/2015	17	HL1B
--------	-------	---------	----------------------	----------	----	------

Personal clothing hanging on food rack. Store clothing away from foods and food equipment. b)To go containers not inverted. c)Fan in kitchen not clean. d)Two ceiling panels missing in kitchen. Replace. e)Raw eggs stored over RTE foods.

**RANDALL HIGH SCHOOL
5800 ATTEBURY DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

HF568	EHF28	IN	ALL OTHER VIOLATIONS		2/2/2015	0	HL1B
-------	-------	----	----------------------	--	----------	---	------

a)New shelving installed in walk in. b)Screen inserts for pans are rusty and must be replaced. Do not use until replaced.

	EHF02	IN	COLD HOLDING		2/2/2015		
--	-------	----	--------------	--	----------	--	--

A)Cooler holding at 40 degrees.

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**RED LIGHT COFFEE & VAPES**

3700 SW 6TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2540					2/2/2015	0	HL1B

RED LOBSTER #0168

3311 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2561	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/29/2015	0	HL1B

Hood to salad bar needed. b)Trays are encrusted. Do not use trays that are not clean to sight and touch.

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

RESTAURANT EL SOL DE MEXICO**3501 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2639	EHF20	COS	TOXIC ITEMS		1/30/2015	3	HL1B
			Unapproved pest control agent found in kitchen.				

ROSAS CAFE #22**3820 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK143	EHF03	IN	HOT HOLDING		2/4/2015	0	HL1B
			Beef at 148°F.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**RUDYS COUNTRY STORE & BAR B Q**

3751 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1658	EHF17	COS	HAND WASH WITH SOAP/TOWELS		1/29/2015	9	HL1B
			No soap at hand sink.				
	EHF24	COS	THERMOMETERS		1/29/2015		
			No thermometer in cold hold unit at front counter. Repeat.				
	EHF25	COS	FOOD CONTACT SURFACES		1/29/2015		
			Bottom of shelf above cooktop has splatter. Clean daily.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/29/2015		
			Ice bin open when not in use. Keep closed when not being used.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**RUFFLED CUP THE
3440 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2438	EHF24	COS	THERMOMETERS		2/3/2015	6	HL1B	
			a)Thermometer must be in small cooler holding milk and whipped cream.					
	EHF15	H10DAY	EQUIPMENT ADEQUATE		2/3/2015			
			a)Refrigerator is at 55F. Must be 41F or below.					

**SAIGON RESTAURANT
2909 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2381					1/29/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

SAN JACINTO ELEMENTARY**3400 SW 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF689	EHF23	IN	SEWAGE/WASTEWATER		1/29/2015	0	HFOL	
			Condensate leak fixed in walk in freezer.					

SKYY CAFE**1006 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2486	EHF24	H10DAY	THERMOMETERS		2/4/2015	6	HL1B	
			Thermometer needed in reachin cooler.					
	EHF25	COS	FOOD CONTACT SURFACES		2/4/2015			
			a)Microwave needed to be cleaned out. b)Pans stored on the floor. Must be at least 6" off of the floor.					

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

SPICY MIKES BAR-B-Q HAVEN**7028 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK134	EHF03	IN	HOT HOLDING		2/4/2015	0	HL1B
			A)Sausage holding at 145 degrees.				
	EHF02	IN	COLD HOLDING		2/4/2015		
			A)Potato salad holding at 40 degrees.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**STOCKYARDS CAFE
100 N MANHATTAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2450	EHF13	COS	HACCP PLAN/TIME		1/30/2015	10	HL1B
			Ready to Eat Food being held in walk in cooler past the 7 day limit. Food was discarded.				
	EHF25	COS	FOOD CONTACT SURFACES		1/30/2015		
			a)Utensil containers needed to be cleaned. b)Tea nozzles needed to be cleaned.				
	EHF24	COS	THERMOMETERS		1/30/2015		
			a)Thermometer in reach in cooler not reading accurately and needs to be replaced.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/30/2015		
			a)All vent and ceiling around vents need to be dusted. b)Wire shelves needed to be wiped down. COS				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**STORYLAND PRESCHOOL
5001 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD28	EHF28	IN	ALL OTHER VIOLATIONS		2/3/2015	0	HL1B
			A) Corrected from last inspection.				
	EHF02	IN	COLD HOLDING		2/3/2015		
			A) Cooler holding at 40 degrees.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**SUBWAY #
2004 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1198	EHF21	H24 HOUR	MANUAL WARE WASHING		2/2/2015	3	HFOL
				a)Quat sanitizer dispenser is below 200ppm. Must be at least 200 ppm, not exceeding 400 ppm. A \$50 reinspection fee may be charged if not corrected.			
HF1198	EHF21	IN	MANUAL WARE WASHING		2/3/2015	0	HFOL
				a)Corrected.			

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**SUBWAY #57312
1900 SE 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2369	EHF20	IN	TOXIC ITEMS		1/30/2015	0	HFOL	
			Sanitizer dispensing at proper ppm. Correction from previous inspection.					

**SUBWAY #7429-212
3300 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1200	EHF25	COS	FOOD CONTACT SURFACES		2/2/2015	3	HL1B	
			Soda nozzles needed to be cleaned.					

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**SYBIL B HARRINGTON LEARNING CT
2500 DALE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFD23	EHF28	COS	ALL OTHER VIOLATIONS		2/3/2015	0	HL1B	
			a)Can opener needed to be cleaned. b)Vent hood needed to be cleaned. c)Chlorine sanitizing solution was not correct strength. Must be 100ppm for sanitizing surfaces, 50ppm for dishes.					

**TACO VILLA #6
3500 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF918	EHF28	IN	ALL OTHER VIOLATIONS		2/2/2015	0	HFOL	
			Corrected from previous inspection.					
	EHF15	IN	EQUIPMENT ADEQUATE		2/2/2015			
			Corrected from previous inspection.					

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**TACOS GARCIA
1100 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF185	EHF15	COS	EQUIPMENT ADEQUATE		2/3/2015	16	HL1B
			a)Bar hand sink not functioning properly at time of inspection. COS. b)Bar cooler holding at 60F at time of inspection. All potentially hazardous foods were removed and cooler will no longer be used to hold PHF can only be used to hold alcohol.				
	EHF13	COS	HACCP PLAN/TIME		2/3/2015		
			Ready to eat foods found in coolers without date marks.				
	EHF25	COS	FOOD CONTACT SURFACES		2/3/2015		
			Clean inside of all bar coolers.				
	EHF24	COS	THERMOMETERS		2/3/2015		
			Thermometer needed in keg cooler.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		2/3/2015		
			Prep line cooler has condensate leak and needs to be repaired.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**TACOS GARCIA**

HF185	EHF28	COS	ALL OTHER VIOLATIONS	2/3/2015	16	HL1B
-------	-------	-----	----------------------	----------	----	------

a)Blower covers in walk in cooler need to be dusted. b)Spanish hand washing signs needed in restroom.
c)Clean all cooler gaskets.

**TASTE DESSERT BAR
1909 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2487	EHF21	IN	MANUAL WARE WASHING	Dishmachine sanitizing at 100ppm chlorine.	1/29/2015	0	HFOL

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**TASTE OF THAI
1900 SE 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1961	EHF23	IN	SEWAGE/WASTEWATER		1/30/2015	0	HFOL
			Hand sink repaired in cook area. Correction from last inspection.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/30/2015		
			Acoustic ceiling tiles need to be replaced with smooth ceiling tiles by next inspection.				

**TEXAS STEAK EXPRESS
2600 S KENTUCKY ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2277	EHF13	IN	HACCP PLAN/TIME		1/30/2015	0	HFOL
			Manager has decided not to half bake potatoes until they can be sure that they have a valid HACCP plan. The mgr put up a sign forbidding half baked potatoes.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**THAI EXPRESS
3314 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1093	EHF13	COS	HACCP PLAN/TIME		2/4/2015	28	HL1B
			No date marks for RTE and cooked foods in reach in cooler.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		2/4/2015		
			Hot holding unit not working properly, 10 days to repair.				
	EHF02	COS	COLD HOLDING		2/4/2015		
			a)Cooked chicken being held at 45F, needs to be 41F or below in cold hold. b)Shellfish being held at 44F, needs to be 41F or below in cold hold.				
	EHF10	COS	SOUND CONDITION		2/4/2015		
			a)Dented cans found in storage for use. b)Molded bell pepper found in reach in cooler.				
	EHF24	COS	THERMOMETERS		2/4/2015		
			Thermometer needed in reach in cooler. COS.				

Food Establishment Public Inspection Report**From 1/29/15 thru 2/4/15****ESTABLISHMENT****THAI EXPRESS**

HF1093	EHF22	COS	MANAGER KNOWLEDGE/CERTIFIED	2/4/2015	28	HL1B
--------	-------	-----	-----------------------------	----------	----	------

Food manager did not know proper hot hold or cold hold temperatures.

	EHF25	H10DAY	FOOD CONTACT SURFACES	2/4/2015		
--	-------	--------	-----------------------	----------	--	--

Clean:a)Entire prep table including shelf. b)Ice machine c)All reach-in coolers--shelves, bottom, sides, doors, blower covers, etc. d)Cooler used for storage e)Drying racks f)Dish storage shelves. g)Discard unraveled wire strainers h)Dishes stored dirty.

	EHF28	H90 DAY	ALL OTHER VIOLATIONS	2/4/2015		
--	-------	---------	----------------------	----------	--	--

Eggs over RTE Clean dead insects Replace gasket to reachin Replace grill plate to drain under wok Replace missing vents to venthood Repaint storage shelves Replace missing & cracked ceiling tiles repeat Replace cracked and broken tiles in kitchen

	EHF18	H10DAY	INSECT CONTAMINATION	2/4/2015		
--	-------	--------	----------------------	----------	--	--

Insects found throughout kitchen area and storage, need to have a license pesticide applicator come out and spray establishment.

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**THRIVE NUTRITION
116 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2187					2/3/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

THUMPERS GRILL

1909 J AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2526	EHF28	COS	ALL OTHER VIOLATIONS		2/3/2015	6	HL1B
			Store all employee items in seperate location away from food prep areas.				
	EHF25	COS	FOOD CONTACT SURFACES		2/3/2015		
			Tea nozzle needed to be cleaned.				
	EHF20	COS	TOXIC ITEMS		2/3/2015		
			a)Chemical bottle found without a label. b)Sanitizer mixed over 400 ppm, should be 200 ppm.				
HF444					2/3/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**TOOT N TOTUM #11
4600 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF814	EHF15	COS	EQUIPMENT ADEQUATE		2/4/2015	3	HL1B
			Refrigeration equipment not at proper temperature.				

**TOOT N TOTUM #14
1735 S NELSON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF584	EHF03	IN	HOT HOLDING		2/2/2015	0	HL1B
			Hot dogs holding at 148F, in compliance.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**TOOT N TOTUM #19
3609 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF440					2/3/2015	0	HL1B

**TOOT N TOTUM #32
1701 S EASTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF598	EHF03	IN	HOT HOLDING Hot dogs holding at 147F. In compliance.		2/3/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

TOOT N TOTUM #43

3522 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF96	EHF25	COS	FOOD CONTACT SURFACES		1/29/2015	3	HL1B
			a)Soda machines needed to be cleaned. b)Storage shelves for drink lids needed to be cleaned.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		1/29/2015		
			a)Blower covers in both walk in coolers need to be cleaned. b)Floors in both walk in coolers need to be swept and mopped. c) Kitchen needs to be swept and mopped.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**TOOT N TOTUM #61
5300 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF396	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/3/2015	0	HL1B
			A)All raw wood shelving in walk in cooler must be sealed. Raw wood will absorb moisture causing mold growth. Wood must be sealed with either a paint or wood sealer. (REPEAT) B)Corrected.				
	EHF03	IN	HOT HOLDING		2/3/2015		
			A)Sausage holding at 145 degrees.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**TOOT N TOTUM #63****4420 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF927	EHF25	COS	FOOD CONTACT SURFACES		2/4/2015	3	HL1B
			Soda nozzles not clean. Nozzles must be cleaned daily.				
	EHF28	COS	ALL OTHER VIOLATIONS		2/4/2015		
			Shelves for cans in walk in cooler not clean.				

TOOT N TOTUM #80**4501 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF483	EHF28	COS	ALL OTHER VIOLATIONS		1/29/2015	0	HL1B
			Hand sink is not level. Sink holds waste water. Level sink. b)Vent hood over grill has build up of dust/grease. c)Air Intake in kitchen not clean. d)Unused equipment may not be stored in kitchen. Remove unused cooler.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

TOOT N TOTUM #81
2601 PARAMOUNT BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF866	EHF28	H90 DAY	ALL OTHER VIOLATIONS		2/3/2015	0	HL1B	
			a)Floor to ware washing area needs to be cleaned. COS. b)Chipped floor tiles in ware washing area need to be replace or sealed, 90 days to correct.					
	EHF03	IN	HOT HOLDING		2/3/2015			
			Hot dogs in hot hold cabinet holding at 147F.					

TOOT N TOTUM #87
2209 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF887					1/29/2015	0	HL1B

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT**USSERY-ROAN TX STATE VETERAN H**

1020 TASCOSA RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1507	EHF25	COS	FOOD CONTACT SURFACES		1/30/2015	3	HL1B
				a)Cappuccino machine needed to be cleaned. b)Tea urn needed to be cleaned.			

VIRDINSKIS BBQ RUB SHACK

3701 OLSEN BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2437	EHF19	IN	RODENTS/ANIMALS/OPENINGS		1/30/2015	3	HFOL
				Corrected from previous inspection.			
	EHF18	H10DAY	INSECT CONTAMINATION		1/30/2015		
				Several juvenile cockroaches found on traps. Establishment needs to be treated by a licensed pesticide applicator and the receipt needs to be kept.			

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

**WALMART #7362
2035 SE 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2547	EHF03	IN	HOT HOLDING		1/30/2015	3	HL1B
			Roasted chicken holding at 156F. In compliance.				
	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		1/30/2015		
			Food manager card needed.				

WATLEY LEARNING CENTER 1208 NW 13TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD26	EHF10	COS	SOUND CONDITION		1/29/2015	4	HL1B
			Broken egg in tray in refrigerator,remove broken and cracked eggs.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

WESLEY COMMUNITY DAY CARE**1615 S ROBERTS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD27	EHF18	COS	INSECT CONTAMINATION		1/29/2015	3	HL1B
			Insect found in kitchen, have licensed pesticide applicator spray more frequently.				
	EHF28	COS	ALL OTHER VIOLATIONS		1/29/2015		
			Defrost freezer #2 - excessive ice buildup.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

WEST TEXAS PROVISIONS

314 S FANNIN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1619	EHF20	COS	TOXIC ITEMS		1/30/2015	9	HL1B
			Sanitizer in spray bottle at over 400 PPM Qt, mix to labeled directions for food contact surface.				
	EHF23	COS	SEWAGE/WASTEWATER		1/30/2015		
			Drain line in walkin need to have cap.				
	EHF27	COS	ESTABLISHMENT PERMIT		1/30/2015		
			Permit expired 1-25 and needs to be renewed as soon as possible.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

WHATABURGER #307

2424 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF79	EHF25	H10DAY	FOOD CONTACT SURFACES		2/2/2015	18	HL1B
			a)Wire strainer found coming unraveled. COS. b)Gaskets to reach-in cooler by drive up needed to be cleaned. c)Clean grease build-up above fry hot hold.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		2/2/2015		
			Walk-in freezer has a condensation leak, 10 days to repair.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		2/2/2015		
			Food manager is needed at establishment.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		2/2/2015		
			Hand washing sink in back being used for other purposes than handwashing. Hand washing sinks can only be used for hand washing.				
	EHF02	COS	COLD HOLDING		2/2/2015		
			Tomatoes on prep line holding at 51F. Potentially hazardous foods need to be held at 41F or below.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

WIENERSCHNITZEL #192

2801 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1705	EHF08	COS	GOOD HYGIENIC PRACTICES		2/4/2015	7	HL1B
			a)Wipe down rags found in hand sink by prep area, hand sinks can only be used for hand washing. b)Lemon found in hand sink by drive up window. Hand sink can only be used for hand washing.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		2/4/2015		
			a)Clean inside door of reach-in cooler by hot hold. b)Paint chipping from metal shelves above 3-compartment sink. Needs to be repainted or replaced. (10-days) c)Hole on inside bottom of reach in cooler. Needs to be resealed or replaced. (10 days).				
	EHF28	COS	ALL OTHER VIOLATIONS		2/4/2015		
			Label needed on container containing white substance.				

Food Establishment Public Inspection Report

From 1/29/15 thru 2/4/15

ESTABLISHMENT

WILL ROGERS ELEMENTARY 920 N MIRROR ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF653	EHF28	H60 DAY	ALL OTHER VIOLATIONS		2/4/2015	3	HL1B
			Air vent cover in dry storage needs to be cleaned.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		2/4/2015		
			Condensate leak in walkin freezer. This is a repeat violation. If not repaired by 2/16/15, it will result in a \$50 reinspection fee.				

WINGSTOP 3300 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1701	EHF25	COS	FOOD CONTACT SURFACES		2/4/2015	3	HL1B
			Tea nozzle needed to be cleaned.				