

Food Establishment Public Inspection Report
From 7/16/15 thru 7/22/15

ESTABLISHMENT

ALOHA KITCHEN
13651 INTERSTATE 27

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR89	EHF14	IN	WATER SUPPLY		7/20/2015	0	H PREOPEN
			Food grade hose onsite. Public water supply, Canyon Ridge Utilities.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		7/20/2015		
			Food manager required within 45 days. Next class Aug 12, test Aug 14.				
HFR89	EHF11	IN	PROPER HANDLING RTE		7/21/2015	3	HL1B
			Watched chicken being cut into small pieces at food commissary. Discussed proper hand washing before glove usage.				
	EHF14	IN	WATER SUPPLY		7/21/2015		
			Public water supply (Amberwood Canyon Ridge)				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		7/21/2015		
			Food manager required with 45 days. Next class Aug 12, Test Aug 14.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

ALOHA KITCHEN

HF707	EHF14	IN	WATER SUPPLY	7/20/2015	0	H PREOPEN
			Canyon Ridge Utilities, public water supply, food grade hose.			
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED	7/20/2015		
			Certified food manager required.			
	EHF28	IN	ALL OTHER VIOLATIONS	7/20/2015		
			Discussed hair restraints, ice used as coolant must be drained (ice chest with sodas).			

Food Establishment Public Inspection Report**From 7/16/15 thru 7/22/15****ESTABLISHMENT****AMA UNITED CITIZENS FORUM****903 N HAYDEN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2003	EHF23	H10DAY	SEWAGE/WASTEWATER		7/17/2015	6	HL1B
			Leak found under 3 compartment sink. Repair by 7-27-15.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		7/17/2015		
			Fire suppression system has not been inspected since 2008. System must be inspected and brought up to date by 7-27-15.				
	EHF25	COS	FOOD CONTACT SURFACES		7/17/2015		
			Shelves in reachin cooler needed to be cleaned.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**A-TOWN SOCIAL
4800 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5507	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS		7/18/2015	0	HL1B FOOD
			A)Fire extinguisher needs a current inspection. Last inspection was in 2012 and it should be inspected at least once a year.				
HFT5508	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS		7/18/2015	3	HL1B FOOD
			A)Some type of flooring must be used.				
HFT5509	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS		7/18/2015	3	HL1B FOOD
			A)Some type of flooring must be used.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**BIG SPENCER
4101 S LOOP 335 EAST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFR34	EHF14	IN	WATER SUPPLY		7/18/2015	0	HL1B	
			Water sample tests required monthly - ok 7/9/15.					

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

CHICKEN EXPRESS

7301 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1062	EHF25	IN	FOOD CONTACT SURFACES		7/17/2015	0	HM4
			All food contact surfaces have been thouroughly cleaned.				
	EHF28	IN	ALL OTHER VIOLATIONS		7/17/2015		
			a)All surfaces free of soot. b)Dust barrier will be removed to allow access to restroom. Establishment is ok to reopen.				
HF1062	EHF25	H 2 HOUR	FOOD CONTACT SURFACES		7/16/2015	3	HOTHER
			A)All food contact surfaces must be washed, rinsed and sanitized. All single service items that are exposed must be discarded.				
	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS		7/16/2015		
			A)All surfaces must be free from soot. B)Prior to opening a dust barrier must be placed between the other business affected by fire. A passing inspection from Environmental Health must be completed prior to opening.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**CORN EXPRESS
1210 SE 11TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5482	EHF28	COS	ALL OTHER VIOLATIONS		7/18/2015	0	HL1B FOOD
			Need to clean off top of snowcone machine.				

4634 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2607	EHF17	IN	HAND WASH WITH SOAP/TOWELS		7/18/2015	0	HL1B
			Corrected.				
	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		7/18/2015		
			Corrected.				
	EHF24	IN	THERMOMETERS		7/18/2015		
			Corrected.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

CORN EXPRESS

HF2607	EHF28	IN	ALL OTHER VIOLATIONS		7/18/2015	0	HL1B
			Corrected x 4.				

CORTE GUADALUPANAS

1210 SE 11TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5487					7/18/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

COWTOWN SNOWCONES

1406 SW 15TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM708	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		7/21/2015	0	H PREOPEN
			You will need to take Food Manager Class.				

DOLLAR GENERAL CORP #1608

4210 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF337	EHF25	IN	FOOD CONTACT SURFACES		7/17/2015	0	HFOL
			Reach in coolers have been cleaned. Correction from last inspection.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

DOLLAR GENERAL STORE #11828**7040 MCCORMICK RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR70	EHF23	H10DAY	SEWAGE/WASTEWATER		7/22/2015	6	HFOL
			Mop sink stopped up, holding sewage.				
	EHF24	H10DAY	THERMOMETERS		7/22/2015		
			Thermometers required in all cold hold units.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

DOLLAR GENERAL STORE #3272

1518 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2216	EHF17	COS	HAND WASH WITH SOAP/TOWELS		7/20/2015	10	HL1B
			Paper towels needed in womens restroom.				
	EHF25	COS	FOOD CONTACT SURFACES		7/20/2015		
			a)Shelves inside of reach in coolers needed to be cleaned. b)Shelves needed to be cleaned where soda had spilled.				
	EHF10	COS	SOUND CONDITION		7/20/2015		
			Dented cans found stored on shelves for sale. Cans were removed.				
	EHF28	COS	ALL OTHER VIOLATIONS		7/20/2015		
			a)Trash can with a lid needed in womens restroom. b)Food stored below chemicals. Store all food in seperate location to prevent contamination.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**DOUBLE M CHEVRON
7301 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1605	EHF25	IN	FOOD CONTACT SURFACES		7/17/2015	0	HM4
			All surfaces have been cleaned.				
	EHF28	IN	ALL OTHER VIOLATIONS		7/17/2015		
			a)Water damaged ceiling panels and light fixtures have been replaced. Establishment is ok to reopen.				
HF1605	EHF25	H 2 HOUR	FOOD CONTACT SURFACES		7/16/2015	3	HOTHER
			A) All food contact surfaces must be washed, rinsed, and sanitized. All surfaces within the store must be free of soot from fire.				
	EHF28	H 2 HOUR	ALL OTHER VIOLATIONS		7/16/2015		
			A) All water damaged ceiling panels and light fixtures must be replaced. B) All repairs must be completed by a licensed professional with proper permits from Building Safety. Prior to opening a passing inspection from Environmental Health is required.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

FERNANDOS RESTAURANT & CANTINA

3318 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2097	EHF01	NO	COOLING FOR COOKED FOOD		7/17/2015	3	HL1B
	EHF05	NO	RAPID REHEATING		7/17/2015		
	EHF11	IN	PROPER HANDLING RTE		7/17/2015		
			Tongs/spoons stored with handles out of food are used to handle RTE items. In compliance.				
	EHF13	IN	HACCP PLAN/TIME		7/17/2015		
			Cooked food items stored longer than 24 hours are properly date label with date of prep. In compliance.				
	EHF25	COS	FOOD CONTACT SURFACES		7/17/2015		
			a)Dishes stored uncleaned in dish storage. Dishes were removed and properly cleaned.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

FERNANDOS RESTAURANT & CANTINA

HF2097	EHF02	IN	COLD HOLDING	7/17/2015	3	HL1B
			a)Raw chicken in table top cold hold holding at 38.5F b)Diced tomatoes in table top cooler holding at 41F. In compliance.			
	EHF03	IN	HOT HOLDING	7/17/2015		
			a)Cooked rice in hot hold holdin at 147F. b)Cheese sauce mixture in hot hold holding at 154F. In compliance.			
	EHF21	IN	MANUAL WARE WASHING	7/17/2015		
			Dish machine sanitizing at 50PPM chlorine. In compliance.			
	EHF28	COS	ALL OTHER VIOLATIONS	7/17/2015		
			a)Clean top of fajita seasoning. b)Clean handsink in ware washing area. c)Clean blowers in walk-in cooler. d)Small air leak in walk-in freezer. Keep ice build up chipped so door can seal properly.			

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**FIRE & ICE
2610 S ROBERTS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM703	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		7/16/2015	0	H PREOPEN
			Food manager certificate needed. Must obtain within 45 days.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		7/16/2015		
			Quat. sanitizer test strips needed. Mix wipe down solution at 200 ppm.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**GRILL GON' WILD
7200 MCCORMICK RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR88	EHF02	IN	COLD HOLDING		7/22/2015	4	HL1B
			Onions on prep table at 39°F.				
	EHF09	COS	APPROVED SOURCE/LABELING		7/22/2015		
			Hot sauce found in glass jars not labeled.				
	EHF14	IN	WATER SUPPLY		7/22/2015		
			Water sample results ok. Public water supply.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		7/22/2015		
			Mop bucket blocking handsink in ice machine room. Move to mop sink. Clean walls, floors, stove, fryers. When metal at fryer is replaced-smooth, durable non absorbent flat panel. Throw bolt installed on Eskimo Hut side of door to restrooms. Removed.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

HASTINGS HARDBACK CAFE

5512 GEM LAKE RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1097					7/20/2015	0	HL1B

HILLTOP SENIOR CITIZENS

1311 N TAYLOR ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF978	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED	Food manager card is out of date.	7/17/2015	3	HL1B

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**HINOJOSA MARIA
1210 SE 11TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5478	EHF02	IN	COLD HOLDING		7/18/2015	0	HL1B FOOD
			Cut fruit kept in walkin cooler in church kitchen at 41F degrees.				
HFT5479	EHF03	IN	HOT HOLDING		7/18/2015	0	HL1B FOOD
			Beans holding at 175F degrees.				
HFT5480	EHF03	IN	HOT HOLDING		7/18/2015	0	HL1B FOOD
			Gordita and Burrito meats holding at 180F degrees.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

HOLIDAY INN WEST MEDICAL CTR**8231 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2599	EHF16	COS	HAND WASH FACILITIES ADEQUATE		7/20/2015	6	HL1B
			Handwashing sink in dish area was not working.				
	EHF25	COS	FOOD CONTACT SURFACES		7/20/2015		
			Slicer needed to be cleaned.				

**ICE SHED THE
1405 5TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFCM706	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		7/16/2015	0	H PREOPEN
			Food manager certificate needed. Will attend August class.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT**JASONS DELI
7406 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF69	EHF23	H 3 DAYS	SEWAGE/WASTEWATER		7/17/2015	3	HFOL	
			Condensate leak still in back sandwich make table. Food was holding at 47-48F, unit was at 50F. Must be fixed in 3 days or a \$50 reinspection fee will be charged.					

**KING LING
2801 SE 27TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2521	EHF23	IN	SEWAGE/WASTEWATER		7/20/2015	0	HFOL	
			Grease trap no longer leaking under sink.					
	EHF28	IN	ALL OTHER VIOLATIONS		7/20/2015			
			All freezers in establishment must be NSF/ANSI commercial equipment. Must replace freezers by Oct. 1, 2015.					

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

KNIGHTS OF COLUMBUS

1210 SE 11TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5481					7/18/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**MR GATTIS
4412 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF6	EHF01	NO	COOLING FOR COOKED FOOD		7/17/2015	11	HL1B	
	EHF04	NO	PROPER COOKING TEMPERATURES		7/17/2015			
	EHF05	NO	RAPID REHEATING		7/17/2015			
	EHF15	H10DAY	EQUIPMENT ADEQUATE		7/17/2015			
			Pizza hot hold holding pizza at 120F. Pizza must be kept at 135F or above at all times. **Heat lamps need to be repaired to keep pizza at correct temperature if bottom hot hold can not be adjusted.** Correct by 07-27-2105.					
	EHF02	COS	COLD HOLDING		7/17/2015			
			a)Tomatoes in salad bar cold hold holding at 49F. b)Potato salad in salad bar cold holding holding at 48F. c)Pasta salad in salad bar cold hold hold at 45F.					

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

MR GATTIS

HF6	EHF03	IN	HOT HOLDING	7/17/2015	11	HL1B
-----	-------	----	-------------	-----------	----	------

a)Macaroni and cheese holding in hot hold at 149F. In compliance.

EHF23	H10DAY	SEWAGE/WASTEWATER	7/17/2015
-------	--------	-------------------	-----------

a)Condensate leak in walk-in freezer. Repair by 07-27-2015. Keep ice chipped and store food away from condensate drip to avoid contamination. b)Air leak in walk-in freezer. Keep ice chipped so door can seal properly.

EHF28	H10DAY	ALL OTHER VIOLATIONS	7/17/2015
-------	--------	----------------------	-----------

a)Keep eggs below RTE food in walk-in cooler b)Keep all boxes with food product at least 6inches off floor
c)Clean ice dispensers.

**OASIS OF THE RACES
4101 S LOOP 335 EAST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF6	EHF03	IN	HOT HOLDING		7/17/2015	11	HL1B
HF6	EHF23	H10DAY	SEWAGE/WASTEWATER		7/17/2015		
HF6	EHF28	H10DAY	ALL OTHER VIOLATIONS		7/17/2015		
HFR35					7/18/2015	0	HL1B

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

OUR LADY OF GUADALUPE

1210 SE 11TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5488	EHF25	IN	FOOD CONTACT SURFACES Beer tub is clean.		7/18/2015	0	HL1B FOOD

OUTLAWS SUPPER CLUB

10816 SE 3RD AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF459	EHF28	IN	ALL OTHER VIOLATIONS		7/17/2015	0	HL1B	
			All freezers and coolers must be NSF/ANSI commercial units. All non commercial units must be replaced or removed by Oct. 1st, 2015.					
	EHF03	IN	HOT HOLDING		7/17/2015			
			Mash potatoes holding at 166F. In compliance.					

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**PAYA THAI
2601 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2557	EHF27	H 3 DAYS	ESTABLISHMENT PERMIT		7/17/2015	3	HM3
			Permit revoked. Permit expired June 19, 2015.				
HF2557	EHF27	IN	ESTABLISHMENT PERMIT		7/21/2015	0	HM4
			Permit has been paid.				
HF2557	EHF24	COS	THERMOMETERS		7/21/2015	3	HL1B
			No thermometer in reach in.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		7/21/2015		
			Bare wood needs to be painted.				

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT**QUINTERO WILLIE
1210 SE 11TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5485	EHF24	COS	THERMOMETERS	Thermometer needed in reach in cooler.	7/18/2015	5	HL1B FOOD

**REGION 16 CLEVELAND HEADSTART
1601 S CLEVELAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD6					7/17/2015	0	HL1B

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

ROUTE 66 MOTOR SPEEDWAY**4101 S LOOP 335 EAST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFR25	EHF28	H90 DAY	ALL OTHER VIOLATIONS		7/18/2015	0	HL1B	
			Light bulb protection required-popcorn, coffee, soda and snowcones. All exposed wood in popcorn & coffee area. Paint.					

SHIPS LOUNGE
1113 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1496					7/20/2015	0	HL1B

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

SKYY CAFE
1006 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2691	EHF28	H10DAY	ALL OTHER VIOLATIONS		7/16/2015	0	H PREOPEN	
			a)Fire inspection needed before est. can open. b)All coolers must be NSF/ANSI commercial units. c)Back door & restroom doors must be self closing. d)Bleach test strips needed.					

SNOOPY SNACKS
1210 SE 11TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5483					7/18/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**SPORTS WORLD
9400 INTERSTATE 27**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFR21	EHF17	COS	HAND WASH WITH SOAP/TOWELS		7/22/2015	3	HL1B	
			Paper towels required in womens retroom. Toil paper required in womens restroom.					

**SUBWAY #14124-214
5752 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1202	EHF23	COS	SEWAGE/WASTEWATER		7/20/2015	6	HL1B	
			Cap missing from cleanout.					
	EHF25	COS	FOOD CONTACT SURFACES		7/20/2015			
			Soda nozzles needed to be cleaned.					

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

TACO BELL 2010 ROSS-OSAGE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1230	EHF15	IN	EQUIPMENT ADEQUATE		7/20/2015	3	HFOL
			Reach in freezer replaced. In compliance.				
	EHF23	H 3 DAYS	SEWAGE/WASTEWATER		7/20/2015		
			Walk in cooler leaking and needs to be repaired. Must be repaired within 3 days or a \$50.00 reinspection fee will be charged.				

TAQUERIA RIVERA 1210 SE 11TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5484					7/18/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**TINAJERO RICK
1210 SE 11TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5486					7/18/2015	0	HL1B FOOD

**TOOT N TOTUM #21
1300 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF628	EHF28	H90 DAY	ALL OTHER VIOLATIONS		7/20/2015	0	HL1B

a)Single service items containers needed to be cleaned. b)All freezers must be NSF/ANSI commercial units. Freezer must be replaced by Oct.1,2015.

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT**UNITED SUPERMARKET #533**

3400 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF250	EHF23	H90 DAY	SEWAGE/WASTEWATER		7/17/2015	3	HFOL	
			a)Walkin meat freezer still has a condensate leak. Ice needs to be removed from ceiling, fans and shelves daily until repaired. b)Handsink leak has been repaired.					

WALGREENS #01304
5709 W AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF489	EHF10	COS	SOUND CONDITION		7/20/2015	4	HL1B	
			Dented cans on shelf.					

Food Establishment Public Inspection Report

From 7/16/15 thru 7/22/15

ESTABLISHMENT

**WONDERLAND PARK
2601 DUMAS DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF42	EHF25	COS	FOOD CONTACT SURFACES	Top of ice machine where ice scoops are stored needs to be cleaned.	7/21/2015	3	HL1B