

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

ABC LEARNING CENTER**2707 S BIVINS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFD71	EHF28	COS	ALL OTHER VIOLATIONS		7/29/2015	0	HL1B	
			a)Shelf in freezer needed to be wiped out. b)Improperly thawing hamburger patties. Thaw frozen meat either in cooler or under cold running water.					

AMARILLO CTR FOR SKILLED CARE**6641 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2451					7/27/2015	0	HL1B

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

AMARILLO INTERNATIONAL FOODS

3409 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2676	EHF28	H10DAY	ALL OTHER VIOLATIONS		7/23/2015	0	H PREOPEN	
			a)Restroom and back door need self closing door hinge. b)Accoustic ceiling tile in kitchen must be replaced with smooth tile. c)All non-commercial freezers must be replaced with NSF/ANSI commercial units by Oct. 1st, 2015.					

AMERICAN QTR HORSE HALL OF FAM

2601 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT5519	EHF19	H 2 HOUR	RODENTS/ANIMALS/OPENINGS		7/25/2015	3	HL1B FOOD	
			Service area and food prep needs to be done in a screened area.					

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT**ANTHONY CATHERINE P
109 SIESTA LN**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFX17					7/28/2015	0	HL1B FOOD

**ARAMARK-JACK B KELLY CENTER
2402 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC206	EHF23	IN	SEWAGE/WASTEWATER		7/29/2015	0	HM4
			Roof leak repaired. OK to reopen.				

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**ATMOS ENERGY
1000 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT5511	EHF29	IN	RECOGNITION		7/25/2015	0	HL1B FOOD	
			a) Hot hold at 135F. b) Sausage cooked to 165F and above. c) Good job!					

4502 FAIRWAY DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT5467	EHF19	COS	RODENTS/ANIMALS/OPENINGS		7/23/2015	3	HL1B FOOD	
			Covers not on grill.					

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**EL CAPORAL
2612 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2699	EHF14	IN	WATER SUPPLY		7/23/2015	0	H PREOPEN
			Hot water available at handsink and 3 compartment sink.				
	EHF16	IN	HAND WASH FACILITIES ADEQUATE		7/23/2015		
			Handsink added behind bar.				
	EHF19	IN	RODENTS/ANIMALS/OPENINGS		7/23/2015		
			Back door was sealed and self closing door hinge added.				
	EHF21	IN	MANUAL WARE WASHING		7/23/2015		
			NSF 3 compartment sink added.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		7/23/2015		
			Food manager certificate needed. Must obtain within 45 days.				

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

EL CAPORAL

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2699	EHF23	IN	SEWAGE/WASTEWATER	Mop sink added.	7/23/2015	0	H PREOPEN
	EHF25	IN	FOOD CONTACT SURFACES	a)Walls, ceilings and floor is smooth and easily cleanable. b)Counter behind bar was sealed.	7/23/2015		
	EHF28	IN	ALL OTHER VIOLATIONS	a)Carpet removed from bathroom. b)Floor repaired in walkin cooler. c)Rafters cleaned. d)Ceiling repaired in hallway. e)Walls repaired in bathroom.	7/23/2015		

**EL CHIHUAHUENSE
7908 TRIANGLE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2185					7/24/2015	0	HL1B

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

FAMILY DOLLAR STORE #2344

433 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF92	EHF14	IN	WATER SUPPLY Water valve replaced.		7/28/2015	0	HFOL

FAMILY DOLLAR STORE 2383

2241 SE 27TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF833	EHF28	IN	ALL OTHER VIOLATIONS a)Light bulb replaced in restroom. b)Covered trashcan added to restroom. c)Floors in storage rooms were cleaned.		7/29/2015	0	HFOL

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

FAMILY SUPPORT SERVICES

1001 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT5517	EHF19	COS	RODENTS/ANIMALS/OPENINGS		7/25/2015	9	HL1B FOOD	
			a)Area with food prep, being done needed to be screened. b)Booth did not have grill with lid.					
	EHF28	COS	ALL OTHER VIOLATIONS		7/25/2015			
			Booth set up on wood chips needed to have floor that was smooth, durable and easily cleanable.					

FARMER BROS CO 2100 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1945					7/28/2015	0	HL1B

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**FLOR PORRAS
1401 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1871	EHF23	IN	SEWAGE/WASTEWATER		7/25/2015	4	HFOL
			Roof leak repaired. In compliance.				
	EHF09	COS	APPROVED SOURCE/LABELING		7/25/2015		
			All pre-packaged food must be labeled with product name, weight, ingredients and manufacturer. No bulk food items can be sold by the pound.				

FRUTILANDIA 1401 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF376	EHF02	IN	COLD HOLDING		7/25/2015	0	HL1B
			All coolers holding at 41F or below. In compliance.				

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT**HERITAGE CONVALESCENT CENTER**

1009 CLYDE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF597	EHF10	COS	SOUND CONDITION Dented cans on rack in pantry.		7/27/2015	7	HL1B
	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED Need to have someone take Food Manager Class or bring Serve Safe certificate to register as Food Manager.		7/27/2015		

HOFFBRAU STEAKS

1001 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5522					7/25/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT**ICE SHANTY
4300 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM702	EHF14	H10DAY	WATER SUPPLY	Freshwater tank needed prio to opening.	7/23/2015	0	H PREOPEN

**IOWA STEAK CO
6329 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFRM700	EHF28	H10DAY	ALL OTHER VIOLATIONS	a)Permit numbers on truck in compliance. b)Establishment name needed on side of truck. Obtain within 10 days.	7/27/2015	0	HL1B

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**J R ASIAN MARKET
2730 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2700	EHF02	COS	COLD HOLDING		7/27/2015	8	HL1B
			Bean sprouts and Kimchi found stored on shelf for sale at room temperature. Label specified must be refrigerated. Food was removed.				
	EHF24	COS	THERMOMETERS		7/27/2015		
			Thermometers needed in coolers. Must maintain a temperature of 41F or below.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		7/27/2015		
			All non NSF coolers must be replaced with NSF/ANSI commercail units by Oct. 1, 2015.				

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

KIRKLAND COURT HEALTH & REHABI

1601 KIRKLAND DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1696					7/27/2015	0	HL1B

LA FIESTA GRANDE

1001 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5516	EHF29	IN	RECOGNITION		7/25/2015	0	HL1B FOOD

Hot hold at 135F and above. Make sure to use gloves when handling food.

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT**LA FRONTERA
1401 S ARTHUR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF411	EHF03	IN	HOT HOLDING Rice holding at 146F. In compliance.		7/29/2015	0	HL1B

**LEALS MEXICAN FOOD RESTAURANT
1001 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5520	EHF29	IN	RECOGNITION a)Brisket bites holding at 135F. b)Queso holding at 135F. c)Good job!		7/25/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**LOBBY CAFE
1501 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2146					7/28/2015	0	HL1B

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**LUPITAS EXPRESS
2403 HARDIN DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2705	EHF10	COS	SOUND CONDITION		7/27/2015	0	H PREOPEN
			Lettuce in reach-in cooler found not in sound condition.				
	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		7/27/2015		
			Food manager is needed at establishment. (Will attend August 2015 class).				
	EHF18	COS	INSECT CONTAMINATION		7/27/2015		
			Fly traps need to be placed away from food prep areas.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		7/27/2015		
			a)Back door and windows found opened without screens. All drive up windows need to be screened and back door must be closed at all times.				
	EHF20	H10DAY	TOXIC ITEMS		7/27/2015		
			Unapproved pesticide found in establishment. Only pesticides labeled "approved for a food establishment" can be used in establishment.				

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

LUPITAS EXPRESS

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2705	EHF24	H10DAY	THERMOMETERS		7/27/2015	0	H PREOPEN
			a)Thermometers are needed for all coolers in establishment. b)A probe thermometer is needed for taking cooking temperatures.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		7/27/2015		
			a)Tea nozzle needed to be cleaned. b)Entire kitchen needs to be dusted and cleaned.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		7/27/2015		
			All noncommercial coolers & freezers need to be NSF/ANSI commercial by 10/01/15. Replace lightshield.Keep all food 6" off floor.Door to restroom must be selfclosing.Room to hot water heater needs to have door.Need vent cover for exhaust fan ducting.				

**LYONS REALTY
1001 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5524	EHF29	IN	RECOGNITION		7/25/2015	0	HL1B FOOD
			Great job!				

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT**MARY & ROGERS DAY CARE
4220 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD18					7/27/2015	0	HL1B

**MCDONALDS
1720 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1602	EHF23	H10DAY	SEWAGE/WASTEWATER		7/28/2015	3	HL1B

Reach in cooler has condensate leak that needs to be repaired. Will reinspect in 10 days.

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**MUDD RACK
500 E HASTINGS AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2134	EHF25	COS	FOOD CONTACT SURFACES		7/27/2015	3	HL1B
			a)Gaskets on reachin cooler in kitchen needed to be cleaned. b)Bottom shelf in reachin cooler needed to be cleaned. c)Surface on bottom of shelf over grill needed to be cleaned.				

NORTHWEST TEXAS HEALTHCARE SYS 1501 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF310	EHF04	COS	PROPER COOKING TEMPERATURES		7/28/2015	8	HL1B
			Hamburger patties on line at grill were at 102 degrees, should be cooked to 155 and held at 135.				
	EHF15	COS	EQUIPMENT ADEQUATE		7/28/2015		
			Refrigerator on tray line was at 49 degrees, product was moved to other unit.				

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

REGION 16 NELSON ST HEADSTART

1023 N NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD40					7/27/2015	0	HL1B

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**SNOBALL STOP
1001 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5457	EHF29	IN	RECOGNITION Good job!		7/25/2015	0	HL1B FOOD

2601 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5533					7/25/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**T ANCHOR PRODUCE
1401 ROSS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF577					7/25/2015	0	HL1B

**TACO BELL
2010 ROSS-OSAGE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1230	EHF23	H10DAY	SEWAGE/WASTEWATER		7/27/2015	3	HFOL

Walk in cooler has a leak that needs to be repaired. Establishment has had a licensed contractor begin repairs on walk in. No food was stored under leak at time of reinspection. Establishment will call when repairs are completed.

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

TAQUERIA SAN CARLOS

3510 NE 24TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1678	EHF28	H10DAY	ALL OTHER VIOLATIONS		7/27/2015	0	HFOL
			Vent hood and fire suppression system have still not been updated/replaced per Fire Marshall. Owner stated work would be completed 8/2/15. If not completed by 8/7/15, establishment will be closed until repaired and a \$50 reinspection fee will be charged.				

TEJAS CAFE 1401 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2560	EHF24	COS	THERMOMETERS		7/25/2015	3	HL1B
			Thermometer needed in cooler.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		7/25/2015		
			a)All non commercial freezers and coolers must be replaced with NSF/ANSI commercial units by Oct. 1st, 2015. b)All broken floor tiles need to be replaced. c)All exposed wood needs to be painted. d) CO2 bottles need to be secured to wall.				

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**THAI KOON
7030 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2688	EHF10	COS	SOUND CONDITION		7/23/2015	16	HL1B
			Dented cans found stored on shelf for use. Cans were removed.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		7/23/2015		
			a)Soap needed at handsink. b)Soap and paper towels needed in employee restroom.				
	EHF20	COS	TOXIC ITEMS		7/23/2015		
			Chemical spray bottles found without labels.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		7/23/2015		
			Prep table reach in cooler by grill has a condensate leak and must be repaired within 10 days.				
	EHF25	COS	FOOD CONTACT SURFACES		7/23/2015		
			a)Utensil container needed to be cleaned. b)Inside of microwave needed to be cleaned. c)Cups found sitting on cloth towel. Cloth towels are not a smooth and easily cleanable surface. d)Ice scoop found stored inside ice machine.				

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

THAI KOON

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2688	EHF28	COS	ALL OTHER VIOLATIONS		7/23/2015	16	HL1B

a)Handwashing signs needed in restrooms. b)All bulk food containers must be labeled. c)Outside of coolers needed to be cleaned. d)All non commercial coolers and freezers must be replaced with NSF/ANSI commercial units by Oct. 1, 2015.

TOOT N TOTUM #52**6698 RIVER RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF649	EHF25	COS	FOOD CONTACT SURFACES		7/27/2015	3	HL1B

Tea nozzles needed to be cleaned. Wash, rinse, sanitize, air dry daily.

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**TOOT N TOTUM #71
1012 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF627	EHF24	COS	THERMOMETERS	No thermometer found in cream dispenser.	7/28/2015	3	HL1B

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**TOOT N TOTUM #92
2300 DUMAS DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF940	EHF03	COS	HOT HOLDING		7/27/2015	8	HL1B
			a)Sausage biscuits being held at room temperature. b)Corn dogs holding at 132F degrees. All items thrown in trash.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		7/27/2015		
			Paper towels needed at both handsinks.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		7/27/2015		
			a)Sneeze shield over hot dogs needs to be lowered to proper height. b)Light shield needed in stock room over soda and hamburger buns.				

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

**UNIFIRST
1001 S POLK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5523	EHF29		RECOGNITION Hot hold at 135F.		7/25/2015	0	HL1B FOOD

USA AUTO AUCTION 3208 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF546	EHF03	IN	HOT HOLDING Sausage holding at 196F. In compliance.		7/28/2015	0	HL1B

Food Establishment Public Inspection Report

From 7/23/15 thru 7/29/15

ESTABLISHMENT

XCEL ENERGY COMMUNITY RELATION

1000 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5469	EHF29	IN	RECOGNITION Good job!		7/25/2015	0	HL1B FOOD