

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**212 CLUB LLC, THE
212 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF323					10/9/2015	0	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

AFC SUSHI @ UNITED #526**2530 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1320	EHF02	IN	COLD HOLDING		10/8/2015	0	HL1B
			Sushi in cold hold holding at 37F. IN compliance.				
	EHF03	IN	HOT HOLDING		10/8/2015		
			Cooked rice in rice cooker holding at 190F. IN compliance.				
	EHF13	IN	HACCP PLAN/TIME		10/8/2015		
			Sushi rice has a pH 3.43. IN compliance.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/8/2015		
			Air vent needed to be dusted/cleaned.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**ALOHA KITCHEN
400 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5702					10/10/2015	0	HL1B FOOD

**AMARILLO GRAPE AND OLIVE
7402 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2719	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERT FOODMG	Food manager card needed.	10/12/2015	3	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**AUSTINS TEXAS PUB
3121 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2725	EHF11	COS	PROPER HANDLING RTE		10/9/2015	13	HL1B
			a)Handle of ice scoop was in ice, store handle up or on a clean dry surface. b)Use ice scoop for filling buckets not cup.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		10/9/2015		
			a)Back door needs to have opening closed up at bottom. b)Front door needs to have a new door sweep.				
	EHF20	COS	TOXIC ITEMS		10/9/2015		
			Spray bottle of chemical not labeled.				
	EHF25	COS	FOOD CONTACT SURFACES		10/9/2015		
			Soda gun needed to be cleaned.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

BOYDSTON CONCESSIONS

400 16TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5683					10/10/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

BRAUMS ICE CREAM #60**1900 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF601	EHF28	COS	ALL OTHER VIOLATIONS		10/9/2015	6	HL1B	
			A) Pans found stack wet. Air dry pans before stacking. B) Ceiling fans needed to be dusted.					
	EHF25	COS	FOOD CONTACT SURFACES		10/9/2015			
			A) Inside of ice machine needed to be cleaned.B) Inside of microwave needed to be cleaned.					
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		10/9/2015			
			Backdoor was found propped open.All doors must remain closed when not used.					

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT**CANYON KETTLE CORN
400 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5676					10/10/2015	0	HL1B FOOD

**CARVER ACADEMY
1905 NW 12TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF164					10/8/2015	0	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

CARVER EARLY CHILDHOOD ACADEMY

1800 N TRAVIS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF849	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/8/2015	0	HL1B	
			a)Ceiling tiles replaced with acoustic tiles, need to be smooth easily cleanable. b)Leaks need to be repaired.					

CATHOLIC CHARITIES EMER Y S

1645 NW 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2708					10/9/2015	0	HL1B

Food Establishment Public Inspection Report**From 10/8/15 thru 10/13/15****ESTABLISHMENT****DOLLAR GENERAL STORE #14106****203 E WILLOW CREEK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2390	EHF07	H180 DAY	ADEQUATE HAND WASHING		10/13/2015	7	HL1B
			Dented cans found on shelves.				
	EHF29	COS	RECOGNITION		10/13/2015		
			Thermometers needed in all coolers and freezers.				
	EHF27	H10DAY	ESTABLISHMENT PERMIT		10/13/2015		
			Food establishment permit needs to be posted where visible.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/13/2015		
			All shelves need to be cleaned where sticky. Several shelves have spills on them.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**DOMINOS PIZZA
400 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5669					10/10/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT**FANNIN MIDDLE SCHOOL**

4623 S RUSK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF676	EHF03	COS	HOT HOLDING		10/13/2015	8	HL1B
			Baked chicken poppers were in hot holding reading 109-128F. Must be 135F or above at all times. Moved all products to warmer.				
	EHFN43	COS	ADEQUATE VENTILATION AND LIGHT		10/13/2015		
			More light is needed in walk in cooler.				
	EHF10	COS	SOUND CONDITION		10/13/2015		
			A)Inside of ice machine needs to be cleaned. B)Kitchen ceiling needs to be cleaned.				
	EHFN39	COS	PROPER USE OF UTENSILS		10/13/2015		
			A)Gaskets in the pizza reach in need to be replaced. B)Dishes found wet stacked. Completely air dry before stacking.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**FOOTPRINTS DAYSCHOOL
4333 SW 51ST AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD9					10/13/2015	0	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT**FREDDYS FROZEN CUSTARD & STEAK**

5225 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2736	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		10/9/2015	0	H PREOPEN
			Back door needs floor sweep added.				
	EHF20	H10DAY	TOXIC ITEMS		10/9/2015		
			Sanitizer is dispensing too strong and needs to be recalibrated.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/9/2015		
			All food contact surfaces need to be cleaned.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERT FOODMG		10/9/2015		
			Food manager needed. will attend class in November.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/9/2015		
			a)Spanish handwashing signs needed in restrooms. b)3 Compartment sink is leaking and needs to be repaired. c)Parking lot needs to be cleared of all unnecessary items.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT**GENE HOWE ELEMENTARY**

5108 PICO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF338	EHF02	IN	COLD HOLDING		10/8/2015	0	HL1B	
			A)Cooler holding at products below 40 degrees.					
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/8/2015			
			A)Replace water damaged ceiling tiles in dry storage by next inspection. (Repeat) B)Clean all ceiling fans.					

KEY NUTRITION

325 N BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2476					10/9/2015	0	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

KIMBLE LEARNING CENTER

2200 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD16					10/8/2015	0	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**LA FIESTA GRANDE
7415 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF8	EHF02	H 2 HOUR	COLD HOLDING		10/13/2015	30	HL1B
			Potentially hazardous foods held on ice found at 53°. Potentially hazardous foods must be held under refrigeration at 41° or less.				
	EHF07	H 2 HOUR	ADEQUATE HAND WASHING		10/13/2015		
			Employee did not wash hands prior to gloves.				
	EHF11	H 2 HOUR	PROPER HANDLING RTE		10/13/2015		
			Employee handled ready to eat food with no gloves. All ready to eat foods must be handled with gloves. Repeat. b)Employee did not wash avacados before slicing.				
	EHF10	H24 HOUR	SOUND CONDITION		10/13/2015		
			Dented can on shelf for use. Chili powder stored with no lid.				
	EHF12	H 2 HOUR	CROSS CONTAMINATION		10/13/2015		
			Raw potentially hazardous foods stored above ready to eat foods in walk in cooler.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

LA FIESTA GRANDE

HF8	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS	10/13/2015	30	HL1B
			Gap at bottom of back door. Seal to prevent insects.			
	EHF24	H10DAY	THERMOMETERS	10/13/2015		
			No thermometer in drawer cooler. All cold hold units must have a thermometer.			
	EHF25	H10DAY	FOOD CONTACT SURFACES	10/13/2015		
			Utensil tubs not clean. Inside ice machine not clean. Blower covers and cord not clean. Foods stored on floor in walk in freezer. Walk in cooler shelves are dirty, rusted and peeling coatings. Clean shelves. Repair or replace peeling rusty shelves.			
	EHF28	H10DAY	ALL OTHER VIOLATIONS	10/13/2015		
			Grease drops on vent hoods. Single service items on floor. Walk in cooler floor is cracked, not smooth and must be repaired so it is easy to clean.			

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**LABELLA PIZZA
7230 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2680	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		10/13/2015	9	HL1B
			Back door will not self close. Repair door to allow self closing.				
	EHF20	COS	TOXIC ITEMS		10/13/2015		
			Chemicals stored on food contact surfaces.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/13/2015		
			Back door frame is not smooth and easily cleanable. Repair as needed. Employees working with foods need to wear a hair restraint.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/13/2015		
			Clean can opener, plastic wrap container, dirty suger bucket, walkin shelves, flower covers-walkin, dish shelves,& wall above, venthoods, reachin gaskets. Obtain plastic holder, Cardboard cannot be cleaned.Cellphone on prep table. Scoop w/no handle.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

LITTLE CAESARS

1401 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF263	EHF25	H10DAY	FOOD CONTACT SURFACES		10/13/2015	10	HL1B
			A) Can opener blade needs to be replaced. B) Shelves in the walk in cooler need to be cleaned. C) Can opener blade needs to be cleaned. D) Shelves&baskets above 3-comp sink need to be cleaned.E) Shelves in front reach in drink cooler need to be cleaned.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		10/13/2015		
			There was no soap in the hand sink. Soap and paper towels must be available at all times.				
	EHF08	COS	GOOD HYGENIC PRACTICES		10/13/2015		
			A) Cellular phone was found on the prep. table, personal items need to be stored in a different place. B) Soap container and paper towel were found in hand sink. Hand sink needs to be free and clean at all times.				
	EHF28	COS	ALL OTHER VIOLATIONS		10/13/2015		
			A)Hat or hair net must be worn at all times while working with food.B)Pizza boxes on the floor need to be at least 6in. off the floor at all times.COS.C)Air vent&wall over the pizza cutting area need to be cleaned.D)Outside of walk in needs to be cleaned				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**MARBLE SLAB CREAMERY
201 WESTGATE PKWY WEST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF855	EHF22	IN	MANAGER KNOWLEDGE/CERT FOODMG	Food manager card obtained.	10/12/2015	0	HFOL

**MARY MILES LEARNING CENTER
1700 S VAN BUREN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD19	EHF02	IN	COLD HOLDING	Freezer at zero degrees. Refrigerator at 38 degrees.	10/13/2015	0	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT**MOMMA LUS
400 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5686					10/10/2015	0	HL1B FOOD

**MONASTERY OF BLESSED SACRAMENT
4201 NE 18TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF875					10/13/2015	0	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**MR GATTIS PIZZA
4412 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM716					10/8/2015	0	H PREOPEN

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**OUTBACK STEAKHOUSE
7101 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2647	EHF10	COS	SOUND CONDITION		10/13/2015	7	HL1B
			Several foods stored with no lid. Storing foods with out lids allows dust and insects to contaminate. Repeat.				
	EHF25	COS	FOOD CONTACT SURFACES		10/13/2015		
			Scoop bath not operating. Unit was not plugged in. Repeat. b)Stickers on pans after washing. Ensure all stickers are removed. c)Tea nozzles not cleaned daily. d)Foods on floor in walk in cooler. Unit unorganized.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/13/2015		
			Dish washer unit vent hood is not operating. Repair as needed. b)Walk in cooler shelves rusty. Remove rust or replace units. c)Small fan on cooks line not clean.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**PAPA JOHNS PIZZA
1005 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2479	EHF25	COS	FOOD CONTACT SURFACES		10/9/2015	3	HL1B
			Can opener holder needed to be cleaned and can opener blade was dull and needed to be replaced.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/9/2015		
			A) Bathroom door needs a self-closing door hinge.B) lightbulb in walk in cooler needs to be shatter resistant.C) Clean pans stacked wet. Air dry pans prior to stack.				

PAVILLARD LEARNING CENTER 2404 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD11	EHF28	H60 DAY	ALL OTHER VIOLATIONS		10/13/2015	0	HL1B
			Keep all utensils facing the same direction. b)Household refrigeration is not allowed in daycares. All household units need to be replaced with NSF certified equipment.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT**PECAN RIDGE
400 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5705					10/10/2015	0	HL1B FOOD

**PEPITOS
400 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5674					10/10/2015	0	HL1B FOOD

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

PRIMO REFILL WATER DISP MACH

2035 SE 34TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2641					10/13/2015	0	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

PRIMO REFILL WATER DISP MACHIN

2425 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2035					10/13/2015	0	HL1B

3700 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2034	EHF07	COS	ADEQUATE HAND WASHING		10/13/2015	0	HL1B

a)Approved source label needed. b)Company contact information is needed on machine for customers.

4215 CANYON DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2036	EHF07	COS	ADEQUATE HAND WASHING		10/13/2015	0	HL1B

a)Approved source label needed. b)Company contact information is needed on machine for customers.

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

PRIMO REFILL WATER DISP MACHIN**4610 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2032	EHF07	COS	ADEQUATE HAND WASHING		10/13/2015	0	HL1B
a)Approved source label needed. b)Company contact is needed on machine for customers.							

5730 W AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2033	EHF07	COS	ADEQUATE HAND WASHING		10/13/2015	0	HL1B
a)Label needed stating water is from approved source. b)Contact information is needed for customers on machine.							

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**RANDALL HIGH EAST
9000 VALLEYVIEW DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF472	EHF15	IN	EQUIPMENT ADEQUATE		10/8/2015	0	HFOL
			A) Make table is not pooling water inside unit but will be observed for future problems.				
	EHF28	IN	ALL OTHER VIOLATIONS		10/8/2015		
			A) Corrected. Both walk-ins now have 40 foot candles 1 inch above the floor.				

**RANDALL HIGH EAST CAMPUS
9000 VALLEYVIEW DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK155	EHF02	IN	COLD HOLDING		10/8/2015	0	H PREOPEN
			Cantaloupe holding at 41F.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT**RIBS N MORE
400 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5696	EHF29	COS	RECOGNITION	No thermometer available. cos	10/10/2015	5	HL1B FOOD

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT**ROSAS CAFE #22
3820 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1081	EHF10	COS	SOUND CONDITION		10/13/2015	10	HL1B
			Dented can on shelf for use.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		10/13/2015		
			No paper towels at hand sink. Paper towels are required at all hand sinks at all times.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/13/2015		
			Clean shelves and/or rusted walkin cooler, Air intake, gaskets to coolers, canopener carrier, dishes w/food particles/stickers attached after cleaning, inside ice machine. Remove duct tape from inside ice machine. Dishes must be air dried before stacked.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT**SAINT STEPHEN VMC
400 16TH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5666					10/10/2015	0	HL1B FOOD

**SAN JACINTO CHRISTIAN ACADEMY
3218 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2732	EHF28	H90 DAY	ALL OTHER VIOLATIONS	Ceiling tiles need to be smooth easily cleanable.	10/9/2015	0	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**ST MARYS CATHEDRAL SCHOOL
1200 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF646					10/8/2015	0	HL1B

**STEWARTS BEEF JERKY
324 W WILLOW CREEK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP32	EHF28	H90 DAY	ALL OTHER VIOLATIONS		10/9/2015	0	HL1B
			Clean walls, drain pipe to mop sink.				
	EHF14	IN	WATER SUPPLY		10/9/2015		
			Water sample test required monthly - Sample 9/28/2015 ok.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

SUNSHINE VALLEY CHILD CARE

4618 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD22					10/13/2015	0	HL1B

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**TACO BUENO
6001 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1150	EHF27	H24 HOUR	ESTABLISHMENT PERMIT		10/10/2015	3	HM3
			Electrical short and fire in larger mixer. Establishment permit revoked due to fire ext. discharged. All open or uncovered food - discard. Clean all surfaces. Wash/Rinse/Sanitize all equipment and walls, floors and ceilings.				
HF1150	EHF27	IN	ESTABLISHMENT PERMIT		10/11/2015	0	HM4
			Establishment permit reinstated. All surfaces, walls, ceilings, floors cleaned. Food discarded. Okay to reopen, however, smaller fire extinguisher needs to be recharged. Follow up 10-14-15.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

TEXAS PANHANDLE PET SAVERS

400 16TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5677					10/10/2015	0	HL1B FOOD

THAI TASTE
7710 HILLSIDE RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1986	EHF25	IN	FOOD CONTACT SURFACES		10/12/2015	0	HFOL
			Correction from last inspection.				
	EHF28	IN	ALL OTHER VIOLATIONS		10/12/2015		
			5 corrections from last inspection.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**TOOT N TOTUM #32
1701 S EASTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF598	EHF03	IN	HOT HOLDING		10/8/2015	0	HL1B
			Hot dogs holding at 149F.				
	EHF28	IN	ALL OTHER VIOLATIONS		10/8/2015		
			a)Replace missing ceiling tiles in back room by HVAC by next inspection. b)Freezer needs to be replaced with a NSF/ANSI commercial unit. Freezer has been ordered.				

**TOOT N TOTUM #44
5424 RIVER RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2151	EHF28	COS	ALL OTHER VIOLATIONS		10/13/2015	0	HL1B
			Clean soda machine and fruit chillers. Nozzles are clean, but area surrounding nozzles have buildup.				

Food Establishment Public Inspection Report**From 10/8/15 thru 10/13/15**

ESTABLISHMENT

UNITED MARKET STREET #526**2530 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1309	EHF21	IN	MANUAL/MECHANICAL WARE WASHING	Sanitizer in core kitchen reading at 200PPM quat. In compliance.	10/8/2015	0	HFOL

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

WALMART #4464 FUEL STATION

2805 SW 58TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2737	EHF21	H45 DAY	MANUAL/MECHANICAL WARE WASHING		10/12/2015	0	H PREOPEN
			A)Food manager must be obtained within 45 days of opening.				
	EHF28	H 3 DAYS	ALL OTHER VIOLATIONS		10/12/2015		
			A)Smooth, durable, non-absorbent (vinyl) coated ceiling tiles needed over drink area (prior to opening). B)CO from Building Safety must be obtained prior to opening.				
HF2737	EHF21	H45 DAY	MANUAL/MECHANICAL WARE WASHING		10/13/2015	0	H PREOPEN
			A) Food manager needed within 45 days of opening				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**WALMART \$4464
2711 SW 58TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2738	EHF21	H45 DAY	MANUAL/MECHANICAL WARE WASHING		10/12/2015	0	H PREOPEN
			Food manager needed within 45 days.				
	EHF28	H24 HOUR	ALL OTHER VIOLATIONS		10/12/2015		
			a)Walkin freezer floor must be sealed. b)All ceiling tiles must be put back in place. c)Light in walkin freezer must be working properly. d)Sneeze shield in deli must be in place prior to opening.				
HF2738	EHF21	H45 DAY	MANUAL/MECHANICAL WARE WASHING		10/13/2015	0	H PREOPEN
			A)Food manager needed within 45 days.				
	EHFN47	H10DAY	OTHER VIOLATIONS		10/13/2015		
			a)Seal concrete floor in walk in freezer. b)Reset all ceiling tiles out of place. c)Corrected. c)Corrected.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

WEST TEXAS GOLF CARS

400 16TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5700					10/10/2015	0	HL1B FOOD

WESTOVER PARK INTERMEDIATE

7200 PINNACLE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF877	EHF15	H10DAY	EQUIPMENT ADEQUATE		10/8/2015	3	HL1B
			A)Reach in cooler holding all products at 50F. Cooler cannot be used until it can maintain a 41F or below internal temperature at all times.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/8/2015		
			A)Ceiling tiles in kitchen, dish area must be non absorbent. Tiles in dish area are absorbing moisture. B)Seal wooden shelve in walk in freezer (Repeat) C)Air gap needed on drain line from dish machine, at least 1 inch.				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

**WIENERSCHNITZEL #303
600 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2524	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		10/13/2015	6	HL1B
			A) Drive through side door must be closed at all time. COS. B) New door sweep needed on side door and back door.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		10/13/2015		
			A)Can opener blade needs to be replaced. B) Shelves in the walk in cooler need to be cleaned. COS. C) Can opener blade needs to be cleaned. COS				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		10/13/2015		
			A)Hat or hair net must be worn at all times while working with food. B) Blower covers in walk in cooler need to be cleaned. C) Light bulb in freezer needs to be replaced. D) Boxes on the walk in cooler floor need to be at least 6 inches off the floor.COS				

Food Establishment Public Inspection Report

From 10/8/15 thru 10/13/15

ESTABLISHMENT

WVM@WM NEIGHBORHOOD MET #7349

7251 ARDEN RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2711					10/13/2015	0	H PREOPEN