

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****3DS CATERING  
5060 HELIUM RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFRK151					9/17/2015	0	H PREOPEN

**7 BAR AND GRILL  
3130 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2023	EHF19	IN	RODENTS/ANIMALS/OPENINGS	Door sweep was repaired.	9/23/2015	0	HFOL

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****AFRICAN SAFARI  
5945 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1570	EHF25	COS	FOOD CONTACT SURFACES		9/22/2015	3	HL1B	
			a)Clean shelves in reachin cooler and freezer. b)Clean all food storage shelves and clean dish racks. c)Clean handles on reachin coolers.					

**ALDACOS TACOS  
3623 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF821					9/23/2015	0	HL1B

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**ALL OF US  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9008					9/18/2015	0	HL1B FOOD
HFT9008					9/21/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

---

**AMARILLO GERMAN ROASTED NUTS****3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9010	EHF25	COS	FOOD CONTACT SURFACES Roaster needed to be cleaned.		9/18/2015	3	HL1B FOOD
HFT9010					9/20/2015	0	HL1B FOOD
HFT9010					9/23/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**AMARILLO LITTLE LEAGUE**

**4101 HILLSIDE RD**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2718					9/18/2015	0	H PREOPEN

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**ARCHIES CONCESSIONS**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9011					9/17/2015	0	HL1B FOOD
HFT9011	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/19/2015	3	HL1B FOOD
			A)Service window must remain closed when not in immediate use.				
HFT9011	EHF28	COS	ALL OTHER VIOLATIONS		9/23/2015	0	HL1B FOOD
			Bleach water reading below 50PPM. COS				

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**B MAX CONCESSIONS  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9012					9/18/2015	0	HL1B FOOD
HFT9012					9/20/2015	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

### ESTABLISHMENT

#### BANGKOK RESTAURANT 5901 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF168	EHF18	H90 DAY	INSECT CONTAMINATION		9/22/2015	11	HL1B
			Roaches found in the ice maker. Terminex is treating the establishment (last treatment 9/15/15), however, the kitchen needs to be cleaned thoroughly and sanitized.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/22/2015		
			a)Walls in the kitchen need to be cleaned. b)Venthood needs to be cleaned.				
	EHF25	COS	FOOD CONTACT SURFACES		9/22/2015		
			a)Napkins found in the bottom of the utensil containers. All surfaces must be smooth and easily cleanable. b)Food storage shelves may not have cardboard. Must be smooth, easily cleanable. c)Handles on reachin coolers need to be cleaned.				
	EHF15	IN	EQUIPMENT ADEQUATE		9/22/2015		
			All equipment (coolers, freezers) must be NSF or ANSI certified or equivalent. No later than 12/22/15, at least one unit must be replaced.				
	EHF02	COS	COLD HOLDING		9/22/2015		
			Raw vegetables in cold-hold make tables holding at 45F degrees. Must be 41F degrees or lower.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

### ESTABLISHMENT

#### BELMAR ELEMENTARY 6342 ADIRONDACK TRL

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF761	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/23/2015	0	HL1B	
			Air vents dusty. b)Several ceiling holes need sealed. c)Tops of equipment dusty. d)mops not hung. e)Back of ovens dusty. f)Bare wood needs to be sealed.					

#### BIG SPENCER 4101 S LOOP 335 EAST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR34					9/19/2015	0	HL1B

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**BLUE FRONT CAFE  
801 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2721	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/22/2015	0	H PREOPEN
			Wait station needs to have ceiling.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		9/22/2015		
			Need to have someone with food manager card.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		9/22/2015		
			Residential refrigerators need to be replaced with commercial units.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		9/22/2015		
			Screen on back door needs replaced.				
	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		9/22/2015		
			Need to have handwashing sink at other end of kitchen.				

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**BLUE FRONT CAFE**

HFK154

9/22/2015

0

H PREOPEN

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**BOYDSTON CONCESSION**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9031	EHF24	COS	THERMOMETERS		9/17/2015	11	HL1B FOOD
			Thermometers needed in cooler & freezer.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/17/2015		
			Window with fan needs to be sealed. No openings to the exterior.				
	EHF25	COS	FOOD CONTACT SURFACES		9/17/2015		
			All walls, counters, coolers, etc. need to be cleaned and sanitized.				
HFT9031	EHF03	IN	HOT HOLDING		9/20/2015	0	HL1B FOOD
			Corn Dogs are 155F.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**BOYDSTON BROTHERS CONCESSIONS**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9013	EHF02	COS	COLD HOLDING		9/17/2015	17	HL1B FOOD
			Cooler not reaching 41F degrees or below.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/17/2015		
			a)Window with fan needs to be sealed. No openings to exterior. b)Screen door needs to be tight fitting on all 4 sides.				
	EHF25	COS	FOOD CONTACT SURFACES		9/17/2015		
			All walls, counters, food prep areas need to be cleaned and sanitized.				
	EHF23	COS	SEWAGE/WASTEWATER		9/17/2015		
			Wastewater hose needs to drain into sewage system.				
HFT9013	EHF03	IN	HOT HOLDING		9/20/2015	0	HL1B FOOD
			Corn dogs are 148F.				

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**BOYDSTON BROTHERS CONCESSIONS**

HFT9013	EHF03	IN	HOT HOLDING	9/23/2015	0	HL1B FOOD
---------	-------	----	-------------	-----------	---	-----------

Corndogs holding at 181F in hot hold.

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

### ESTABLISHMENT

#### BOYDSTON CONCESSIONS

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9007	EHF23	COS	SEWAGE/WASTEWATER		9/17/2015	3	HL1B FOOD
			Condensation from a/c units running down wall by fryers. Repair before opening.				
HFT9007					9/21/2015	0	HL1B FOOD
HFT9032	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/17/2015	6	HL1B FOOD
			Doors need to be tight fitting.				
	EHF25	COS	FOOD CONTACT SURFACES		9/17/2015		
			Clean counters and inside freezer, fan and AC unit.				

**Food Establishment Public Inspection Report****From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

---

**BOYDSTON CONCESSIONS**

HFT9032				9/21/2015	0	HL1B FOOD
HFT9032	EHF21	COS	MANUAL WARE WASHING	9/23/2015	3	HL1B FOOD
			Sanitizer too weak. Bleach sanitizer must be 100ppm for surfaces.			
HFT9033	EHF19	COS	RODENTS/ANIMALS/OPENINGS	9/17/2015	6	HL1B FOOD
			Make sure door fits completely flush.			
	EHF25	COS	FOOD CONTACT SURFACES	9/17/2015		
			Clean wall, fan, inside fridge and all counters.			
HFT9033				9/19/2015	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**BOYDSTON CONCESSIONS**

HFT9034	EHF19	COS	RODENTS/ANIMALS/OPENINGS Door needs to be flush with floor.	9/17/2015	6	HL1B FOOD
	EHF25	COS	FOOD CONTACT SURFACES Clean walls, fridge, handles and AC unit.	9/17/2015		
HFT9034				9/22/2015	0	HL1B FOOD
HFT9035				9/17/2015	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

### ESTABLISHMENT

#### BOYDSTON CONCESSIONS

Inspection ID	Establishment ID	Code	Category	Date	Score	Comments
HFT9035	EHF03	COS	HOT HOLDING	9/19/2015	5	HL1B FOOD A)Corndogs holding at 120F. Corndogs must be kept above 135F at all times.
HFT9035				9/23/2015	0	HL1B FOOD
HFT9036	EHF19	COS	RODENTS/ANIMALS/OPENINGS	9/17/2015	6	HL1B FOOD Screen door needs to be tight fitting on all 4 sides.
	EHF25	COS	FOOD CONTACT SURFACES	9/17/2015		All food surfaces need to be cleaned, freezer needs to be cleaned.
HFT9036	EHF02	COS	COLD HOLDING	9/22/2015	5	HL1B FOOD Uncooked hot dogs were at 57F. Has to be 41F or below at all times. COS Ice was added.

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**BOYDSTON CONCESSIONS**

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

**ESTABLISHMENT****BROOKDALE SENIOR LIVING**

7404 WALLACE BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1968	EHF10	IN	SOUND CONDITION		9/22/2015	0	HM4
			Corrected.				
	EHF25	IN	FOOD CONTACT SURFACES		9/22/2015		
			Corrected.				
	EHF27	IN	ESTABLISHMENT PERMIT		9/22/2015		
			Permit reinstated. Ok to operate. Thanks.				
	EHF23	IN	SEWAGE/WASTEWATER		9/22/2015		
			Corrected.				
HF1968	EHF23	H24 HOUR	SEWAGE/WASTEWATER		9/21/2015	6	HM3
			Fire sprinkler head above walkin freezer activated, flooding freezer & kitchen w/non potable water. All food in frzr was disposed of in outside trash containers.Liquid waste running into parking lot. Wastewater must be picked up with absorbant material.				

**Food Establishment Public Inspection Report****From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

---

**BROOKDALE SENIOR LIVING**

HF1968	EHF28	H24 HOUR	ALL OTHER VIOLATIONS	9/21/2015	6	HM3
--------	-------	----------	----------------------	-----------	---	-----

Clean entire kitchen, wash, rinse and sanitize all surfaces. Repair/replace ceiling tile.

	EHF10	H24 HOUR	SOUND CONDITION	9/21/2015		
--	-------	----------	-----------------	-----------	--	--

Food in walkin refrigerator does not appear to be affected. Floor contaminated with wastewater. suggest cleaning all containers and uncovered food.

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**BSR VENDING  
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9014					9/17/2015	0	HL1B FOOD
HFT9014	EHF02	COS	COLD HOLDING		9/19/2015	8	HL1B FOOD
			A)Cooler holding all products at 51 degrees. Cooler products were removed.				
	EHF20	COS	TOXIC ITEMS		9/19/2015		
			A)Bleach spray bottle found with unknown chemical. Bottle was emptied and refilled.				
HFT9014					9/23/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**BSR VENDING**

HFT9030					9/17/2015	0	HL1B FOOD
---------	--	--	--	--	-----------	---	-----------

HFT9030	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/19/2015	3	HL1B FOOD
			A)Service window must remain closed when not in use.				

**BUSHLAND HIGH SCHOOL  
1201 S FM 2381**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFP20					9/21/2015	0	HL1B

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****BUSHLAND HIGH SCHOOL BOOSTER C****1201 S FM 2381**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFP24	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/18/2015	6	HL1B
			Replace ceiling tile above 3 comp sink. clean freezer.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**CARRANZA MARINA  
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9057	EHF21	COS	MANUAL WARE WASHING		9/18/2015	11	HL1B FOOD
			No water at third compartment sink.				
	EHF24	COS	THERMOMETERS		9/18/2015		
			No thermometers in refridgerators.				
	EHF25	COS	FOOD CONTACT SURFACES		9/18/2015		
			Tea nozzle needs to be cleaned. Can opener needs to be cleaned.				
HFT9057	EHF25	COS	FOOD CONTACT SURFACES		9/22/2015	15	HL1B FOOD
			Can opener needed to be cleaned.				
	EHF11	COS	PROPER HANDLING RTE		9/22/2015		
			Must wear gloves when handling ready to eat foods.				

**Food Establishment Public Inspection Report****From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT****CARRANZA MARINA**

HFT9057	EHF07	COS	ADEQUATE HAND WASHING	9/22/2015	15	HL1B FOOD
---------	-------	-----	-----------------------	-----------	----	-----------

Must wash hands before putting on gloves.

	EHF28	COS	ALL OTHER VIOLATIONS	9/22/2015		
--	-------	-----	----------------------	-----------	--	--

Cups stored on ground outside. Must be at least 6" off the ground.

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****CARRANZA MARINA/CANDY LANE****3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>	
HFT9058	EHF28	COS	ALL OTHER VIOLATIONS		9/17/2015	3	HL1B FOOD	
			Air conditioning vents and fans need to be cleaned. Replace filter.					
HFT9058	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/20/2015	3	HL1B FOOD	
			Windows must stay closed when not in use.					

**Food Establishment Public Inspection Report****From 9/17/15 thru 9/23/15****ESTABLISHMENT****CARRANZA MARINA/PIZZA PARLOR****3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9056	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/18/2015	8	HL1B FOOD
			Door must be self closing.				
	EHF02	COS	COLD HOLDING		9/18/2015		
			Reach in cooler holding at 50F. Needs to be 41F or below.				
HFT9056					9/21/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report****From 9/17/15 thru 9/23/15****ESTABLISHMENT****CARRANZA MARINA/TWO GUYS****3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9059	EHF15	COS	EQUIPMENT ADEQUATE Door must be self closing.		9/18/2015	12	HL1B FOOD
	EHF25	COS	FOOD CONTACT SURFACES Clean potato slicer.		9/18/2015		
	EHF21	COS	MANUAL WARE WASHING Bleach sanitizer not available. Must be 100 ppm for surfaces and 50ppm for dishes.		9/18/2015		
	EHF23	COS	SEWAGE/WASTEWATER Wastewater hose not connected.		9/18/2015		
HFT9059	EHF07	COS	ADEQUATE HAND WASHING Handsink blocked by clean dishes. Must be kept clean and open for handwashing.		9/23/2015	12	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

### ESTABLISHMENT

---

#### CARRANZA MARINA/TWO GUYS

Inspection ID	Code	Category	Description	Date	Count	Notes
HFT9059	EHF02	COS	COLD HOLDING	9/23/2015	12	HL1B FOOD a)Reachin coolers holding at 48F degrees and 49F degrees. Must be 41F degrees or below. b)Sliced tomatoes, cheese, onions, and peppers holding at 62F degrees. All items discarded.One cooler repaired holding at 40°F.
	EHF25	COS	FOOD CONTACT SURFACES	9/23/2015		Microwave needed to be cleaned.
HFT9059	EHF21	COS	MANUAL WARE WASHING	9/19/2015	15	HL1B FOOD Wipe down rags found in container without sanitizer. Sanitizer not available.
	EHF12	COS	CROSS CONTAMINATION	9/19/2015		Ice scoop found handle down in ice.
	EHF14	COS	WATER SUPPLY	9/19/2015		Water line did not have back flow protection.
	EHF28	COS	ALL OTHER VIOLATIONS	9/19/2015		Light fixtures without protections. Bulbs required. Hair restraints required for all workers.

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****CARRANZA MARINA/TWO GUYS****CHANS CONCESSION****3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>	
HFT9005					9/17/2015	0	HL1B FOOD	
HFT9005					9/21/2015	0	HL1B FOOD	
HFT9005	EHF14	COS	WATER SUPPLY		9/23/2015	4	HL1B FOOD	
			Freshwater hose does not have a backflow preventer.					

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

---

**COWBOY TATERS OF TEXAS****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9016	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/18/2015	3	HL1B FOOD
			Door needs spring attached.				
HFT9016	EHF24	COS	THERMOMETERS		9/21/2015	8	HL1B FOOD
			Thermometer in cooler is broken and needs to be replaced.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/21/2015		
			Bulk mustard stored on ground. Must be stored at least 6" off the ground.				

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**CRABTREE AMUSEMENTS**

**3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9048					9/18/2015	0	HL1B FOOD
HFT9048					9/22/2015	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**CRABTREE AMUSEMENTS/DEANS**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9047	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/18/2015	6	HL1B FOOD
			All windows need to be tight fitting seals.				
	EHF02	COS	COLD HOLDING		9/18/2015		
			Fridge is holding at 60F must be 41F or below at all times.				
HFT9047	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/21/2015	6	HL1B FOOD
			Air curtain not on at time of inspection.				
	EHF23	COS	SEWAGE/WASTEWATER		9/21/2015		
			Waste water line leaking at connection.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**CRABTREE AMUSEMENTS/FUNNELCAKE**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9043					9/17/2015	0	HL1B FOOD
HFT9043					9/22/2015	0	HL1B FOOD
HFT9045	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/18/2015	8	HL1B FOOD
			a)Self closing door hinge needed. COS. b)All windows must be sealed around edges. COS				
	EHF02	COS	COLD HOLDING		9/18/2015		
			Cooler holding at 50F, big cooler is only being used for drinks. Mini cooler will be used to store food.				

**Food Establishment Public Inspection Report****From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

---

**CRABTREE AMUSEMENTS/FUNNELCAKE**

HFT9045	EHF19	COS	RODENTS/ANIMALS/OPENINGS	9/19/2015	6	HL1B FOOD
---------	-------	-----	--------------------------	-----------	---	-----------

A)Air curtain is not working sufficiently. Windows must remain closed when not in use. Booth must close until fly population is removed. Corrected AS

	EHF18	COS	INSECT CONTAMINATION	9/19/2015		
--	-------	-----	----------------------	-----------	--	--

A)Large amount of flies in booth.

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**CRABTREE AMUSMENTS**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9046					9/18/2015	0	HL1B FOOD
HFT9046	EHF28	COS	ALL OTHER VIOLATIONS		9/20/2015	3	HL1B FOOD
			All food must be 6 in above floor.				
HFT9046					9/23/2015	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**CRUISERS GRILL & BAR**

**2813 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2562	EHF28	COS	ALL OTHER VIOLATIONS		9/23/2015	3	HL1B
			a)Vent hood needs to be cleaned. b)Gasket on refrigerator needs to be replaced.				
	EHF20	COS	TOXIC ITEMS		9/23/2015		
			a)Spray bottle not labeled. b)Bottle of bleach without lid.				

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**CRUSTYS WOOD FIRED PIZZA**

**3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9017					9/18/2015	0	HL1B FOOD
HFT9017					9/22/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**CURLY-Q-TATOR  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9000					9/17/2015	0	HL1B FOOD
HFT9000					9/22/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**DI-TEAFCS  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9041					9/23/2015	0	HL1B FOOD
HFT9041					9/23/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

**ESTABLISHMENT****DOBLER WINES LTD**

19290 FM 1541

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR72	EHF14	H10DAY	WATER SUPPLY	Monthly water results required.	9/17/2015	0	HL1B

**EL CAPORAL**

2612 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2699	EHF14	IN	WATER SUPPLY	Hot water repaired and available.	9/21/2015	0	HFOL

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**FENDUCCI INC  
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9037					9/18/2015	0	HL1B FOOD
HFT9038					9/18/2015	0	HL1B FOOD
HFT9038	EHF12	COS	CROSS CONTAMINATION		9/19/2015	8	HL1B FOOD
			Scoops and spoons found down in product.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/19/2015		
			Employee seen with her arms on counter with screen open - service window screens closed when not serving.				

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****FENDUCCI INC**

HFT9039	9/18/2015	0	HL1B FOOD
HFT9039	9/20/2015	0	HL1B FOOD
HFT9040	9/18/2015	0	HL1B FOOD
HFT9040	9/22/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

---

**FOREST HILL ELEMENTARY  
3515 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF668	EHF28	COS	ALL OTHER VIOLATIONS		9/22/2015	0	HL1B	
			Light shields in walkin cooler and freezer need to be cleaned.					

**FULLER CHIROPRACTIC & WELLNESS  
3363 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2717					9/18/2015	0	H PREOPEN

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**HEARTIS AMARILLO  
1610 RESEARCH ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2716	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/22/2015	0	H PREOPEN
			Handwashing signs posted at all handwashing sinks.				
	EHF17	H10DAY	HAND WASH WITH SOAP/TOWELS		9/22/2015		
			Towel dispensers need to be mounted.				
	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		9/22/2015		
			You will need to have someone obtain a Food Manager Card.				

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**HOOP CONCESSIONS  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9061					9/17/2015	0	HL1B FOOD
HFT9061	EHF21	COS	MANUAL WARE WASHING Sanitizer not at proper strength.		9/20/2015	3	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**HOOP CONCESSIONS INC**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9020	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2015	5	HL1B FOOD
			Clean freezer lid and seals, dill pickles and cheese cake mold. Hair restraints required for all workers. All outside storage must be up off of floor.				
	EHF24	COS	THERMOMETERS		9/19/2015		
			Thermometer required in freezer.				
HFT9020					9/18/2015	0	HL1B FOOD
HFT9020					9/17/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**HOUSTON MIDDLE SCHOOL  
815 S INDEPENDENCE ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF674					9/23/2015	0	HL1B

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**K & D CONCESSION  
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9022	EHF23	COS	SEWAGE/WASTEWATER Wastewater hose not reaching drain.		9/18/2015	6	HL1B FOOD
	EHF25	COS	FOOD CONTACT SURFACES Fry baskets need to be cleaned.		9/18/2015		
HFT9022	EHF02	COS	COLD HOLDING Cooler holding at 50F. Do not store anything potentially hazardous in cooler.		9/21/2015	5	HL1B FOOD

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**LAKESIDE CONCESSIONS**

**3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9029					9/17/2015	0	HL1B FOOD
HFT9029					9/21/2015	0	HL1B FOOD
HFT9029					9/23/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****LANDERGIN ELEMENTARY****3209 S TAYLOR ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF679	EHF28	IN	ALL OTHER VIOLATIONS		9/23/2015	0	HL1B	
			Roof leak repaired. Correction from last inspection.					

**MARGARET WILLS ELEMENTARY****3500 SW 11TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF657					9/23/2015	0	HL1B

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**MARTINEZ PAT  
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9050	EHF18	COS	INSECT CONTAMINATION		9/18/2015	6	HL1B FOOD
			Several flies in trailer.				
	EHF14	COS	WATER SUPPLY		9/18/2015		
			Water leak on hose at connection.				
HFT9050	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/20/2015	6	HL1B FOOD
			Door closer not on door.				
	EHF18	COS	INSECT CONTAMINATION		9/20/2015		
			Several flies in trailer.				

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**MARTINEZ PAT**

HFT9050	EHF18	COS	INSECT CONTAMINATION	9/23/2015	3	HL1B FOOD
---------	-------	-----	----------------------	-----------	---	-----------

Excess of flies in trailer. COS

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****MARTINEZ PAT/FRY WAGON****3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9051	EHF28	COS	ALL OTHER VIOLATIONS Clean AC vents and vent hoods.		9/18/2015	6	HL1B FOOD
	EHF19	COS	RODENTS/ANIMALS/OPENINGS Back door needs to be self-closing.		9/18/2015		
HFT9051	EHF14	COS	WATER SUPPLY No hot water at hand sink.		9/22/2015	4	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

---

**MARTINEZ PAT/MIDWAY GRILL****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9049	EHF24	COS	THERMOMETERS		9/18/2015	8	HL1B FOOD
			Probe thermometer needed.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/18/2015		
			Light shield needed.				
HFT9049	EHF25	COS	FOOD CONTACT SURFACES		9/21/2015	3	HL1B FOOD
			Can opener needed to be cleaned.				
HFT9049	EHF28	COS	ALL OTHER VIOLATIONS		9/23/2015	3	HL1B FOOD
			Door needs to be closed at all times. Door has a self-closer but door is not self closing. Need a tighter spring.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**MARTINEZ PAT/NACHO**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9042	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/18/2015	9	HL1B FOOD
			Screen not attached at entrance.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/18/2015		
			Fans not clean. Sinks not large enough for large pans. Sinks must be replaced for next year. Door must be a solid screen door for next year.				
HFT9042	EHF14	COS	WATER SUPPLY		9/21/2015	7	HL1B FOOD
			Need backflow prevention device.				
	EHF25	COS	FOOD CONTACT SURFACES		9/21/2015		
			Tea nozzle needed to be cleaned.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**MARTINEZ PAT/PIT STOP**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9052	EHF02	COS	COLD HOLDING		9/18/2015	11	HL1B FOOD
			Reach in cooler is reading 49F. This cooler can not be used until fixed and holding at 41F or below.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/18/2015		
			Self closing door hinge needed.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/18/2015		
			Light shields needed for two bulbs.				
HFT9052	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2015	23	HL1B FOOD
			A)Booth must close until all items have been fixed. 6:05pm 9-19-15 AS. All items corrected and booth may re-open. AS				
	EHF18	COS	INSECT CONTAMINATION		9/19/2015		
			A)Large amount of flies in booth.				

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

**ESTABLISHMENT****MARTINEZ PAT/PIT STOP**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9052	EHF03	COS	HOT HOLDING		9/19/2015	23	HL1B FOOD
			A)Hot dogs holding at 110F, corndogs holding at 105F.				
	EHF24	COS	THERMOMETERS		9/19/2015		
			A)No probe thermometer available. B)No thermometer in make table.				
	EHF23	COS	SEWAGE/WASTEWATER		9/19/2015		
			A)Wastewater is not draining from booth. B)Wastewater drained onto ground. C)No backflow preventer.				

**MARTYS CONCESSIONS**

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF782	EHF25	COS	FOOD CONTACT SURFACES		9/18/2015	3	HL1B
			a)Wipe down all counter tops. b)Clean inside of all coolers. c)Clean all vent hoods.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**MOMMA LUS  
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT9023					9/17/2015	0	HL1B FOOD	
HFT9023	EHF23	COS	SEWAGE/WASTEWATER		9/19/2015	3	HL1B FOOD	
			A)Wastewater not properly draining into sewer system. Booth must close until repaired. 4:00pm 9-19-15. All problems repaired booth may re-open 4:25pm 9-19-15.					
HFT9023					9/23/2015	0	HL1B FOOD	

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

**ESTABLISHMENT****OAKDALE ELEMENTARY**

2711 S HILL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF757	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/23/2015	0	HL1B
			Walk in freezer has a condensate leak that needs to be repaired.				
	EHF03	IN	HOT HOLDING		9/23/2015		
			Green beans holding at 165F. In compliance.				

**OASIS OF THE RACES  
4101 S LOOP 335 EAST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR35					9/19/2015	0	HL1B

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****OLD 66 LOUNGE  
5316 E AMARILLO BLVD**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2186	EHF23	IN	SEWAGE/WASTEWATER	Three-compartment sink repaired.	9/21/2015	0	HFOL

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**PATS YUM YUM HUT  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9024					9/17/2015	0	HL1B FOOD
HFT9024					9/21/2015	0	HL1B FOOD
HFT9024					9/23/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

**ESTABLISHMENT****PAULS CONCESSIONS  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9060	EHF23	COS	SEWAGE/WASTEWATER Drain connection leaking.		9/18/2015	7	HL1B FOOD
	EHF14	COS	WATER SUPPLY No hot water.		9/18/2015		
HFT9060	EHF19	COS	RODENTS/ANIMALS/OPENINGS Screen wouldn't slide open and close. Lubrication was added.		9/22/2015	7	HL1B FOOD
	EHF14	COS	WATER SUPPLY Hot water heater was off.		9/22/2015		

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**PIERRES CONCESSION  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9002					9/17/2015	0	HL1B FOOD
HFT9002					9/21/2015	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**PLAYERS BIKINI CLUB  
2121 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2722	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		9/23/2015	0	H PREOPEN
			Food manager card needed. Obtain within 45 days.				
	EHF28	H24 HOUR	ALL OTHER VIOLATIONS		9/23/2015		
			a)Seal floors and walls. b)Clean ceiling behind bar. c)Shelves needed for storage. d)Handsink, 3 compartment sink and mop sink need to be installed. e)Trashcan with a lid needed in womens restroom. f)All lights behind bar must be shatter proof.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**PUCKETT ELEMENTARY  
6700 OAKHURST DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF743	EHF28	H180 DAY	ALL OTHER VIOLATIONS		9/23/2015	0	HL1B
			Acoustic ceiling tiles found in kitchen. Must replace by next inspection with smooth, vinyl coated tiles.				
	EHF03	IN	HOT HOLDING		9/23/2015		
			Lemon Pepper chicken was holding at 147F.				

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

**ESTABLISHMENT****RAGLEY CONCESSION  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9025	EHF12	COS	CROSS CONTAMINATION Ice scoop handle found down in ice.		9/19/2015	10	HL1B FOOD
	EHF28	COS	ALL OTHER VIOLATIONS Hair restraints required for all workers.		9/19/2015		
	EHF24	COS	THERMOMETERS Thermometer required for freezer side in stock area. Sign placed on door - Do not use.		9/19/2015		
HFT9025					9/17/2015	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**RANDALL HIGH EAST  
9000 VALLEYVIEW DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF472	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/23/2015	3	HFOL
			A)Corrected. B)Lighting in walk in freezer and cooler is currently 1 foot candle at back of both units. Lighting must be repaired to be at least 10 foot candles. (Repeat) Must be repaired by 10-5-15 unless other arrangements are agreed upon.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		9/23/2015		
			A)Make table is leaking water in the bottom of the unit. Unit must be repaired to prevent all water from pooling. (REPEAT 2x) If not repaired by 10-5-15 a \$50 reinspection fee will be charged.				

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

**ESTABLISHMENT****RANDALL HIGH SCHOOL  
5800 ATTEBURY DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF568	EHF15	IN	EQUIPMENT ADEQUATE		9/23/2015	0	HFOL
			A)Corrected.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/23/2015		
			A)Fire extinguisher must be properly tagged.(REPEAT) B)corrected. C)Corrected.				

**RED RIVER STEAKHOUSE  
4332 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2710	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/22/2015	0	HL1B
			Dumpster needs to be on asphalt (rolled) or concrete.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**RIBS & ROUX  
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT9019					9/17/2015	0	HL1B FOOD	
HFT9019	EHF03	COS	HOT HOLDING		9/20/2015	5	HL1B FOOD	
			Chopped brisket at 104F must hold at 135F after reheating to 165F.					

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**RIBS & ROUX #2  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9054					9/17/2015	0	HL1B FOOD
HFT9054					9/20/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**ROSS ROGERS GOLF COURSE DELI**

**722 NW 24TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF336					9/23/2015	0	HL1B

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**ROUTE 66 MOTOR SPEEDWAY**

**4101 S LOOP 335 EAST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR25	EHF14	H24 HOUR	WATER SUPPLY		9/19/2015	7	HL1B
			Water sample tests required monthly. Last sample July 2015, samples must be tested monthly.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		9/19/2015		
			Exterior door must be self closing. Back door must be closed or install screen door.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		9/19/2015		
			Clean walls and floors. Install light protection.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**SLEEP INN  
2401 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2704	EHF22	H 3 DAYS	MANAGER KNOWLEDGE/CERTIFIED		9/21/2015	3	HFOL	
			Must obtain City issued food manger card by 9-23-25 or a \$50.00 reinspection fee will be charged.					
HF2704	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED		9/23/2015	0	HFOL	
			Obtained food manager card. In compliance.					

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****SLEEPY HOLLOW ELEMENTARY****3435 REEDER DR**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>	
HF716	EHF28	H180 DAY	ALL OTHER VIOLATIONS		9/23/2015	0	HL1B	
			Acoustic tiles in kitchen. Replace with smooth vinyl coated by next inspection.					

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**SOUTHWEST OPTIMIST CLUB**

**3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9026					9/17/2015	0	HL1B FOOD
HFT9026					9/21/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**ST ANDREWS EPISCOPAL SCHOOL**

**1515 S GEORGIA ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2709					9/23/2015	0	HL1B

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****ST MATTHEW UNITED METHODIST****3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>	
HFT9027	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2015	0	HL1B FOOD	
			a)All workers must have hair restraints. b)Discussed proper sanitizer solutions.					
HFT9027					9/18/2015	0	HL1B FOOD	

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**SUGARS CONCESSIONS**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9001					9/17/2015	0	HL1B FOOD
HFT9001	EHF03	IN	HOT HOLDING Corn Dog was 147F.		9/20/2015	0	HL1B FOOD
HFT9003					9/17/2015	0	HL1B FOOD
HFT9003					9/20/2015	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****SUGARS CONCESSIONS**

HFT9004				9/17/2015	0	HL1B FOOD
HFT9004	EHF03	COS	HOT HOLDING	9/22/2015	8	HL1B FOOD
			Corn dogs were 125F. Moved tray away from air curtain, and closed serving window away from tray.			
	EHF21	COS	MANUAL WARE WASHING	9/22/2015		
			Bleach water was too strong.			

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**T&M COKE TRAILER  
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT9015	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2015	0	HL1B FOOD	
			a)Hair restraints required for all workers. b)Discussed properly handling cups. Always grip on outside bottom half.					
HFT9015	EHF17	COS	HAND WASH WITH SOAP/TOWELS		9/17/2015	4	HL1B FOOD	
			Paper towels for handwashing.					

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

**ESTABLISHMENT****TAQUERIA RIVERA  
2602 SE 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM1	EHF14	COS	WATER SUPPLY		9/22/2015	7	HL1B
			Hot water heater not on at time of inspection. COS.				
	EHF15	COS	EQUIPMENT ADEQUATE		9/22/2015		
			Cooler holding at70F. Cooler was not plugged in. COS.				

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9021	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/17/2015	3	HL1B FOOD
			Screen needed on serving window.				

**Food Establishment Public Inspection Report****From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT****TAQUERIA RIVERA**

HFT9021	EHF02	COS	COLD HOLDING	9/22/2015	9	HL1B FOOD
			Cooler not turned on at time of inspection. COS			
	EHF27	COS	ESTABLISHMENT PERMIT	9/22/2015		
			Hot water not working. COS			
HFT9021	EHF23	COS	SEWAGE/WASTEWATER	9/23/2015	3	HL1B FOOD
			Wastewater leaking onto ground at connection.			

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****TATYS MEXICAN RESTAURANT  
4400 E AMARILLO BLVD**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2706	EHF23	IN	SEWAGE/WASTEWATER Ice maker repaired.		9/22/2015	0	HFOL
	EHF19	IN	RODENTS/ANIMALS/OPENINGS Back door has self-closer now. Corrected.		9/22/2015		

**Food Establishment Public Inspection Report****From 9/17/15 thru 9/23/15****ESTABLISHMENT****THAI DIAMOND 2  
2222 SE 27TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2723	EHF24	H10DAY	THERMOMETERS		9/23/2015	0	H PREOPEN
			Probe thermometer needed.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/23/2015		
			Self closing door hinge/spring needed on restroom doors.				

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT****TIMBERWOLF TRADING  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9009					9/18/2015	0	HL1B FOOD
HFT9009	EHF21	COS	MANUAL WARE WASHING Sanitizer too weak.		9/22/2015	3	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**TOP OF TEXAS YOUTH FOOTBALL**

**2400 WELLS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP25	EHF21	COS	MANUAL WARE WASHING		9/19/2015	9	HL1B
			Employee seen warewashing utensils taken about to wipe off sanitizer from utinsel. Discussed proper air drying. COS				
	EHF24	H10DAY	THERMOMETERS		9/19/2015		
			Thermometer required in freezer.				
	EHF28	COS	ALL OTHER VIOLATIONS		9/19/2015		
			Clean prep ref. Hair restraints rquired for all workers.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		9/19/2015		
			Weather strip door at cooker enclosure.				

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**TRACYS CONCESSIONS**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9055	EHF14	COS	WATER SUPPLY		9/19/2015	9	HL1B FOOD
			Backflow protection required on water supply.				
	EHF12	COS	CROSS CONTAMINATION		9/19/2015		
			Ice scoop found on soda machine drain. Ice scoop not stored handle up in ice.				
HFT9055	EHF23	COS	SEWAGE/WASTEWATER		9/23/2015	4	HL1B FOOD
			Fresh water hose leaking onto ground. COS				
HFT9055	EHF02	COS	COLD HOLDING		9/18/2015	14	HL1B FOOD
			Freezer is not getting cold.				

**Food Establishment Public Inspection Report****From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

---

**TRACYS CONCESSIONS**

HFT9055	EHF19	COS	RODENTS/ANIMALS/OPENINGS	9/18/2015	14	HL1B FOOD
---------	-------	-----	--------------------------	-----------	----	-----------

Door must be self closing. Service windows need to be closed at all times or have working air curtains.  
Repairs made. Screens need to be sealed to walls. Obtain working sliding windows.

	EHF28	COS	ALL OTHER VIOLATIONS	9/18/2015		
--	-------	-----	----------------------	-----------	--	--

A/C vents/return must be cleaned.

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**TRACY'S CONCESSIONS**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT9053	EHF19	COS	RODENTS/ANIMALS/OPENINGS		9/18/2015	3	HL1B FOOD
			Self closing door hinge needed.				
HFT9053	EHF02	COS	COLD HOLDING		9/20/2015	13	HL1B FOOD
			Uncooked bacon needs to stay in refrigerator until cooked.				
	EHF03	COS	HOT HOLDING		9/20/2015		
			Corndogs at 108F, must be held at 135 or above.				
	EHF18	COS	INSECT CONTAMINATION		9/20/2015		
			Several flies in trailer.				

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**TURKEY  
3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9018					9/17/2015	0	HL1B FOOD
HFT9018					9/20/2015	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

**TWISTED T  
5120 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2707	EHF28	H10DAY	ALL OTHER VIOLATIONS		9/23/2015	11	HL1B
			Holes in ceiling. Seal. b)Reset ceiling panel in corner.				
	EHF25	COS	FOOD CONTACT SURFACES		9/23/2015		
			Microwave, numerous pans, hot hold shelf, slicer not clean.				
	EHF03	COS	HOT HOLDING		9/23/2015		
			Food on steam table not at proper temp. Reheat to 165 before putting on steam table.				
	EHF20	COS	TOXIC ITEMS		9/23/2015		
			Spray bottles with clear liquid not labeled.				

**Food Establishment Public Inspection Report**

From 9/17/15 thru 9/23/15

---

**ESTABLISHMENT**

---

**WESTERN PLATEAU ELEMENTARY****4927 SHAWNEE TRL**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF465	EHF28	H60 DAY	ALL OTHER VIOLATIONS		9/23/2015	0	HL1B

Prep table is not cleanable and was to be replaced over the summer. Do not use this table for food prep.  
Replace table.

**Food Establishment Public Inspection Report**

**From 9/17/15 thru 9/23/15**

---

**ESTABLISHMENT**

**WHEELER CONCESSIONS**

**3301 SE 10TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT9028					9/17/2015	0	HL1B FOOD
HFT9028					9/20/2015	0	HL1B FOOD
HFT9028					9/23/2015	0	HL1B FOOD