Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

AMA LODGE1361 LOYALORDER MOOSE

4200 N WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP21	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		4/29/2016	2	HL1B

Condensate line needs to be repaired on keg cooler.

	EHFN46	H180 DAY	SERVICE SINK PROVIDED		4/29/2016		

Mop sink needed. Correct within 6 months.

AMARILLO ZOO CONCESSION

2401 DUMAS DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1513					5/4/2016	0	HL1B

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

ARDEN ROAD ELEMENTARY

6801 LEARNING TREE AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF412	EHFN20	H 120DAY	APPROVED SEWAGE/WASTEWATER SYS		4/28/2016	4	HL1B
			Two compartment sink must have air gap.To be corrected by Aug 2016				
	EHFN45	H 120DAY	PHYSICAL FACILITIES INSTALLED		4/28/2016		
			Ceiling tile must be replaced with smooth, easily cleanable, and non absorbent ceiling tiles. to be corrected by Aug 2016.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

ATMOSPHERE CAFE
804 N WASHINGTON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF152	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/4/2016	6	HL1B
			Three compartment sink needs to have indirect drain with air gap.				
	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		5/4/2016		
			Refrigeration equipment must be commercial NSF or equivelent.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/4/2016		
			a Ceiling in kitchen needs to be repaired. b)Floor in kitchen needs to be repaired. Vent hood needs to be repainted.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

CAPROCK HIGH SCHOOL
3001 SE 34TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF768	EHFN03	IN	PROPER HOT HOLDING TEMP.		4/28/2016	0	HL1B
			Chicken stir fry was 165F.				
	EHFN20	IN	APPROVED SEWAGE/WASTEWATER SYS		4/28/2016		
			3 comp. sink can have a direct connection if used for manual warewashing only and if Prep sink is present.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

CARVER EARLY CHILDHOOD ACADEMY

1800 N TRAVIS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF849	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		5/4/2016	4	HL1B

a)Utensil drawer needed to be cleaned. b)Dish machine needed to be primed to sanitize.

	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/4/2016		

a)Ceiling tiles are acoustical tiles and need to be replaced with smooth easily cleanable water resistant.
b)Broken floor tiles need to be repaired.

D & T FOOD MART

1712 NE 24TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1519					5/2/2016	0	HL1B

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

EL TROPICO
500 N FM 1912

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6109					5/1/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

FAMILY DOLLAR STORE #4401

2420 N GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF541	EHFN34	H30 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/2/2016	2	HFOL
			Rodents are being treated for weekly. Will follow up in 1 month.				
	EHFN42	H30 DAY	NON-FOOD CONTACT SURFACES		5/2/2016		
			Sweep and mop under all shelves.				
	EHFN45	IN	PHYSICAL FACILITIES INSTALLED		5/2/2016		
			Condensate leak repaired.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

FROSTY TREATS OF TEXAS
1017 SW 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFRM377					5/4/2016	0	HL1B

FROSTY TREATS OF TEXAS INC
1017 SW 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFRM698					5/4/2016	0	HL1B

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

GALLEGOS ADRIANNA
1200 STREIT DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5992					4/29/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

GLENWOOD ELEMENTARY
2409 S HOUSTON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF655	EHFN03	IN	PROPER HOT HOLDING TEMP.		4/28/2016	4	HL1B
			Rice was holding at 185F.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		4/28/2016		
			Prep sink has direct connection. Must have indirect connection with air gap.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		4/28/2016		
			Ceiling tiles in kitchen must be smooth, non absorbent, easy cleanable. Correct by Aug. 2016				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

GRAND PHARMACY
3500 NE 24TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2439					5/2/2016	0	HL1B

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

GREENWAYS INTERMEDIATE SCHOOL

8100 PINERIDGE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF302	EHFN11	COS	PROPER DISPOSITION OF RETURNED		5/2/2016	6	HL1B
			A) Employee seen using dented cans for food service.				
	EHFN37	COS	ENVIRONMENTAL CONTAMINATION		5/2/2016		
			A) Food items found stored on the floor in the dry storage area.				
	EHFN43	H 120DAY	ADEQUATE VENTILATION AND LIGHT		5/2/2016		
			A) Replace burnt out lighting in walk-in freezer.				
	EHFN45	H 120DAY	PHYSICAL FACILITIES INSTALLED		5/2/2016		
			A) Replace water damaged ceiling tiles in dry storage.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

HILLSIDE ELEMENTARY
9600 PERRY AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1832	EHFN28	COS	PROPER DATE MARKING		5/2/2016	5	HL1B
			A) Several TCS food items found being held past expiration dates.(REPEAT)				
	EHFN37	COS	ENVIRONMENTAL CONTAMINATION		5/2/2016		
			A) Several food items found stored on the floor in the freezer.				
	EHFN43	H 120DAY	ADEQUATE VENTILATION AND LIGHT		5/2/2016		
			A) Replace burnt out light bulbs in dry storage area.				
	EHFN46	COS	SERVICE SINK PROVIDED		5/2/2016		
			A) Toilet paper needed in the employee bathroom.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

HOAGIES DELI
2207 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1777	EHFN39	H10DAY	PROPER USE OF UTENSILS		4/29/2016	6	HFOL
			Pans stacked wet. Repeat violation. Future violations will result in a reinspection fee.				
	EHFN41	H10DAY	ORIGINAL CONTAINER LABELING		4/29/2016		
			Bulk container with no label. Repeat violation. Future violations will result in a reinspection fee.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		4/29/2016		
			Slicer found with foods attached after cleaning. b)Ice buckets not clean.c)Inside ice maker not clean.Repeat Violations. Future violations will result in a reinspection fee.				
	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES		4/29/2016		
			Shelves in walk in cooler are rusted. Repeat Violation. b)Ceiling not clean in kitchen,panels out of place. Repeat. c)Grease build-up out back door. Repeat. A $50 reinspection fee must be paid by noon 5-2-16 at Environmental Health office. 808 S Buchanan				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

HOUSTON MIDDLE SCHOOL
815 S INDEPENDENCE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF674	EHFN20	H 120DAY	APPROVED SEWAGE/WASTEWATER SYS		5/4/2016	4	HL1B
			Condensate leak in walkin freezer. Repair by 9/4/16.				
	EHFN43	H 120DAY	ADEQUATE VENTILATION AND LIGHT		5/4/2016		
			Air vents in kitchen need to be cleaned.				

JDAWGS
1200 STREIT DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6106	EHFN18		PROPER IDENTIFY TOXIC SUBSTANC		4/29/2016	3	HL1B FOOD
			1) All chemicals must be labeled with common name. 2)sanitizer found over 400ppm.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

JUBBA GROCERY
3506 NE 24TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2494	EHFN07	COS	FOOD AND ICE FROM APPROVED SRC		5/2/2016	5	HL1B
			All meat must be labeled with ingredients, weight, facility name and address where the meat was processed.				
	EHFN37	COS	ENVIRONMENTAL CONTAMINATION		5/2/2016		
			All food products must be stored at least 6" off the ground.				
	EHFN46	H180 DAY	SERVICE SINK PROVIDED		5/2/2016		
			Restroom door needs to be self closing.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

LAMAR ELEMENTARY
3800 S LIPSCOMB ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF663	EHFN32	IN	FOOD CONTACT SURFACE CONSTRUCT		4/29/2016	1	HL1B

Tables have been repainted but are already chipping paint again. Repaint or scrape off.

	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		4/29/2016		

Ceiling tiles must be smooth, non absorbent, easy cleanable. Correct by 8-2016.

LLUVIA IMPORTS
500 N FM 1912

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6120					5/1/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

PAPAS CONCESSIONS
1200 STREIT DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6114					4/29/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

PETRO DUNKIN DONUTS 307
8500 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2320	EHFN02	IN	PROPER COLD HOLDING TEMP.		5/3/2016	6	HL1B
			Chicken patties were holding at 32F.				
	EHFN21	H60 DAY	CERTIFIED FOOD MANAGER		5/3/2016		
			Food manager needed.				
	EHFN32	H60 DAY	FOOD CONTACT SURFACE CONSTRUCT		5/3/2016		
			Front prep table cutting board needs to be cleaned or replaced.				
	EHFN34	H60 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/3/2016		
			Door sweep needed for back door.				
	EHFN35	H60 DAY	PERSONAL CLEANLINESS / EATING		5/3/2016		
			Hat or hairnet must be worn while working in the kitchen prepping or cooking food.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

PETRO DUNKIN DONUTS 307

HF2320	EHFN41	H60 DAY	ORIGINAL CONTAINER LABELING	5/3/2016	6	HL1B

Sugar container must be labeled if out of original package.

PETRO STOPPING CENTERS C S

8500 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1561	EHFN42	COS	NON-FOOD CONTACT SURFACES		5/2/2016	1	HL1B

Shelves in walk in cooler need to be cleaned. Blower covers and ceiling need to be cleaned.

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

PETRO STOPPING CENTERS F I

8500 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1558	EHFN20	H60 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/2/2016	7	HL1B
			3 comp. sink has a direct connection. Must have indirect connection w/air gap.				
	EHFN32	H60 DAY	FOOD CONTACT SURFACE CONSTRUCT		5/2/2016		
			A)Make table cutting board needs to be resurfaced or replaced.B)Grates that are used for pan inserts need to be cleaned. COS C) Outside of pans need to be cleaned. COS				
	EHFN27	H60 DAY	PROPER COOLING METHODS		5/2/2016		
			Reach in make table has condensate leak and holding at 46F. COS				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

PETRO STOPPING CENTERS I S R
8500 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1559	EHFN09	COS	FOOD SEPARATION AND PROTECTION		5/2/2016	8	HL1B
			Self-service cakes and pastries must be protected.				
	EHFN03	IN	PROPER HOT HOLDING TEMP.		5/2/2016		
			Rice was at 155F.				
	EHFN20	H60 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/2/2016		
			Prep sink has a direct connection. Must have indirect connection w/air gap. Correct by 60days. Condensate leak in front reach in cooler. COS.				
	EHFN42	H60 DAY	NON-FOOD CONTACT SURFACES		5/2/2016		
			A) Shelves in cooler need to be cleaned. B)Mixer top and sides need to be cleaned. COS				
	EHFN43	H60 DAY	ADEQUATE VENTILATION AND LIGHT		5/2/2016		
			Vents in kitchen need to be cleaned.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

PETRO STOPPING CENTERS T S

8500 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1560	EHFN42	COS	NON-FOOD CONTACT SURFACES		5/2/2016	2	HL1B

Reach in soda shelves need to be cleaned.

	EHFN43	COS	ADEQUATE VENTILATION AND LIGHT		5/2/2016		

Light shields over service line need to be cleaned.

PLEASANT VALLEY ELEMENTARY

4413 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF654	EHFN02	IN	PROPER COLD HOLDING TEMP.		5/2/2016	0	HL1B

All coolers holding at 41F or below. In compliance.

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

REGION 16 NELSON ST HEADSTART

1023 N NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD40	EHFN03	IN	PROPER HOT HOLDING TEMP.		5/2/2016	0	HL1B

Green beans holding at 198 F. In compliance

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

ROCK CAFE THE
3001 SE 34TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2622	EHFN33	IN	WAREWASHING FACILITY INSTALLED		4/28/2016	4	HL1B
			Dish machine was fixed.				
	EHFN47	H180 DAY	OTHER VIOLATIONS		4/28/2016		
			a)Last inspection must be posted. b)Reach in cooler must be fixed or removed.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		4/28/2016		
			3 comp sink can be direct connected if used for manual warewashing only. If need to be used as Prep Sink, must have indirect connection. Fix 3 comp sink or install prep sink.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

ROSS ROGERS GOLF COURSE DELI

722 NW 24TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF336	EHFN09	COS	FOOD SEPARATION AND PROTECTION		5/4/2016	6	HL1B
			Bags of ice can not be stored in ice machine.				
	EHFN22	H180 DAY	AUTHORIZED FOOD HANDLER		5/4/2016		
			Employees that handle food that do not have a Food Manager card need to have a Food Handler Card.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

SAKURA JAPANESE STEAKHOUSE
4000 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF211	EHFN02	COS	PROPER COLD HOLDING TEMP.		5/4/2016	20	HL1B
			A) Raw chicken holding at 47 degrees. Chicken must be held below 41 degrees at all times. B) Mushroom soup holding at 54 degrees in sushi area.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		5/4/2016		
			A) Clean and sanitize blower covers in walk in cooler, B) Clean and sanitize all shelving in walk in cooler.				
	EHFN14	COS	PROPER HAND WASHING / GLOVES		5/4/2016		
			A) Employee seen putting on gloves without washing hands first.				
	EHFN27	H10DAY	PROPER COOLING METHODS		5/4/2016		
			A) Make table leaking and pooling water in the cooler. Leak must be repaired to drain properly. B) Make table holding raw meats at 47 degrees. B) Stand up cooler in sushi area holding products from 45-50 degrees.				
	EHFN32	H10DAY	FOOD CONTACT SURFACE CONSTRUCT		5/4/2016		
			Several cutting boards are heavily scored and must be replaced or re-surfaced. B) Several dishes found chipped and broken and are no longer easily cleanable, C) Chest freezer bottom is rusted out and no longer easily cleanable (Replace).				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

SAKURA JAPANESE STEAKHOUSE

HF211	EHFN34	COS	NO EVIDENCE OF INSECT CONTAMIN	5/4/2016	20	HL1B

A small dog was found inside the managers office. Only service animals are allowed within the food establishment.

EHFN37	COS	ENVIRONMENTAL CONTAMINATION	5/4/2016

A) All food items must be stored at least 6 inches off the floor.

EHFN35	COS	PERSONAL CLEANLINESS / EATING	5/4/2016

A) All employees must properly restrain their hair while working with food.

EHFN43	H10DAY	ADEQUATE VENTILATION AND LIGHT	5/4/2016

A) Dust all air ventilation ducts.

EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED	5/4/2016

A) All ceiling tiles in the bar area, sushi area and wait station must be smooth, non-absorbent and easily cleanable within 180 days. B) Replace missing floor tiles in dry storage, C) Clean the entire dry storage area.

EHFN31	H10DAY	HANDWASHING FACILITY ADEQUATE	5/4/2016

A trashcan is needed by all handsinks.

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

SAKURA JAPANESE STEAKHOUSE

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

SAN JACINTO CHRISTIAN ACADEMY

3218 SW 6TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2732	EHFN19	H 120DAY	APPROVED WATER SOURCE		4/28/2016	5	HL1B
			Three-compartment sink must be on an indirect drain line with an air gap. Correct by 8/28/16.				
	EHFN45	H 120DAY	PHYSICAL FACILITIES INSTALLED		4/28/2016		
			Ceiling tiles in kitchen must be smooth, non-porous, easily cleanable. Repeat.				
	EHFN42	COS	NON-FOOD CONTACT SURFACES		4/28/2016		
			Clean bottom shelf on freezers/coolers.				

501 S CAROLINA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF858	EHFN19	H 120DAY	APPROVED WATER SOURCE		4/28/2016	6	HL1B
			Three-compartment sink must be on an indirect drain line with an air gap. Correct by 8/28/16.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

SAN JACINTO CHRISTIAN ACADEMY

HF858	EHFN33	COS	WAREWASHING FACILITY INSTALLED	4/28/2016	6	HL1B

Quaternary sanitizer too weak.

	EHFN45	H 120DAY	PHYSICAL FACILITIES INSTALLED	4/28/2016		

Ceiling tiles in dry storage need to be put in place and dusted off.

SILVER FORK

3208 SW 6TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2823	EHFN20	H60 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/3/2016	0	H PREOPEN

3 comp sink has a direct connection. Must have indirect connection w/ in 60 days, w/ air gap.

	EHFN47	H60 DAY	OTHER VIOLATIONS	5/3/2016		

Covered trashcan needed for womens restroom. First Aid kit needed.

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

SNOBALL EXPRESS
1200 STREIT DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6113					4/29/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

ST JOSEPH SCHOOL
4122 S BONHAM ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF662	EHFN10	IN	FOOD CONTACT SURFACES SANITIZE		4/29/2016	4	HL1B
			Corrected.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		4/29/2016		
			Prep sink has a direct connection. Must have an indirect connection w/an air gap. Dishmachine must have indirect connection too.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		4/29/2016		
			Broke and missing tiles on wall behind dish rack must be replaced/fixed. Correct by 8/2016.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

STOMPIN GROUNDS
2817 SE 34TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2657	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		4/28/2016	0	HL1B

3 comp sink has a direct connection. Must have an indirect connection if used for food prep.

	EHFN34	H180 DAY	NO EVIDENCE OF INSECT CONTAMIN		4/28/2016		

Discussed hair restraints were working w/Food prep.

TAQUERIA LOS GALLITOS
500 N FM 1912

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6121					5/1/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

TAQUERIA RIVERA
500 N FM 1912

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6117					5/1/2016	0	HL1B FOOD

TAQUERIA SAN CARLOS
500 N FM 1912

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6111	EHFN29	COS	ACCURATE THERMOMETERS PROVIDED		5/1/2016	2	HL1B FOOD

No probe thermometer.

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

TNT SNOWCONES
3405 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM139	EHFN47	H90 DAY	OTHER VIOLATIONS		4/29/2016	1	HFOLLOWUP

Freezer lid rusted and sharp non cleanable surface where handle was attached. This is a repeat violation. 90 days to correct violation. Failure to correct will result in a $50 reinspection fee.

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

TOOT N TOTUM #79
6802 WOLFLIN AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF967	EHFN43	H 120DAY	ADEQUATE VENTILATION AND LIGHT		5/2/2016	3	HL1B
			a)Blower covers in walkin cooler need to be cleaned. b)Clean air vents.				
	EHFN45	H 120DAY	PHYSICAL FACILITIES INSTALLED		5/2/2016		
			Ceiling tiles over food prep areas must be smooth, easily cleeanable, non-porous.				
	EHFN47	H 120DAY	OTHER VIOLATIONS		5/2/2016		
			Ansul system must be brought up to code and inspected.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

WALGREENS #01304

5709 W AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF489	EHFN43	H180 DAY	ADEQUATE VENTILATION AND LIGHT		5/2/2016	0	HL1B

Blower covers in walkin cooler need to be cleaned.

WALMART

1200 STREIT DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6104					4/29/2016	0	HL1B FOOD

4/29/2016

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

WINDSOR ELEMENTARY
6700 HYDE PKWY

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF81	EHFN32	H 120DAY	FOOD CONTACT SURFACE CONSTRUCT		4/28/2016	6	HL1B
			Freezer door gasket does not create a tight fitting seal and is not easily cleanable. Must be replaced (REPEAT).				
	EHFN34	H 120DAY	NO EVIDENCE OF INSECT CONTAMIN		4/28/2016		
			Door sweep is needed on the back kitchen door to prevent bugs from entering kitchen.				
	EHFN45	H 120DAY	PHYSICAL FACILITIES INSTALLED		4/28/2016		
			Ceiling tiles in bathroom need to be replaced with smooth, easily cleanable, and non absorbant ceiling tiles.				
	EHFN33	H 120DAY	WAREWASHING FACILITY INSTALLED		4/28/2016		
			At least one service sink or one curbed cleaning facility is needed by start of next school year. A floor is not acceptable.				

Food Establishment Public Inspection Report

From 4/28/16 thru 5/4/16

ESTABLISHMENT

ZINNIA BAKERY

5120 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2629					4/29/2016	0	HL1B