Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

3DS CATERING
5060 HELIUM RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR90	EHFN20	IN	APPROVED SEWAGE/WASTEWATER SYS		2/8/2016	0	HFOL
			Corrected				
	EHFN33	H180 DAY	WAREWASHING FACILITY INSTALLED		2/8/2016		
			A) Install a service sink within 4 months.				

AMARILLO CTR FOR SKILLED CARE
6641 W AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2451					2/9/2016	0	HL1B

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

AMARILLO HIGH SCHOOL
4225 DANBURY DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF647	EHFN03	IN	PROPER HOT HOLDING TEMP.		2/4/2016	0	HL1B

A) Ground meat holding at 157 degrees.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

AMARILLO SLIMS POOL PALACE

2514 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF380	EHFN09	H10DAY	FOOD SEPARATION AND PROTECTION		2/4/2016	12	HL1B
			Ice bin is not covered when not in use. Obtain lid.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/4/2016		
			Reach in cooler gaskets and blower cover dirty. b)Food containers stored on floor. c)Ice maker not clean inside.				
	EHFN18	COS	PROPER IDENTIFY TOXIC SUBSTANC		2/4/2016		
			Chemical bottle not labeled with correct chemical.				
	EHFN43	H10DAY	ADEQUATE VENTILATION AND LIGHT		2/4/2016		
			Light in walk in cooler must be protected or be shatterproof.				
	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES		2/4/2016		
			Walk in cooler surfaces not clean. Clean walls, ceiling, blower covers, blower unit.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

AMARILLO SLIMS POOL PALACE

HF380	EHFN47	H60 DAY	OTHER VIOLATIONS	2/4/2016	12	HL1B

Refrigerator equipment must be commercial grade. NSF or equivalent.R eplace refrigerator 60 days. b)Racks rusty in walk in cooler. Remove rust and reseal or replace. 60 days.

ARAMARK DINING HALL/CATERING

2402 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFCK24	EHFN03	IN	PROPER HOT HOLDING TEMP.		2/9/2016	0	HL1B

a)Cooked beef holding at 136F. b. Hot holding units were holding between 150F-179F. In compliance.

	EHFN35	IN	PERSONAL CLEANLINESS / EATING		2/9/2016	

Hair restraints and single service gloves were being worn by all employees handling/serving food. In compliance.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

ARDEN ROAD ELEMENTARY

6801 LEARNING TREE AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF412	EHFN02	COS	PROPER COLD HOLDING TEMP.		2/8/2016	7	HL1B
			A)Chicken patties sitting on racks in kitchen at 50 degrees. Chicken must be kept below 41 degrees at all times.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/8/2016		
			A)A direct connection may not exist between the sewage system and a drain originating from equipment in which food, portable equipment, or utensils are placed. Prep sink and 3 compartment sink must be corrected within 1 year to an in-direct drain.				
	EHFN32	IN	FOOD CONTACT SURFACE CONSTRUCT		2/8/2016		
			A)Corrected, B)Corrected.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/8/2016		
			A)All ceiling panels in kitchen and bathroom must be replaced to non-absorbent tiles by start of next school year.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

BAGEL PLACE
3301 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF182	EHFN35	COS	PERSONAL CLEANLINESS / EATING		2/10/2016	5	HL1B
			Employee eating in kitchen.				
	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		2/10/2016		
			Cooks rags not stored in sanitizer. Store all food rags in sanitizer once they become soiled.				
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		2/10/2016		
			Air gap required at three bay sink. 90 days b)All cooking and refrigeration equipment must be NSF commercial or equivalent.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

BELMAR ELEMENTARY
6342 ADIRONDACK TRL

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF761	EHFN09	H10DAY	FOOD SEPARATION AND PROTECTION		2/4/2016	10	HFOL
			A) Food is being placed out for consumer self-service and must be protected by sneeze shields sized appropiately for the average childs height. This must be corrected within 10 days.				
	EHFN06	H10DAY	TIME AS PUBLIC HEALTH CONTROL		2/4/2016		
			A) Cut leafy greens being left out of temperature control during lunch. Cut leafy greens are a TCS food and if time as a public health control is to be used written procedures shall be prepared in advanced and made available to the regulatory authority.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/4/2016		
			A) A direct connection may not exist between the sewage system and a drain originating from equipment in which food, portable equipment, or utensils are placed. Correct all 3 compartment and 2 compartment prep sinks within 1 year.				
	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED		2/4/2016		
			A) Replace acoustic ceiling panel over refrigerator by mop sink with a non absorbent tile within 10 days.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

BOWIE MIDDLE SCHOOL

2901 TEE ANCHOR BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF677	EHFN03	IN	PROPER HOT HOLDING TEMP.		2/9/2016	1	HL1B

Cooked chicken patties in hot hold were holding at 178F. In compliance.

	EHFN42	COS	NON-FOOD CONTACT SURFACES		2/9/2016		

a)Shelve in walk-in cooler needed to be cleaned. b)Top of ice machine where ice paddle is stored needed to be wiped down. COS.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

BURGER KING #2185
4317 TECKLA BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2780	EHFN09	H10DAY	FOOD SEPARATION AND PROTECTION		2/4/2016	7	HFOL
			Condensation drip onto food in walk in freezer.Repeat				
	EHFN37	H10DAY	ENVIRONMENTAL CONTAMINATION		2/4/2016		
			Air intakes not clean. Water noted dripping from vent. This must be corrected immediately.				
	EHFN40	H10DAY	SINGLE-USE ARTICLES STORAGE		2/4/2016		
			Single service cups not protected when stored in dispenser at drive up.				
	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES		2/4/2016		
			Back door not clean. b)Walk in shelves not clean.c)Kitchen floor and wall behind fryers not clean.				
	EHFN45	H30 DAY	PHYSICAL FACILITIES INSTALLED		2/4/2016		
			Floor tiles cracked.b)Grout too deep to clean effectively. 30 days for plan to regrout and replace tiles. Must be repaired within 60 days. c)Coving must be smooth,cleanable below sinks.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

CEFCO #2042
4430 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2194	EHFN09	COS	FOOD SEPARATION AND PROTECTION		2/10/2016	18	HL1B
			Chemicals stored with foods.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/10/2016		
			Counter with food is damaged and not cleanable. Repair as needed to provide cleanable counter.				
	EHFN21	H10DAY	CERTIFIED FOOD MANAGER		2/10/2016		
			No City of Amarillo food manager card available.				
	EHFN31	H10DAY	HANDWASHING FACILITY ADEQUATE		2/10/2016		
			Hand wash sink counter is broken and not easily cleanable. Repair as needed to provide a smooth cleanable surface.				
	EHFN32	H10DAY	FOOD CONTACT SURFACE CONSTRUCT		2/10/2016		
			Food counter not cleanable due to broken pieces and separation of units.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

CEFCO #2042

HF2194	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES	2/10/2016	18	HL1B

Walk in door not clean. b)Handles to reach in coolers in back not clean.

	EHFN03	COS	PROPER HOT HOLDING TEMP.	2/10/2016

Sandwiches not holding at proper temperature. Must hold at 135 or hotter. Found at 120 degrees F. Food was less than 4 hours old and was reheated to proper temp.

	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED	2/10/2016

Light tube over foods missing end cap. b)Several ceiling panels with holes or out of place. All panels over food prep and dish wash areas must be non porous.

	EHFN40	H10DAY	SINGLE-USE ARTICLES STORAGE	2/10/2016

Single service items stored on floor. Must be off floor by 6".

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

CITY OF REFUGE
613 S ADAMS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1135	EHFN10	H 3 DAYS	FOOD CONTACT SURFACES SANITIZE		2/4/2016	8	HL1B
			Ice machine needs to be cleaned and have stainless screws installed.				
	EHFN20	H 3 DAYS	APPROVED SEWAGE/WASTEWATER SYS		2/4/2016		
			Three compartment sink shuld be indirectly drained to floor drain.				
	EHFN22	H180 DAY	AUTHORIZED FOOD HANDLER		2/4/2016		
			Food handler card needed by 9-16 for those withuot food manager card.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

CROCKETT MIDDLE SCHOOL
4720 FLOYD AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF214	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/5/2016	4	HL1B
			Plastic wrap box not clean and not cleanable. Recommend plastic box to hold wrap and foil.				
	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED		2/5/2016		
			Air gap needed at food sink. b)Ceiling panels of wrong type. Must be cleanable. Future violations will be charged a $50 reinspection fee.c)Seal open socket outlet on ceiling.d)Restroom sink is rusted and not cleanable repair or replace hand sink.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

CRYSTALS COUNTRY STORE
6701 ROCKWELL RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR83	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/5/2016	7	HL1B
			Shelves under soda machine needs to be repainted and cleaned. Correct by 08-05-2016.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/5/2016		
			a)Inside of ice machine needs to be cleaned. b)Ice scoop bucket needs to be cleaned.				
	EHFN20	H10DAY	APPROVED SEWAGE/WASTEWATER SYS		2/5/2016		
			a)Septic tank riser lids have fallen apart. Lids need to be replaced and secured. Correct by 02-18-2016. **Suggest having tank pumped out. b)Three compartment sink must be indirectly plumbed. Consult plumber; correct by 02-05-2016.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

DENNYS RESTAURANT
2116 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF213					2/10/2016	0	HFOL

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

DOLLAR TREE #3034
3405 S GEORGIA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1124	EHFN09	H10DAY	FOOD SEPARATION AND PROTECTION		2/10/2016	25	HINVEST
			A)Food product found on floor exposed. B) Food items found with rodent droppings.				
	EHFN07	H10DAY	FOOD AND ICE FROM APPROVED SRC		2/10/2016		
			A)Several dented cans found on shelf for use. B) Several pre-packaged food items with damaged seals and opened.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/10/2016		
			Reach in cooler shelves need to be cleaned and sanitized.				
	EHFN18	H10DAY	PROPER IDENTIFY TOXIC SUBSTANC		2/10/2016		
			Bleach bottles in backroom found without seals or caps.				
	EHFN30	H10DAY	FOOD ESTABLISHMENT PERMIT		2/10/2016		
			Food establishment permit is expired. Must renew by 2-20-16.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

DOLLAR TREE #3034

HF1124	EHFN31	H10DAY	HANDWASHING FACILITY ADEQUATE	2/10/2016	25	HINVEST

Restroom found without handsoap.

EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT	2/10/2016	

A) Walls in backroom needs to be repaired.

EHFN34	H10DAY	NO EVIDENCE OF INSECT CONTAMIN	2/10/2016	

Rodent droppings found food shelves and back storage room.

EHFN37	H180 DAY	ENVIRONMENTAL CONTAMINATION	2/10/2016	

A) Food found exposed to rodent droppings and found tampered. B) Food stored on floor.

EHFN42	H10DAY	NON-FOOD CONTACT SURFACES	2/10/2016	

A) All shelves must be cleaned and sanitized by 2-20-16. B) All floor must be cleaned and carpet must be vacuumed.

EHFN43	H10DAY	ADEQUATE VENTILATION AND LIGHT	2/10/2016	

Light in walk-in cooler and freezer were at 0FC. Must repair light to be at least 10 FC.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

DOLLAR TREE #3034

HF1124	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED	2/10/2016	25	HINVEST

A) Missing ceiling tile in main store area needs to be replaced. B) Back storage area must be cleaned and organized. Correct within 6 months.

EHFN46	H10DAY	SERVICE SINK PROVIDED	2/10/2016	

A) Covered trash needed for restroom. B) Items stored in mopsink, must be removed.

EHFN47	H10DAY	OTHER VIOLATIONS	2/10/2016	

English/Spanish handwashing signs needed for restroom.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

DOMINOS PIZZA
907 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC310	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/8/2016	11	HL1B
			Three compartment sink has a direct connection. Sink must have an indirect connection to comply with current code. Correct by 02-08-2016.				
	EHFN46	H90 DAY	SERVICE SINK PROVIDED		2/8/2016		
			Restroom door is not self closing. Door must be self closing by next inspection.				
	EHFN30	H10DAY	FOOD ESTABLISHMENT PERMIT		2/8/2016		
			Food establishment permit is expired. Permit must be renewed by 02-18-2016.				
	EHFN37	COS	ENVIRONMENTAL CONTAMINATION		2/8/2016		
			Bag of corn meal found on floor. All food must be at least 6" off floor at all times.				
	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		2/8/2016		
			a)Wooden shelf above red sauce needs to be repainted by next inspection. b)Bottom shelf on prep table by manual wash area in no longer in good repair. Must be replaced or removed by next inspection.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

DOMINOS PIZZA

HFC310	EHFN42	COS	NON-FOOD CONTACT SURFACES	2/8/2016	11	HL1B

a)CLean inside of small reach-in cooler b)Clean walk-in shelves.

	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED	2/8/2016		

a)Tiles in restroom and manual ware wash area are made of absorbent material. Current code states that these must be made to be "smooth, non-absorbent and easily cleanable. Replace by 8-8-2016.

DUMAS CASEY

900 S NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5873	EHFN29	COS	ACCURATE THERMOMETERS PROVIDED		2/6/2016	2	HL1B FOOD

Thermometer needed.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

ESKIMO HUT
7200 MCCORMICK RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR32	EHFN03	COS	PROPER HOT HOLDING TEMP.		2/10/2016	10	HFOL
			Burritos in hot hold unit were holding at 103F.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/10/2016		
			a. Inside of microwave needs to be cleaned. b.Inside of ice machine needs to be cleaned. Repeat violation-$50 reinspection fee will be issued.				
	EHFN21	H10DAY	CERTIFIED FOOD MANAGER		2/10/2016		
			Current copy of food manager card is needed.				
	EHFN32	H10DAY	FOOD CONTACT SURFACE CONSTRUCT		2/10/2016		
			a.)Counter by soda machine must be sealed. b.Ice scoop needs to be replaced. COS.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

HARRELL WADE

900 S NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5871					2/6/2016	0	HL1B FOOD

INTER FAITH HUNGER PROJECT

200 S TYLER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF907	EHFN20	H90 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/4/2016	0	HL1B

Three compartment sink cannot be direct drained, must have air gap.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

JEFF THE BURRITO GUY
5901 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2784					2/4/2016	0	H PREOPEN
HFM721					2/4/2016	0	H PREOPEN

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

LAWNDALE ELEMENTARY
2215 S BIVINS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF651	EHFN21	H10DAY	CERTIFIED FOOD MANAGER		2/4/2016	6	HL1B
			Food manager needed. Correct with/in 10 days.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/4/2016		
			3 compartment sink and prep sink may not have a direct connection between the sewage and the drain in which utenils, equipment or food is placed.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/4/2016		
			A)Ceiling tiles need to be replaced with smooth easily cleanable, non absorbent tiles. B) Sneeze shield needed on front line. Correct both by Aug 2016.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

OAKDALE ELEMENTARY

2711 S HILL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF757	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/4/2016	4	HL1B
			3 compartment sink and prep sink cannot have a direct connection between the sewage and the drain where food, utensils or equipment are placed. Correct by 2-4-17				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/4/2016		
			A)There are holes in ceiling tiles that need to be replaced to cover ceiling crawl space. B) Bottoms of the prep tables need to be repainted, the paint is chipping, where dishes and equipment is stored.				
	EHFN10	IN	FOOD CONTACT SURFACES SANITIZE		2/4/2016		
			Sanitizer was measuring 200ppm. IN				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

OLSEN PARK ELEMENTARY
2409 ANNA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF661	EHFN09	H10DAY	FOOD SEPARATION AND PROTECTION		2/5/2016	7	HL1B
			Hole in ceiling over food prep table.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/5/2016		
			Inside ice machine door needs to be cleaned.b)Wood block table not cleanable. Table has cracks that cannot be cleaned properly. Remove or repair table.				
	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED		2/5/2016		
			Food sink must have an air gap to prevent backup into food sinks.b)Front panel compressor cover missing on reach in freezer. Replace panel.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

PALIOS PIZZA CAFE
3562 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2606	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/4/2016	4	HL1B

A) Sanitizer dispensors not dispensing the correct amount of sanitizer. Must repair within 10 days.

	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/4/2016		

A) Ceiling panels in toilet rooms must be non-absorbent. Replace within 180 days.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

PANHANDLE SURGICAL HOSPITAL

7100 SW 9TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF189	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/9/2016	4	HL1B
			Three-compartment sink and food prep sinks must be indirectly plumbed with an air gap. Corrections must be made per current plumbing code. Correct by 2/9/17.				
	EHFN42	COS	NON-FOOD CONTACT SURFACES		2/9/2016		
			Vent hood needs to be cleaned.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

PARAMOUNT TERRACE ELEMENTARY

3906 SW 40TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF688	EHFN09	H10DAY	FOOD SEPARATION AND PROTECTION		2/4/2016	4	HL1B

Dust buildup inside reachin cooler blower area below cover x 3units.Remove cover and clean as needed to ensure a dust free environment.

	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED		2/4/2016		

Several holes in ceiling need to be sealed. b)Exhaust vent has no cover and is dusty over reach in cooler.c)Insulation exposed at pipes at 3 bay sink.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

PHO SOFIA

5641 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2785	EHFN22	H180 DAY	AUTHORIZED FOOD HANDLER		2/5/2016	0	H PREOPEN

All employees preparing food must have a food handlers card by Sept. 1, 2016.

	EHFN47	H10DAY	OTHER VIOLATIONS	2/5/2016	

First aid kit needed.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

PIZZA HUT
110 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC229	EHFN10	H 3 DAYS	FOOD CONTACT SURFACES SANITIZE		2/8/2016	7	HFOL
			Inside of ice mahcine has not been cleaned and sanitizied. If not corrected by 02-12-2016 a $50 reinspection fee will be issued.				
	EHFN29	H 3 DAYS	ACCURATE THERMOMETERS PROVIDED		2/8/2016		
			Reach-in cooler does not have thermometer. Thermometers are on order, must obtain by 02-12-2016.				
	EHFN42	H 3 DAYS	NON-FOOD CONTACT SURFACES		2/8/2016		
			None of the cleaning stated on last inspection has been corrected. All cleaning must be done by 02-12-2016 or a $50 reinspection fee will be issued. Clean:a)All racks b)All shelves c)Top of pizza oven d)inside/outside of all reach-in coolers e)outside of				
	EHFN43	H 3 DAYS	ADEQUATE VENTILATION AND LIGHT		2/8/2016		
			a)Air vents have not been cleaned b)Line from fire suppressant system has not been cleaned. If not cleaned by 02-12-2016 a $50 reinspection fee will be issued.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

PUCKETT ELEMENTARY
6700 OAKHURST DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF743	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/4/2016	4	HL1B

A) A direct connection may not exist between the sewage system and a drain originating from equipment in which food, portable equipment, or utensils are placed. 228.150(c)(1). Correct all drain lines on 3 compartment sinks and prep sinks within 1 year.

	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/4/2016		

A) Ceiling tiles in preparation area and bathroom must be non-absorbent. Replace by 9-4-16

QUAIL CREEK SURGICAL HOSPITAL
6819 PLUM CREEK DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF206					2/9/2016	0	HL1B

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

RIDGECREST ELEMENTARY
5306 SW 37TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF769	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES		2/4/2016	1	HL1B

Ice machine sides and back have mineral deposits and rust.Remove all rust and deposits or replace unit.

ROCKWOOD FURNITURE
11570 INTERSTATE 27

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR80	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/5/2016	3	HL1B

Three compartment sink is directly plumbed. Sink must be indirectly plumbed. Please consult professional plumber. Correct by 02-05-2016.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

SANBORN ELEMENTARY
700 S ROBERTS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF683	EHFN03	IN	PROPER HOT HOLDING TEMP.		2/9/2016	3	HL1B

Cooked macaroni in hot hold was holding at 184F. In compliance.

	EHFN10	IN	FOOD CONTACT SURFACES SANITIZE		2/9/2016		

Food contact surfaces in kitchen were very clean. Great job!

	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/9/2016		

Three compartment sink used for manual ware washing has a direct plumbing connection. Sink must have a indirect connection to comply with current code TFER 228.150(c)(1).

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

SANDERSON GREG
900 S NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5865					2/6/2016	0	HL1B FOOD

SANDERSON PAT
900 S NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5870					2/6/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

SHORES ELIZABETH
900 S NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5867					2/6/2016	0	HL1B FOOD

SLEEPY HOLLOW ELEMENTARY
3435 REEDER DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF716	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/8/2016	4	HL1B

A) All ceiling tiles in kitchen and bathroom must be replaced with a non-absorbent tile by start of next school year.

	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/8/2016		

A) A direct connection may not exist between the sewage system and a drain originating from equipment in which food, portable equipment, or utensils are placed. All drains of prep sink and 3 compartment sinks must have in direct drains with 1 year.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

SNOWHITE BAKERY
2801 CIVIC CIR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1145	EHFN09	H10DAY	FOOD SEPARATION AND PROTECTION		2/10/2016	11	HL1B
			Floors, walls and ceiling not clean. Dust and powder on shelves and walls. Corners and behind equipment not clean.				
	EHFN12	H10DAY	MANAGEMENT, EMPLOYEE KNOWLEDGE		2/10/2016		
			Food manager did not know proper sanitizing procedures.				
	EHFN32	H10DAY	FOOD CONTACT SURFACE CONSTRUCT		2/10/2016		
			Bread pan table is chipped and not cleanable. Remove table or repair as needed.				
	EHFN34	H10DAY	NO EVIDENCE OF INSECT CONTAMIN		2/10/2016		
			Gap at back door. Seal to prevent insects.				
	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES		2/10/2016		
			Bare wood, chipped wood must be sealed, smooth and easily cleanable. b)Shelves over food prep table not clean. c)Back splash at 3 bay sink is deteriorated and not cleanable. d)Hand sink is not commercial. All equipment must be commercial grade.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

SNOWHITE BAKERY

HF1145	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED	2/10/2016	11	HL1B

Air vents for equipment no longer used must be sealed or removed or kept clean. b)All ceiling panels over food prep areas must be smooth cleanable and non absorbent. c)Floor must be smooth and easily cleanable. d)Seal attic holes.

STEWART GLENDA

900 S NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5866					2/6/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

SUBWAY#6176-208
208 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC273	EHFN43	H5DAYS	ADEQUATE VENTILATION AND LIGHT		2/8/2016	5	HFOL
			Light in back storage has not been repaired. Repair by 02-05-2016 or a $50 reinspection fee will be issued.				
	EHFN44	H5DAYS	GARBAGE AND REFUSE DISPOSAL		2/8/2016		
			Walk-in cooler still has condensate leak. Must be repaired by 02-12-2016. Please contact EH dept. if more time is needed, must call before 02-11-2016.				
	EHFN21	H5DAYS	CERTIFIED FOOD MANAGER		2/8/2016		
			Certified food manager is still needed. Must obtain by 02-12-2016 or a $50 reinspection fee will be issued. **Class will be held on 02-10-2016 at 808 S. Buchanan St., Amarillo, TX at 8:30AM. Test to be held on 02-12-2016 at same location at 8:30AM.**				
	EHFN42	H5DAYS	NON-FOOD CONTACT SURFACES		2/8/2016		
			Cleaning has not been corrected from previous inspection. Cleaning must be done by 02-12-2016 or a $50 reinpection fee will be issued.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

TACO VILLA #18
110 N 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC301	EHFN32	H90 DAY	FOOD CONTACT SURFACE CONSTRUCT		2/8/2016	6	HL1B

Gaskets to reach-in freezer door by fryer are no longer in good repair. These need to be replaced by the next inspection.

	EHFN42	COS	NON-FOOD CONTACT SURFACES		2/8/2016		

a)Inside of microwave needed to be cleaned. b)Walk-in cooler shelves needed to be cleaned. c)Air vents in back kitchen area needed to be cleaned.

	EHFN03	COS	PROPER HOT HOLDING TEMP.		2/8/2016		

Cooked scrambled eggs in hot hold were holding at 123F. More water was added to steam table and eggs were brought up to 142F. COS.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

TATYS MEXICAN RESTAURANT

4400 E AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM722					2/10/2016	0	H PREOPEN

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

TEXAS FIREHOUSE SPORTS BAR&GR

3333 S COULTER ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1687	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/8/2016	7	HL1B
			A) A direct connection may not exist between the sewage system and a drain originating from equipment in which food, portable equipment, or utensils are placed. Correct within 1 year.				
	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		2/8/2016		
			A) Dish machine found not sanitizing properly.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/8/2016		
			Seal concrete floors in walk in cooler within 6 months.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

TEXAS PLUM LINE
5060 HELIUM RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR23	EHFN20	IN	APPROVED SEWAGE/WASTEWATER SYS		2/8/2016	0	HFOL
			A) Corrected				
	EHFN33	H180 DAY	WAREWASHING FACILITY INSTALLED		2/8/2016		
			A) Install a service sink within 4 months.				

TRINITY LUTHERAN CHURCH SCHOOL
5005 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF112					2/4/2016	0	HL1B

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

TROGDEN BRENDA
900 S NELSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5872					2/6/2016	0	HL1B FOOD

VIBRA REHABILITATION HOSPITAL
7200 SW 9TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2447	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		2/9/2016	3	HL1B

A)Ice maker by buffet line needs to be cleaned. B)Microwave in kitchen needs to be cleaned.

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

WENDY'S #4101
4613 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF65	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/10/2016	10	HL1B
			Food slicer, utensil tub, food containers,lemonade nozzle, gaskets to reachin coolers not clean.				
	EHFN21	H10DAY	CERTIFIED FOOD MANAGER		2/10/2016		
			No food manager for this location . Repeat violation. A $50 reinspection fee must be paid at Environmental Health office by noon 2-11-16.				
	EHFN24	H10DAY	REQUIRED RECORDS AVAILABLE		2/10/2016		
			Previous inspection not available. Inspection must be posted. Repeat.				
	EHFN40	COS	SINGLE-USE ARTICLES STORAGE		2/10/2016		
			Single service items stored on floor.				
	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES		2/10/2016		
			Floors not clean below equipment. b)Crack at wall floor corner at walk in. c)Wall damaged in walk in cooler. Repeat. d)Holes in ceiling panels not sealed.e)Backs of fryers not clean. Wall behind, plugs cords. f)Walk in gasket dirty.				

Food Establishment Public Inspection Report

From 2/4/16 thru 2/10/16

ESTABLISHMENT

WENDY'S #4101

HF65	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED	2/10/2016	10	HL1B

No back flow preventer on hoses attached outside.b)Grout throughout kitchen and dishwash area and inside cooler is too deep. Repeat. Future violations will result in a $50 reinspection fee. c)Wall in walk in cooler is rusted. Repair as needed.

WESTOVER PARK INTERMEDIATE

7200 PINNACLE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF877	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/8/2016	4	HL1B

A) A direct connection may not exist between the sewage system and a drain originating from equipment in which food, portable equipment, or utensils are placed. Connections from prep sink and 3 compartment sink must be corrected within 1 year.

	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/8/2016	

A) Ceiling tiles in kitchen and bathroom must be replaced with non-absorbent tiles by start of next school year.