

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**7UP/SNAPPLE
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6103					5/9/2016	0	HL1B FOOD

**AMARILLO HISPANIC CHAMBER
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6098					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

AMARILLO INTERNATIONAL FOODS**3409 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF802	EHFN34	H180 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/10/2016	7	HL1B
			New door sweep needed for back door.				
	EHFN09	COS	FOOD SEPARATION AND PROTECTION		5/10/2016		
			Dented cans on shelf for use, removed. COS				
	EHFN37	COS	ENVIRONMENTAL CONTAMINATION		5/10/2016		
			Ceiling fans need to be cleaned.				
	EHFN27	H180 DAY	PROPER COOLING METHODS		5/10/2016		
			Freezer needs to be defrosted.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**AMERIPRIDE
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6094					5/5/2016	0	HL1B FOOD

**AMIGOS
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6069	EHFN47	COS	OTHER VIOLATIONS		5/5/2016	1	HL1B FOOD

Single service items and food must be stored at least 6 inches off the ground.

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**ASARCO
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6070					5/5/2016	0	HL1B FOOD

**ATMOS
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6071					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

BANK OF AMERICA/MERRYL LYNCH**401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6072					5/5/2016	0	HL1B FOOD

BELL HELICOPTER**401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT6073	EHFN35	COS	PERSONAL CLEANLINESS / EATING		5/5/2016	1	HL1B FOOD	
			No drinking inside the booth unless cup has a lid and straw.					

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**BELMAR ELEMENTARY
6342 ADIRONDACK TRL**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF761	EHFN03	COS	PROPER HOT HOLDING TEMP.		5/9/2016	15	HL1B
			Cooked chicken found on serving line at 103 degrees. Chicken must maintain 135 degrees or above at all times.				
	EHFN09	H90 DAY	FOOD SEPARATION AND PROTECTION		5/9/2016		
			Food is being place out for consumer self-service and must be protected by sneeze shields sized appropriately for the average childs height. (repeat)				
	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		5/9/2016		
			A) Can opener found dirty, B) cleaned dishes found with food debris.				
	EHFN20	H 365DAY	APPROVED SEWAGE/WASTEWATER SYS		5/9/2016		
			A direct connection may not exist between the sewage system and a drain originating from equipment in which food, portable equipment, or utensils are placed. Correct 2 compartment prep sinks by 02/09/2017.				
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/9/2016		
			A) Replace acoustic ceiling panel over refrigerator by mop sink with a non absorbent tile. (repeat) B) Replace missing ceiling panel.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

BELMAR ELEMENTARY

HF761	EHFN42	COS	NON-FOOD CONTACT SURFACES	5/9/2016	15	HL1B
-------	--------	-----	---------------------------	----------	----	------

Clean all ceiling fans.

	EHFN46	COS	SERVICE SINK PROVIDED	5/9/2016		
--	--------	-----	-----------------------	----------	--	--

Bathroom door may only be propped open during times of cleaning or maintenance.

**BIG TEXAS TEAM
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6074	EHFN31	COS	HANDWASHING FACILITY ADEQUATE		5/5/2016	4	HL1B FOOD

No hand washing station available. Event hand washing station is too far away to be properly used.

	EHFN29	COS	ACCURATE THERMOMETERS PROVIDED	5/5/2016		
--	--------	-----	--------------------------------	----------	--	--

Thermometer was not calibrated properly. B) No chlorine test strips available.

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**BLACK FIG CATERING
1111 N BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2815	EHFNO2	IN	PROPER COLD HOLDING TEMP. All cold hold units holding at 41F or below. In compliance.		5/5/2016	0	HL1B

**BOYD DEAN
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6079					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**BRITKARE
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6075					5/5/2016	0	HL1B FOOD

**BUDWEISER
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6076					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report**From 5/5/16 thru 5/11/16****ESTABLISHMENT****BURRITOS LA PEQUE
2617 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2830	EHFN20	H90 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/11/2016	0	H PREOPEN
			Three compartment sink must be indirectly plumbed with an air gap.				
	EHFN21	H90 DAY	CERTIFIED FOOD MANAGER		5/11/2016		
			Must obtain food managers card within 45 days.				
HFM740	EHFN25	IN	SPECIALIZED PROCESS COMPLIANCE		5/11/2016	0	H PREOPEN
			Must maintain time and temperature logs on burritos.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**CARIBBEAN ICE
5807 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM161	EHFN21	H10DAY	CERTIFIED FOOD MANAGER		5/11/2016	8	HL1B
			No food manager as regular employee working in unit.				
	EHFN12	H10DAY	MANAGEMENT, EMPLOYEE KNOWLEDGE		5/11/2016		
			Employee on duty not knowledgeable of all food safety rules.				
	EHFN31	H10DAY	HANDWASHING FACILITY ADEQUATE		5/11/2016		
			No paper towels or hand soap at hand sink.				
	EHFN47	H10DAY	OTHER VIOLATIONS		5/11/2016		
			Fan dirty.				
	EHFN34	H10DAY	NO EVIDENCE OF INSECT CONTAMIN		5/11/2016		
			No closure on exterior door.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**CARVER ACADEMY
1905 NW 12TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF164	EHFN11	COS	PROPER DISPOSITION OF RETURNED Dented cans found on rack.		5/5/2016	4	HL1B
	EHFN46	H90 DAY	SERVICE SINK PROVIDED a)Water leak on faucet at three compartment sink on hot water. b)Condensate leak in reachin freezer.		5/5/2016		

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**CASH SAVER FOOD OUTLET**

2200 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2497	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		5/11/2016	8	HL1B
			Deli slicers not cleaned properly.				
	EHFN36	COS	WIPING CLOTHS PROPERLY USED		5/11/2016		
			Sanitizer buckets stored on food counter. Store away from foods.				
	EHFN42	H180 DAY	NON-FOOD CONTACT SURFACES		5/11/2016		
			Mold on walls at fry room.b)Door frame to fry room not clean-repaint with epoxy paint.c)Fan not clean at tortilla room.d)Produce wrap heat sealer needs new cover.				
	EHFN43	H180 DAY	ADEQUATE VENTILATION AND LIGHT		5/11/2016		
			Light is not sufficient in deli walk in cooler.				
	EHFN47	H180 DAY	OTHER VIOLATIONS		5/11/2016		
			Food sink in fry room must have an air gap. Food sinks may not be plumbed directly.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

CASH SAVER FOOD OUTLET

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2498	EHFN09	COS	FOOD SEPARATION AND PROTECTION	5/11/2016	6	HL1B	
			Food items found in mop sink. Never place any foods in mop sink.				
	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE	5/11/2016			
			Knife holders in market are rusted and not cleanable.b)Blower unit and covers need to be cleaned in market.				

**CHICAGO TITLE
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6077					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**CNS PANTEX
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6078					5/5/2016	0	HL1B FOOD

**COCA COLA
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6101					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

DOLLAR GENERAL CORP #1608

4210 SW 45TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF337	EHFN23	H10DAY	HOT & COLD WATER AVAILABLE		5/11/2016	8	HL1B
			No hot water in restroom. Water must be available at 100 degrees.				
	EHFN34	H10DAY	NO EVIDENCE OF INSECT CONTAMIN		5/11/2016		
			Large gap at back door. Seal so no daylight shows. b)Door closers required on all exterior doors.				
	EHFN29	H10DAY	ACCURATE THERMOMETERS PROVIDED		5/11/2016		
			No visable thermometer in two cold hold units.				
	EHFN46	H10DAY	SERVICE SINK PROVIDED		5/11/2016		
			No mop sink available. Mop sink is required by law. Install mop sink per code.				
	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES		5/11/2016		
			Walls damaged at corners and floor joints. Repair walls as needed. Walls must be cleanable,painted or sealed. Coving needed at baseboard area where wall board is damaged at floor.b)Sink in restroom is very dirty and stained. Clean or replace.				

Food Establishment Public Inspection Report**From 5/5/16 thru 5/11/16**

ESTABLISHMENT

DOLLAR GENERAL CORP #1608

HF337

EHFN47

H10DAY

OTHER VIOLATIONS

5/11/2016

8

HL1B

No handwash signs in English and Spanish in restroom. b)No covered waste can in female restroom.
c)Ceiling panels out of place.d)Floor is damaged and not smooth and easily cleanable. Repair floor to allow a smooth cleanable surface. Replace broken tiles.

Food Establishment Public Inspection Report**From 5/5/16 thru 5/11/16****ESTABLISHMENT****DRUG EMPORIUM #230****4210 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF370	EHFN09	COS	FOOD SEPARATION AND PROTECTION		5/11/2016	6	HL1B
			Paint stored on food shelf.b)Shelves for food items have spills and stains. Clean to remove areas of contamination or replace shelves.				
	EHFN43	COS	ADEQUATE VENTILATION AND LIGHT		5/11/2016		
			Air vents need to be cleaned.				
	EHFN41	COS	ORIGINAL CONTAINER LABELING		5/11/2016		
			Bulk candy needs ingredient labels.				
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/11/2016		
			Back storage warehouse area floor is not smooth and cleanable. Tiles are broken with jagged edges.b)Wall floor joint and corners damaged and not cleanable. Repair. c)Ceiling tiles out of place. d)Floor not clean. e)Waste cans dirty.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**DRURY INN & SUITES
8540 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1448	EHFN19	H180 DAY	APPROVED WATER SOURCE		5/9/2016	11	HL1B
			Three-compartment sink must be indirectly plumbed with an air gap 2x's the diameter of the pipe.				
	EHFN30	COS	FOOD ESTABLISHMENT PERMIT		5/9/2016		
			Food Establishment permit must be current and posted where visible to the public.				
	EHFN10	H180 DAY	FOOD CONTACT SURFACES SANITIZE		5/9/2016		
			a)Ice maker and ice scoop holder need to be cleaned. b)Utensil storage containers need to be cleaned. Soda guns and soda nozzles need to be cleaned.				
	EHFN37	COS	ENVIRONMENTAL CONTAMINATION		5/9/2016		
			All food and single service items must be stored at least 6" off the floor. This includes food boxes in the walk-ins.				
	EHFN42	H180 DAY	NON-FOOD CONTACT SURFACES		5/9/2016		
			Gaskets on walk-in cooler and freezer need to be cleaned.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

DRURY INN & SUITES

HF1448

EHFN43

H180 DAY

ADEQUATE VENTILATION AND LIGHT

5/9/2016

11

HL1B

a)Air vents and ceiling tiles surrounding vents need to be cleaned. b)Blower covers in walkin cooler need to be cleaned.

Food Establishment Public Inspection Report**From 5/5/16 thru 5/11/16****ESTABLISHMENT****EL PALENQUE
2618 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2817	EHFN34	IN	NO EVIDENCE OF INSECT CONTAMIN Door sweeps have been replaced.		5/9/2016	0	H PREOPEN
	EHFN46	IN	SERVICE SINK PROVIDED Covered trash can have been provided in restrooms.		5/9/2016		
	EHFN20	IN	APPROVED SEWAGE/WASTEWATER SYS Air gap has been brought to up to code.		5/9/2016		
	EHFN47	IN	OTHER VIOLATIONS First aid kit has been provided.		5/9/2016		

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

FIRST BANK SOUTHWEST 401 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6081	EHFN31	COS	HANDWASHING FACILITY ADEQUATE		5/5/2016	3	HL1B FOOD
			Hand washing ability in booth, have water and catch pan with soap and water				
	EHFN45	COS	PHYSICAL FACILITIES INSTALLED		5/5/2016		
			Need to have tarp on grass area in prep tent				

FIRST UNITED BANK 401 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6080					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**FUDDRUCKERS
8518 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2771	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		5/5/2016	0	H PREOPEN
			Food manager must be registered with the City of Amarillo. 45 days to comply.				
	EHFN22	H 120DAY	AUTHORIZED FOOD HANDLER		5/5/2016		
			All food workers must obtain Food Handler Certications, comply by September 1, 2016.				
	EHFN33	COS	WAREWASHING FACILITY INSTALLED		5/5/2016		
			Quaternary sanitizer at three-complartment sink was too strong.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**HAGY LEARNING CENTER**

1301 STREIT DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFD63	EHFN42	COS	NON-FOOD CONTACT SURFACES		5/9/2016	1	HL1B	
			Bottom shelf in reachin cooler needs to be cleaned.					

HAPPY STATE BANK
401 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT6082	EHFN31	COS	HANDWASHING FACILITY ADEQUATE		5/5/2016	2	HL1B FOOD	
			No hand washing station available in booth. Event hand washing station too far away to be properly used.					

Food Establishment Public Inspection Report**From 5/5/16 thru 5/11/16****ESTABLISHMENT****HAROLDS FARMERS MARKET LLC****1308 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2825	EHFN39	H180 DAY	PROPER USE OF UTENSILS		5/5/2016	0	H PREOPEN
			Fix or replace broken thermometer in display cooler.				
	EHFN34	H180 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/5/2016		
			Replace seal on emergency exit door.				
	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		5/5/2016		
			Replace all cutting boards that have deep imperfections.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/5/2016		
			Drain line to meat display case must have an air gap.				
	EHFN42	H180 DAY	NON-FOOD CONTACT SURFACES		5/5/2016		
			1)Replace walkin cooler gasket. 2)All rusted electrical outlets in meat room must be replaced.3)Reseal walkin freezer floor.4)Paint and seal all bare wood shelves in walk in cooler.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

HAROLDS FARMERS MARKET LLC

HF2825	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED	5/5/2016	0	H PREOPEN
--------	--------	----------	-------------------------------	----------	---	-----------

All ceiling tiles must be smooth, durable, easily cleanable and non absorbent in areas subject to moisture such as food preparation areas, walkin refrigerators, ware washing areas and toilet room.

HERNANDEZ LAW FIRM

401 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6083					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**ICE SHANTY
4300 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM702	EHFN12	H10DAY	MANAGEMENT, EMPLOYEE KNOWLEDGE		5/11/2016	9	HL1B
			Employee on duty not knowledgeable of food safety rules.				
	EHFN21	H10DAY	CERTIFIED FOOD MANAGER		5/11/2016		
			No posted food manager card.				
	EHFN29	H10DAY	ACCURATE THERMOMETERS PROVIDED		5/11/2016		
			No thermometer in refrigerator.				
	EHFN35	COS	PERSONAL CLEANLINESS / EATING		5/11/2016		
			Employee eating in booth.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**IGUANA TACO
2617 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM682					5/11/2016	0	HL1B

**IGUANO TACO
2617 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2669	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS	Three compartment sink must be indirectly plumbed with an air gap.	5/11/2016	3	HL1B

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**KELLER WILLIAMS
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6084	EHFNO2	IN	PROPER COLD HOLDING TEMP. Cheese holding at 40F. In compliance.		5/5/2016	0	HL1B FOOD

**LLUVIA IMPORTS
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6085					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**LOMA CUSTOM HOMES
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6086					5/5/2016	0	HL1B FOOD

**MARY & ROGERS DAY CARE
4220 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD18	EHFN33	COS	WAREWASHING FACILITY INSTALLED		5/9/2016	2	HL1B
			Bleach sanitizer was too weak. Change every couple of hours to ensure sanitizing.				
	EHFN45	IN	PHYSICAL FACILITIES INSTALLED		5/9/2016		
			Ceiling is smooth, easily cleanable. Corrected from last inspection.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

NEVAREZ NICK/VILLANUEVA ADRIAN**401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5998					5/5/2016	0	HL1B FOOD

NWTH**401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6087					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**PALACE COFFEE
7304 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2827	EHFN47	H10DAY	OTHER VIOLATIONS		5/6/2016	0	H PREOPEN
			Handwashing signs needed at all handsinks. First Aid kit needed. Covered trashcans for womens restroom. Spanish handwashing signs needed for restrooms.				
HF2827	EHFN47	IN	OTHER VIOLATIONS		5/9/2016	0	HL1B
			All action items noted on pre-opening have been corrected.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

PALO DURO HIGH COMMERCIAL LAB**1400 N GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1115	EHFN22	IN	AUTHORIZED FOOD HANDLER		5/5/2016	3	HL1B
			Obtained City of Amarillo food manager card.				
	EHFN20	H90 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/5/2016		
			Plumbing at 3 compartment sink is directly plumbed to sewer line. A direct connection may not exist between the sewage system and a drain originating from equipment in which foods, portable equipment or utensils are placed. 228.150 (c) (1)				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**PALO DURO HIGH SCHOOL**

1400 N GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF682	EHFN39	COS	PROPER USE OF UTENSILS		5/5/2016	2	HL1B
			Clean pans found stacked wet. Air dry pans prior to stacking to prevent bacterial growth.				
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/5/2016		
			Plastic piece inside ice machine is cracked and needs to repaired/replaced by next school year.				

PEPSI

401 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6122	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		5/5/2016	3	HL1B FOOD
			All cans are dirty. Must be cleaned before serving.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**PHILLIPS 66
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT5995	EHFN31	COS	HANDWASHING FACILITY ADEQUATE		5/5/2016	2	HL1B FOOD	
			Hand washing station not available in booth. Event hand washing station located too far away to be used properly.					

**PREMIER TRUCK GROUP
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5997					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

PRIME LENDING

401 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT5996					5/9/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

SAN ANTONIO RESTAURANT LTD

401 TILTROTOR DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1885	EHFN03	IN	PROPER HOT HOLDING TEMP. Chicken strips were holding at 199F.		5/10/2016	8	HL1B
	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT A) Shelves in walk in cooler need to be cleaned. B) Can opener needs to be cleaned. COS.		5/10/2016		
	EHFN46	H180 DAY	SERVICE SINK PROVIDED Restroom doors need to be self closing.		5/10/2016		
	EHFN47	H180 DAY	OTHER VIOLATIONS Hand sink water temp. was measuring at 128F. Must be between 100-110F.		5/10/2016		
	EHFN35	H180 DAY	PERSONAL CLEANLINESS / EATING Hair restraints must be worn while working in the kitchen at all times.		5/10/2016		

Food Establishment Public Inspection Report**From 5/5/16 thru 5/11/16****ESTABLISHMENT****SAN ANTONIO RESTAURANT LTD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1885	EHFN43	H180 DAY	ADEQUATE VENTILATION AND LIGHT		5/10/2016	8	HL1B
			Air vents in wash room need to be cleaned.				
	EHFN10	H 2 HOUR	FOOD CONTACT SURFACES SANITIZE		5/10/2016		
			Dishmachine was measuring 400ppm. Must be 50ppm.				

SCOTTIES TRANSMISSION**401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6089					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**STEVEN LAY/STATE FARM
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6100					5/5/2016	0	HL1B FOOD

**STREET AUTOMOTIVE
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6090					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**SUBWAY 25610
2001 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF496	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		5/9/2016	3	HL1B
			Certified Food Manager required. 45 days to obtain. 1 Full-time employee must be registered with the City of Amarillo for each location.				
	EHFN22	H 120DAY	AUTHORIZED FOOD HANDLER		5/9/2016		
			All Food Workers must obtain a Food Handlers card by September 1, 2016. Manager must keep copies of cards in a binder.				
	EHFN35	COS	PERSONAL CLEANLINESS / EATING		5/9/2016		
			Every person preparing or serving food must wear hair restraints. Acceptable forms include ball caps with hair in a bun, or hair nets. No visors.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**TAILWIND AMA POST-SECURITY****10801 AIRPORT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2355	EHFN41	COS	ORIGINAL CONTAINER LABELING		5/10/2016	1	HL1B	
			Bulk items not in original container need to have a label.					

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

TAILWIND AMA PRE-SECURITY

10801 AIRPORT BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2354	EHFN02	IN	PROPER COLD HOLDING TEMP. Tomatoes were holding at 41F.		5/10/2016	8	HL1B
	EHFN37	COS	ENVIRONMENTAL CONTAMINATION Boxes in the cooler and in the freezer must be stored at least 6 in off the floor.		5/10/2016		
	EHFN43	H180 DAY	ADEQUATE VENTILATION AND LIGHT A) Blower covers in the beer cooler need to be cleaned. B) Vent above bar needs to be cleaned. C) Ceiling in walk in cooler needs to be cleaned.		5/10/2016		
	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT Shelves in cooler need to be cleaned. Shelves in the walk in cooler need to be replaced or repainted.		5/10/2016		
	EHFN23	H180 DAY	HOT & COLD WATER AVAILABLE Cold water at handsinks are turned off. Must have a mixing valve capability. Hot water is 161F. Must be between 100-110F.		5/10/2016		

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

TAILWIND AMA PRE-SECURITY

HF2354	EHFN21	H180 DAY	CERTIFIED FOOD MANAGER	5/10/2016	8	HL1B
Food manager card needed.						

**TELEMUNDO/MUNDO FM
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6091	EHFN27	COS	PROPER COOLING METHODS		5/5/2016	2	HL1B FOOD
Cooler door not staying closed. Difficulty holding temperature.							

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENTTOOT N TOTUM #61
5300 CANYON DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF396					5/11/2016	0	HFOL

UNIFIRST

401 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6097	EHFN35	COS	PERSONAL CLEANLINESS / EATING		5/5/2016	1	HL1B FOOD
Smoking, eating, and drinking are not permitted in the booth.							

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**UPSHAW INSURANCE
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6092					5/5/2016	0	HL1B FOOD

**VATOS LOCOS FAJITAS
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT6093	EHFN47	COS	OTHER VIOLATIONS		5/5/2016	1	HL1B FOOD	
			Store all single servie items at least 6 inches off the ground.					

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT**WESTERN BOWL/SPARE TIME SPORTS****5120 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF403	EHFN42	COS	NON-FOOD CONTACT SURFACES		5/11/2016	2	HL1B
			Shelves in walk in cooler are rusted. Replace.				
	EHFN47	COS	OTHER VIOLATIONS		5/11/2016		
			Obtain chlorine test strips.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**WHISKEY RIVER
4001 SW 51ST AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1335	EHFN18	COS	PROPER IDENTIFY TOXIC SUBSTANC		5/11/2016	9	HL1B
			Chemical bottle not labeled.				
	EHFN30	H10DAY	FOOD ESTABLISHMENT PERMIT		5/11/2016		
			Permit is expired.				
	EHFN32	H10DAY	FOOD CONTACT SURFACE CONSTRUCT		5/11/2016		
			Rusty shelves in walk in cooler. Replace				
	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES		5/11/2016		
			Tops of beer ice chests not clean.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

WILL ROGERS ELEMENTARY 920 N MIRROR ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF653	EHFN33	H90 DAY	WAREWASHING FACILITY INSTALLED		5/5/2016	6	HL1B
			Facility does not have a mop sink. A service sink or a curbed floor sink with a floor drain must be provided and conveniently located to dispose of mop water and clean mops. 228.147 (c) (1)				
	EHFN20	H90 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/5/2016		
			Plumbing at prep sink needs to have an air gap between the floor drain and the pipe. 228.150 (c) (1)				
	EHFN46	H90 DAY	SERVICE SINK PROVIDED		5/5/2016		
			Restroom needs a trash can with a lid. 228.152 (h)				
	EHFN45	IN	PHYSICAL FACILITIES INSTALLED		5/5/2016		
			Gaskets on reach in cooler repaired. In compliance.				

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**WILLBORN TANK & FUEL
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6099	EHFN19	COS	APPROVED WATER SOURCE Handwashing station not available.		5/5/2016	3	HL1B FOOD

**WOODFOREST NATIONAL BANK
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6095					5/5/2016	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/5/16 thru 5/11/16

ESTABLISHMENT

**WTAMU AMARILLO CENTER
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6096					5/5/2016	0	HL1B FOOD