

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

---

**ABC LEARNING CENTER I****5901 HILLSIDE RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD30					10/4/2016	0	HL1B

**AISD BAKE SHOP****2701 PINE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2477	EHFN20	H90 DAY	APPROVED SEWAGE/WASTEWATER SYS		9/30/2016	3	HL1B
			Indirect waste connection needed by next inspection or timeline of completion.				
	EHFN35	IN	PERSONAL CLEANLINESS / EATING		9/30/2016		
			Hat/hairnets are all in place.				

**Food Establishment Public Inspection Report**

**From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT**

**AMARILLO NATIONAL BANK**

**3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6872	EHFNO3	IN	PROPER HOT HOLDING TEMP. Chicken was 170 degrees.		10/1/2016	0	HL1B FOOD

**ARDEN ROAD ELEMENTARY**

**6801 LEARNING TREE AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF412	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		10/3/2016	2	HL1B	
			A) All ceiling tiles in kitchen, bathroom and any area subject to moisture must be replaced with smooth, durable and non-absorbent tiles by next inspection.					
	EHFN46	COS	SERVICE SINK PROVIDED		10/3/2016			
			Except during periods of cleaning all maintenance toilet room doors shall be kept closed. 228.186(i)					

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

**ATMOS  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6876					10/1/2016	0	HL1B FOOD

**BOOMERANG BBQ  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6863					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

---

**BROWNS PLAYHOUSE DAY CARE CNTR**

605 4TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC113					10/5/2016	0	HL1B

**BUDWEISER DISTRIBUTING CO**

3301 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6837	EHFN47	COS	OTHER VIOLATIONS		10/1/2016	1	HL1B FOOD
			Overhead protection needed.				

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

**BURN BAN  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6832					10/1/2016	0	HL1B FOOD

**BUTLERS BACK DRAFT  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6862					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT****CANYON TIRE AND AUTO  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6831					10/1/2016	0	HL1B FOOD

**CARS  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6874					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT****CARVER ACADEMY  
1905 NW 12TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF164	EHFN45	COS	PHYSICAL FACILITIES INSTALLED Palet of unfinished wood used in walkin must be painted		10/3/2016	1	HL1B

**CARVER EARLY CHILDHOOD ACADEMY  
1800 N TRAVIS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF849					10/3/2016	0	HL1B

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

**ESTABLISHMENT****CAVINESS BEEF  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6840	EHFN18	COS	PROPER IDENTIFY TOXIC SUBSTANC Sanitizer too strong.		10/1/2016	3	HL1B FOOD

**CHILLIN & GRILLIN  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6875					10/1/2016	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

**CHIYOS  
810 N PIERCE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1575	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER		9/30/2016	9	HL1B
			All employees must have a food handlers card as of Sept. 1, 2016.				
	EHFN34	COS	NO EVIDENCE OF INSECT CONTAMIN		9/30/2016		
			Backdoor was propped open at time of inspection.Backdoor must remain closed at all times.				
	EHFN46	H45 DAY	SERVICE SINK PROVIDED		9/30/2016		
			Restroom doors need to be self-closing.				
	EHFN42	H45 DAY	NON-FOOD CONTACT SURFACES		9/30/2016		
			Gaskets on reach in cooler are split and need to be replaced.				
	EHFN02	COS	PROPER COLD HOLDING TEMP.		9/30/2016		
			Bean sprouts were found sitting at 55F. Must be held at 41F or below at all times.				

**Food Establishment Public Inspection Report**

**From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT**

**CHIYOS**

HF1575	EHFN47	H45 DAY	OTHER VIOLATIONS	9/30/2016	9	HL1B
--------	--------	---------	------------------	-----------	---	------

Fire extinguisher and vent hood inspection tags have expired and need to be reinspection.

**CINTAS**

**3301 4TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6825					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT****COORS COWBOY CLUB**

3301 4TH AVE

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6878					10/1/2016	0	HL1B FOOD

**DAVIS DIESEL & EQUIPMENT**

3301 4TH AVE

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6839					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report**

**From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT**

**DELVIN RESTAURANT & CATERING**

**1300 N HUGHES ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFK156					9/30/2016	0	HL1B

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

**DOLLAR GENERAL STORE #11828**

**7040 MCCORMICK RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR70	EHFN10	H180 DAY	FOOD CONTACT SURFACES SANITIZE		9/29/2016	5	HL1B
			10) Bottom of milk and egg cooler need to be cleaned.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		9/29/2016		
			45) Ceiling in men and women restroom need to be smooth, durable, non-absorbent, and easily cleanable.				
	EHFN46	COS	SERVICE SINK PROVIDED		9/29/2016		
			46) Trash can in womens restroom needs a lid. Corrected on site by store manager.				

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

### ESTABLISHMENT

**EL RANCHITO  
2618 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2876	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		10/4/2016	0	H PREOPEN
			Food manager certificate needs to be registered with the City of Amarillo.				
	EHFN29	H45 DAY	ACCURATE THERMOMETERS PROVIDED		10/4/2016		
			Chlorine test strips needed.				
	EHFN46	H45 DAY	SERVICE SINK PROVIDED		10/4/2016		
			Covered trashcan needed in womens restroom.				
	EHFN47	H45 DAY	OTHER VIOLATIONS		10/4/2016		
			a)First aid kit needed. b)Spanish handwashing signs needed in restrooms. c)Ansol system inspection has expired and needs to be inspected.				
	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER		10/4/2016		
			All employees must have a food handlers card within 45 days of employment.				

**Food Establishment Public Inspection Report**

**From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT**

**EL RANCHITO**

HF2876	EHFN32	H45 DAY	FOOD CONTACT SURFACE CONSTRUCT	10/4/2016	0	H PREOPEN
Cold hold table needs to be repaired.						

**EPILEPSY FOUNDATION TX/WEST TX**

**401 S BUCHANAN ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6786					10/3/2016	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

### ESTABLISHMENT

**FANNIN MIDDLE SCHOOL  
4623 S RUSK ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF676	EHFN02	COS	PROPER COLD HOLDING TEMP.		10/3/2016	12	HL1B
			Ice cream found not frozen hard to the touch. Ice cream moved to another freezer.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		10/3/2016		
			Sanitizer found at 0ppm. Must be 200ppm. Sanitizer dispenser need to be recalibrated.				
	EHFN11	COS	PROPER DISPOSITION OF RETURNED		10/3/2016		
			Dented can found on shelf for use. Dented cans removed.				
	EHFN41	COS	ORIGINAL CONTAINER LABELING		10/3/2016		
			Labels on bulk containers worn off. Containers need to be relabeled.				
	EHFN46	H180 DAY	SERVICE SINK PROVIDED		10/3/2016		
			Restroom door needs to self closing.				

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

---

**FANNIN MIDDLE SCHOOL**

HF676	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED	10/3/2016	12	HL1B
-------	--------	----------	-------------------------------	-----------	----	------

Ceiling tiles in restroom need to be replaced with tiles that are smooth, easily cleanable, durable, and non-absorbent. Part of ceiling by back wall of dry storage area has exposed insulation. Was noticed on previous inspection.

**FIRST UNITED BANK**

3301 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6841	EHFN03	IN	PROPER HOT HOLDING TEMP.	Chicken was 165 degrees.	10/1/2016	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

**GRANDMAS BURRITOS  
7012 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1361	EHFN10	H 3 DAYS	FOOD CONTACT SURFACES SANITIZE		9/29/2016	11	HL1B
			10) Ice machine need to be clean daily to prevent mold growth				
	EHFN29	H10DAY	ACCURATE THERMOMETERS PROVIDED		9/29/2016		
			29) Thermometer needed in cooler in dining area				
	EHFN34	H90 DAY	NO EVIDENCE OF INSECT CONTAMIN		9/29/2016		
			34) Screen needed in kitchen next to AC unit to prevent insects or rodent from entering building.				
	EHFN35	H90 DAY	PERSONAL CLEANLINESS / EATING		9/29/2016		
			Hair restraints must be worn by all employees working in food prep areas and on food serving line.				
	EHFN40	H90 DAY	SINGLE-USE ARTICLES STORAGE		9/29/2016		
			40) Single serve and single use articles must be properly stored.				

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

---

**GRANDMAS BURRITOS**

HF1361	EHFN47	H90 DAY	OTHER VIOLATIONS	9/29/2016	11	HL1B
--------	--------	---------	------------------	-----------	----	------

47) 3 compartment sink needs air gap. No direct connection allowed to prevent sewage from bagging up into sink.

**GRIZZLE HEATING AND AIR****3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6868					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT****HAGY LEARNING CENTER  
1301 STREIT DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD63					9/30/2016	0	HL1B

**HAPPY STATE BANK  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6871	EHFN19	COS	APPROVED WATER SOURCE	Hot water not available at handsink. Must supply hot water.	10/1/2016	3	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT****HIGHLAND PARK SCHOOL****3801 N FM 1912**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF760	EHFN20	IN	APPROVED SEWAGE/WASTEWATER SYS	Plumbing repaired at prep sink. Correction from previous inspection.	9/30/2016	0	HL1B

**Food Establishment Public Inspection Report****From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT****HILLTOP SENIOR CITIZENS****1311 N TAYLOR ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF978	EHFN18	COS	PROPER IDENTIFY TOXIC SUBSTANC		9/30/2016	6	HL1B
			Spray bottles must be labeled with common name of chemical				
	EHFN22	H90 DAY	AUTHORIZED FOOD HANDLER		9/30/2016		
			Food handler cards needed by Food Servers				
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		9/30/2016		
			Ceiling tiles need to be smooth and cleanable				

**Food Establishment Public Inspection Report**

**From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT**

**HOPE ROAD VET CLINIC  
3301 4TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6879					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report****From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT**

---

**I DONT KNOW SPORTS BAR & GRILL****1301 SW 6TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2316	EHFN27	COS	PROPER COOLING METHODS		9/29/2016	5	HL1B
			Reachin cooler on line not cooling, product moved to other equipment				
	EHFN32	COS	FOOD CONTACT SURFACE CONSTRUCT		9/29/2016		
			Ice machine needed lip under door cleaned.				
	EHFN43	H90 DAY	ADEQUATE VENTILATION AND LIGHT		9/29/2016		
			Toaster for buttered toast needs to be under vent hood.				

**Food Establishment Public Inspection Report**

**From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT**

**KVII/ABC 7  
3301 4TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6833	EHFN47	IN	OTHER VIOLATIONS Prepackaged ice cream only.		10/1/2016	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

**LA CHOZA  
1407 N GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF864	EHFN03	COS	PROPER HOT HOLDING TEMP.		9/30/2016	9	HL1B
			Chili rellenos on prep line holding at 81F. Must be either held hot at 135F or above or cold at 41F or below.				
	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER		9/30/2016		
			All employees must have a food handlers card as of Sept. 1,2016.				
	EHFN38	COS	APPROVED THAWING METHODS		9/30/2016		
			Frozen meats found being thawed improperly. Thaw foods either in cooler, under cold running water, or as part of the cooking process.				
	EHFN46	H45 DAY	SERVICE SINK PROVIDED		9/30/2016		
			a)Restroom doors must be self-closing. b)Womens restroom needs a trashcan with a lid.				
	EHFN39	COS	PROPER USE OF UTENSILS		9/30/2016		
			Clean dishes found stacked wet. Air dry dishes prior to stacking to prevent possible bacterial growth.				

**Food Establishment Public Inspection Report**

**From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT**

**LA CHOZA**

HF864	EHN42	H45 DAY	NON-FOOD CONTACT SURFACES	9/30/2016	9	HL1B
-------	-------	---------	---------------------------	-----------	---	------

Gaskets on reach in cooler doors are split and need to be replaced.

**LAKEVIEW ELEMENTARY SCHOOL**

**6407 LAIR RD**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFR48	EHN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		10/3/2016	1	HL1B

45)Ceiling panels in main kitchen, dish area, and restroom do not meet code need to be smooth, non absorbent, easily cleanable and durable. Repeat violation.

**Food Establishment Public Inspection Report**

**From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT**

**LORENZO DE ZAVALA MS  
2801 N COULTER ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF1194	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE Ice maker needs to be cleaned out.		10/3/2016	3	HL1B

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

**MARTYS CONCESSIONS**

**3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1398	EHFN14	COS	PROPER HAND WASHING / GLOVES		9/30/2016	11	HFOL
			Employee seen starting to washhands in 3 comp sink. Informed that handwash sink is where you wash hands.				
	EHFN21	H30 DAY	CERTIFIED FOOD MANAGER		9/30/2016		
			Certified food manager required. All food workers had food handler cert.				
	EHFN30	H30 DAY	FOOD ESTABLISHMENT PERMIT		9/30/2016		
			Current food permit must be posted.				
	EHFN31	COS	HANDWASHING FACILITY ADEQUATE		9/30/2016		
			Hand wash sink no soap.				
	EHFN35	COS	PERSONAL CLEANLINESS / EATING		9/30/2016		
			Hair restraints required. Visors are not acceptable. Hair must be pulled back in bun with hair net or hat.				

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

---

**MARTYS CONCESSIONS**

HF1398	EHFN47	H45 DAY	OTHER VIOLATIONS	9/30/2016	11	HFOL
--------	--------	---------	------------------	-----------	----	------

All equipment must be NSF certified or equivalent. Chest freezer on home side, upright freezer on visitor side. Ceiling tile in food service areas must be smooth durable non-absorbent and easily cleanable. 90 DAYS

**NORTH HEIGHTS CATERING****607 N HUGHES ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK85					10/3/2016	0	HL1B

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

---

**NORTH HEIGHTS ELEMENTARY****607 N HUGHES ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF728	EHFN33	H60 DAY	WAREWASHING FACILITY INSTALLED		10/3/2016	2	HL1B
			Three compartment sink is required for ware washing				

**PALO DURO HIGH COMMERCIAL LAB****1400 N GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1115	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		9/29/2016	3	HL1B
			Inside of ice machine needs to be cleaned.				

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

### ESTABLISHMENT

**PALO DURO HIGH SCHOOL  
1400 N GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF682	EHFN24	H60 DAY	REQUIRED RECORDS AVAILABLE		9/29/2016	2	HL1B
			Labels needed on all self service items.				
	EHFN45	IN	PHYSICAL FACILITIES INSTALLED		9/29/2016		
			Ice machine repaired. Correction from previous inspection				

### **REED BEVERAGE 3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6859					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

---

**ROBERT E LEE ELEMENTARY****119 NE 15TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF660	EHFN20	H60 DAY	APPROVED SEWAGE/WASTEWATER SYS	Prep sink needs to have an indirect drain with an air gap	9/30/2016	3	HL1B

**RONALD MCDONALD HOUSE****3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6880					10/1/2016	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

### ESTABLISHMENT

#### STARLIGHT CANYON BED AND BREAK

3301 4TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6827	EHFN18	COS	PROPER IDENTIFY TOXIC SUBSTANC Bleach sanitizer too strong.		10/1/2016	3	HL1B FOOD

### SUBWAY

6000 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1616	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE 10) Soda mechine in lobby need to be clean daily to prevent build up of dirt and mold. This issue was corrected on site by store manager.		9/29/2016	3	HL1B

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

---

**TASCOSA HIGH SCHOOL  
3921 WESTLAWN AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF671	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE Ice maker needed to be cleaned.		9/30/2016	4	HL1B
	EHFN41	H60 DAY	ORIGINAL CONTAINER LABELING Bulk food containers need labels.		9/30/2016		

**TEXAS FARM BUREAU  
3301 4TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6826					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report**

**From 9/29/16 thru 10/5/16**

---

**ESTABLISHMENT**

**THE CABINET SHOPPE  
3301 4TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6829					10/1/2016	0	HL1B FOOD

## Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

### ESTABLISHMENT

**TOOT N TOTUM #83  
1540 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2861	EHFN03	COS	PROPER HOT HOLDING TEMP.		9/30/2016	8	H PREOPEN
			All items in hot hold cabinet holding between 107F and 133F. Must be 135F or higher. Items pulled.				
	EHFN27	H10DAY	PROPER COOLING METHODS		9/30/2016		
			A.Hot hold cabinet not holding temperature. B.Walkin freezer has a condensate leak. Repair by 10/10/16.				
	EHFN33	COS	WAREWASHING FACILITY INSTALLED		9/30/2016		
			Sanitizer in 3-comp sink too weak. Must be changed regularly to maintain proper strength.				
	EHFN41	COS	ORIGINAL CONTAINER LABELING		9/30/2016		
			Any food product removed from original packaging must have a label.				

**Food Establishment Public Inspection Report****From 9/29/16 thru 10/5/16****ESTABLISHMENT****TRAVIS 6TH GRADE CAMPUS****2801 NE 24TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF2703	EHFNO2	IN	PROPER COLD HOLDING TEMP.		9/29/2016	0	HL1B
			All cold hold units holding at 41F or below. In compliance.				

**TRAVIS MIDDLE SCHOOL****2815 MARTIN RD**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF669	EHFNO2	IN	PROPER COLD HOLDING TEMP.		9/29/2016	0	HL1B
			Hot dogs holding at 145F. In compliance.				

### Food Establishment Public Inspection Report

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT**

**WALMART  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6834	EHFN35	IN	PERSONAL CLEANLINESS / EATING		10/1/2016	0	HL1B FOOD
			DISCUSSED HAIR RESTRAINTS AND SERVING FOOD NO SELF SERVICE				
	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED		10/1/2016		
			SCREEN ENCLOSURE NEEDS TO SEAL AT BOTTOM				

**WEST TEXAS GOLF CARS  
3301 4TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT6835					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT****WOODLANDS ELEMENTARY  
2501 N COULTER ST**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HF830					10/3/2016	0	HL1B

**WTAMU AMARILLO CENTER  
3301 4TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6866					10/1/2016	0	HL1B FOOD

**Food Establishment Public Inspection Report**

From 9/29/16 thru 10/5/16

---

**ESTABLISHMENT****WTAMU AMARILLO CENTER #2****3301 4TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6867					10/1/2016	0	HL1B FOOD

**XCEL ENERGY**  
**3301 4TH AVE**

<b>Permit #</b>	<b>Violation Code</b>	<b>Status Code</b>	<b>Description</b>	<b>Comments</b>	<b>Inspection Date</b>	<b>Demerits</b>	<b>Inspection Type</b>
HFT6870					10/3/2016	0	HL1B FOOD