

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

AMA LODGE1361 LOYALORDER MOOSE**4200 N WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP21	EHFN23	IN	HOT & COLD WATER AVAILABLE		2/20/2017	0	HM4
Gas line was repaired. Establishment has hot water. Est. may reopen.							

Food Establishment Public Inspection Report**From 2/16/17 thru 2/22/17****ESTABLISHMENT****AMARILLO HIGH SCHOOL****4225 DANBURY DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF647	EHFN17	COS	PROPER STORAGE OF FEED ADDITVS		2/22/2017	10	HL1B
			Container food product marked keep refrigerated found not refrigerated.				
	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		2/22/2017		
			Rusted shelves peeling paint in small reach in cooler. b)Tea nozzle stored dirty.				
	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED		2/22/2017		
			Ceiling leaking in kitchen. Repair roof and replace ceiling panels. b)Rational Oven drain pours across floor where employees walk. Repair drain to flow into floor drain.				
	EHFN09	COS	FOOD SEPARATION AND PROTECTION		2/22/2017		
			Food product not easily identified not labeled. b)Leaks in kitchen ceiling. Panel removed exposing insulation to prep areas in kitchen.				

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT**BELMAR BAKERY
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7239					2/16/2017	0	HL1B FOOD

**CASTAWAYS BAR & GRILL
4523 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2930					2/17/2017	0	HL1B

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

**CHICK FIL A
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7243					2/16/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

COYOTE BLUFF CAFE

2417 S GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF149	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/21/2017	10	HL1B
			Sink has a direct connection. Indirect connection is required.				
	EHFN42	H60 DAY	NON-FOOD CONTACT SURFACES		2/21/2017		
			Shelves in walk-in need to be cleaned, and wood sealed.				
	EHFN44	H60 DAY	GARBAGE AND REFUSE DISPOSAL		2/21/2017		
			Grease dripping from outside vent needs to be contained and disposed of in approved container.				
	EHFN45	H60 DAY	PHYSICAL FACILITIES INSTALLED		2/21/2017		
			Walls and ceiling in kitchen needs to be cleaned. Shelf over dump sink needs to be cleaned. Vent in Kitchen needs to be cleaned.				
	EHFN46	H60 DAY	SERVICE SINK PROVIDED		2/21/2017		
			Mop sink needed				

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

COYOTE BLUFF CAFE

HF149	EHFN47	H180 DAY	OTHER VIOLATIONS	2/21/2017	10	HL1B
-------	--------	----------	------------------	-----------	----	------

Nsf fridge needed in Waite Station, in 6 months.

	EHFN22	H60 DAY	AUTHORIZED FOOD HANDLER	2/21/2017		
--	--------	---------	-------------------------	-----------	--	--

Food handlers cards needed for all employees.

D & L DISCOUNT 1409 S GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2247	EHFN22	H180 DAY	AUTHORIZED FOOD HANDLER		2/21/2017	2	HL1B

Food handler cards needed.

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT**EASTRIDGE ELEMENTARY****1314 EVERGREEN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF673	EHFN03	IN	PROPER HOT HOLDING TEMP. Steak fingers holding at 176F. In compliance.		2/16/2017	0	HL1B
	EHFN46	IN	SERVICE SINK PROVIDED Self closing door hinge added to restroom door. In compliance.		2/16/2017		

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

**EAT RITE HEALTH FOOD
2425 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF953	EHFN20	H10DAY	APPROVED SEWAGE/WASTEWATER SYS		2/20/2017	6	HL1B
			Waste connection below sink in the smoothie bar area and ice machine are currently air breaks, International Plumbing Code calls for an air gap.				
	EHFN45	H 120DAY	PHYSICAL FACILITIES INSTALLED		2/20/2017		
			Ceiling tiles in food prep and warewashing locations must be smooth, durable, easily cleanable, and non-absorbent. This is a repeat violation. If not completed by 6/20/17 a \$75 reinspection fee will be assessed. Replace floor tiles and coving.				
	EHFN42	H 120DAY	NON-FOOD CONTACT SURFACES		2/20/2017		
			Blowers and racks in the walk-in cooler are not in good repair, blowers and racks need to be cleaned.				
	EHFN34	H 120DAY	NO EVIDENCE OF INSECT CONTAMIN		2/20/2017		
			Back door is not tight fitting. Door gasket need to be replaced.				

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

**EMERSON ELEMENTARY
600 N CLEVELAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1193	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		2/22/2017	7	HFOL
			Ceiling tiles in dish washing area need to be smooth, durable, non absorbent, and easily cleanable. This was on your last inspection (8-27-16). Issue need to be completed by 5-22-2017.				
	EHFN06	COS	TIME AS PUBLIC HEALTH CONTROL		2/22/2017		
			Out-of-date food found in walk-in cooler. All open/prep food can not be held past seven days.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/22/2017		
			Ice machine has a heavily build up of dirt inside machine. Ice machine need to clean and sanitized.				

Food Establishment Public Inspection Report**From 2/16/17 thru 2/22/17**

ESTABLISHMENT

FIVE GUYS BURGERS AND FRIES**2313 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2763	EHFN02	IN	PROPER COLD HOLDING TEMP. Tomatoes in reach in cooler holding at 40F.		2/20/2017	0	HL1B
	EHFN28	IN	PROPER DATE MARKING Walk in fridge, all food correctly date marked.		2/20/2017		

Food Establishment Public Inspection Report**From 2/16/17 thru 2/22/17****ESTABLISHMENT****FOREST HILL ELEMENTARY
3515 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF668	EHFN03	IN	PROPER HOT HOLDING TEMP. All food in hot hold was 135F or higher.		2/22/2017	0	HL1B
	EHFN06	IN	TIME AS PUBLIC HEALTH CONTROL All food in walk-in cooler were properly date marked.		2/22/2017		
	EHFN09	IN	FOOD SEPARATION AND PROTECTION All items in walk-in and reach-in cooler were separated and covered preventing cross contamination.		2/22/2017		

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

**GIRASOL CAFE & BAKERY
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7241					2/16/2017	0	HL1B FOOD
HFT7242					2/16/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

**GNC #3227
5807 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2909	EHFN31	COS	HANDWASHING FACILITY ADEQUATE Handwashing signage missing.		2/17/2017	0	H PREOPEN

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

**JERRYS CAFE
1601 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2341	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS	Indirect connection required on 3 comp sink.	2/22/2017	6	HL1B
	EHFN22	H60 DAY	AUTHORIZED FOOD HANDLER	Food handlers cards for all employees required.	2/22/2017		
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED	Floor tiles in kitchen need to be replaced.	2/22/2017		

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT**JIMMY JOHNS
2807 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2919	EHFN45	COS	PHYSICAL FACILITIES INSTALLED Remove drain pipe last 2" above floor drain.		2/16/2017	0	H PREOPEN

**JOE DADDYS
2108 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK56					2/16/2017	0	HL1B

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

**LA CAMPANA
2220 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF267	EHFN20	H60 DAY	APPROVED SEWAGE/WASTEWATER SYS	Indirect connection is needed on 3 comp sink.	2/16/2017	7	HL1B
	EHFN02	IN	PROPER COLD HOLDING TEMP.	Pico was holding at 41F.	2/16/2017		
	EHFN39	COS	PROPER USE OF UTENSILS	Ice bucket needs to be inverted to self-drain.	2/16/2017		
	EHFN43	H60 DAY	ADEQUATE VENTILATION AND LIGHT	A) More light is needed in the cooler. B) Vent hood needs to be cleaned.	2/16/2017		
	EHFN22	H60 DAY	AUTHORIZED FOOD HANDLER	Food handlers cards needed for all employees handling food or food products.	2/16/2017		

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT**LA FIESTA GRANDE
7415 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK13					2/16/2017	0	HL1B

**LA MEGA MICHOACANA
802 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2567	EHFN02	COS	PROPER COLD HOLDING TEMP.		2/16/2017	4	HL1B	
			Tomatoes found at 56F. All cold TCS foods must be held at 41F or below. Corrected on site.					
	EHFN46	H180 DAY	SERVICE SINK PROVIDED		2/16/2017			
			A) Restroom door needs to be self closing. B) Ceiling tiles in restroom need to be smooth and non absorbent					

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

LONG JOHN SILVERS

1600 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1681	EHFN20	H10DAY	APPROVED SEWAGE/WASTEWATER SYS		2/20/2017	5	HFOL
			A cleanout cap must be placed on sewage cleanout by 2/27/2017 or a \$75 reinspection fee will be charged.				
	EHFN21	H10DAY	CERTIFIED FOOD MANAGER		2/20/2017		
			Current food manager needs to be registered with the city. Must be done by 3/3/2017.				

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT**SLEEPY HOLLOW ELEMENTARY**

3435 REEDER DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF716	EHFN09	COS	FOOD SEPARATION AND PROTECTION		2/22/2017	10	HL1B
			Food product marked refrigerate after open found not refrigerated.				
	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		2/22/2017		
			Oven mitts not clean. b)ice machine not clean inside.				
	EHFN20	H10DAY	APPROVED SEWAGE/WASTEWATER SYS		2/22/2017		
			Drain line to food sink is directly connected. Food sink must have an indirect line.				
	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED		2/22/2017		
			Ceiling panels in restroom and kitchen are not correct type. Replace all panels with non porous, smooth, cleanable panels. b)Air intakes are very dirty.				

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

**ST MARYS CATHEDRAL SCHOOL
1200 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF646	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/16/2017	0	HL1B
			Possible drop ceiling needed in food prep area, kitchen and warewashing room. Conditional upon supervisors discretion.				
	EHFN03	IN	PROPER HOT HOLDING TEMP.		2/16/2017		
			Kolache holding at 160F. Must be at 135F or higher. In compliance				
HF646	EHFN47	IN	OTHER VIOLATIONS		2/17/2017	0	HL1B
			All sinks in kitchen and the ice machine drain are now in compliance with proper air gaps. Randy Walsh				
	EHFN45	IN	PHYSICAL FACILITIES INSTALLED		2/17/2017		
			One bay culinary (thaw) sink is plumbed indirectly per code. b)Three bay dish sink is not required to be indirectly connected. c)Hand sink is plumbed per code and not connected to other sinks. In compliance. d)Ice machine has indirect drain. Per Code				

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT**SUPER GAS MART
5014 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1368	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE Soda nozzles need to be cleaned. cos		2/21/2017	3	HL1B

**TACO BELL #032697
611 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC354					2/20/2017	0	HL1B

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

**TEXAS ROADHOUSE
401 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7235					2/16/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

TOOT N TOTUM #12

3365 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1442	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		2/20/2017	9	HL1B
			Nacho cheese dispenser/chili dispenser needs to be cleaned and sanitized.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/20/2017		
			3 compartment sink needs to be indirectly plumbed.				
	EHFN42	H180 DAY	NON-FOOD CONTACT SURFACES		2/20/2017		
			a) Leak behind soda machine needs to be repaired, area cleaned. b) Particle board shelf in storage room needs to be repaired or replaced.				
	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		2/20/2017		
			Food manager card is needed. Register this card with the city of Amarillo on a yearly basis.				

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

TRAVIS 6TH GRADE CAMPUS**2801 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2703	EHFN28	COS	PROPER DATE MARKING		2/22/2017	8	HL1B
			Chopped vegetable found in walk-in cooler without date marking				
	EHFN06	COS	TIME AS PUBLIC HEALTH CONTROL		2/22/2017		
			Out of date item found in walk-in cooler. All open/prep food can not be held past seven days				
	EHFN09	COS	FOOD SEPARATION AND PROTECTION		2/22/2017		
			Packaged food found sitting in a wet substance in walk-in cooler				

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

TRINITY FELLOWSHIP/PRESS CAFE

5000 HOLLYWOOD RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF247					2/16/2017	0	HL1B

WATER STILL

401 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7230					2/16/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

WINDSOR ELEMENTARY 6700 HYDE PKWY

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF81	EHFN09	H10DAY	FOOD SEPARATION AND PROTECTION		2/22/2017	10	HL1B
			Air intakes and ducts are not clean. b)Product marked refrigerate after open found not refrigerated.				
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/22/2017		
			Blower cover in reach in cooler is rusted and not cleanable. b)Can opener holder not clean.				
	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES		2/22/2017		
			Outside ice maker has mineral deposits and needs new gasket between top and bottom units. b)Hand sink is rusted and not cleanable. Repair or replace.				
	EHFN43	H10DAY	ADEQUATE VENTILATION AND LIGHT		2/22/2017		
			No lights work in two reach in coolers.				
	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED		2/22/2017		
			Restroom ceiling tiles are not correct type. Replace tiles. b)Ceiling tile out of place.				

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

WINDSOR ELEMENTARY

HF81	EHFN46	H10DAY	SERVICE SINK PROVIDED	2/22/2017	10	HL1B
------	--------	--------	-----------------------	-----------	----	------

Service sink has no curb. Mop or service sinks must be curbed.

**WINGSTOP #90
5807 SW 45TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2906	EHFN47	COS	OTHER VIOLATIONS		2/17/2017	0	H PREOPEN
			Floor drain not clean. Clean floor drains daily.				
	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		2/17/2017		
			Food manager card needs to be registered with City of Amarillo.				

Food Establishment Public Inspection Report

From 2/16/17 thru 2/22/17

ESTABLISHMENT

YOUNGBLOODS CAFE & CATERING CO

620 SW 16TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK2					2/16/2017	0	HL1B