

Food Establishment Public Inspection Report
From 2/9/17 thru 2/15/17

ESTABLISHMENT

AMA CIVIC CENTER HERITAGE
403 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2750	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		2/9/2017	2	HL1B	
			Shelves inside the walk-in cooler are rusted. Shelves need to be resurfaced or replaced by next routine inspection.					

AMARILLO CIVIC CENTER EXHIBIT
403 S BUCHANAN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2749	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		2/9/2017	2	HL1B	
			Shelves inside walk-in cooler are rusted. Shelves need to be resurfaced or replaced by next routine inspection.					

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

AMARILLO CIVIC CTRGRAND PLAZA**403 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2748	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		2/9/2017	2	HL1B
A) Shelves inside the walk-in cooler are rusted. B) Floor of walk-in is beginning to rust. All rusted surfaces need to be resurfaced or replaced by next routine inspection.							

AMARILLO GLOBE NEWS CENTER**500 S BUCHANAN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2751	EHFN31	H10DAY	HANDWASHING FACILITY ADEQUATE		2/9/2017	2	HL1B
No hot water available at handwashing sink during inspection. Hot water must be available.							

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT**BLUE SKY ASIAN MARKET LLC****5631 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2364	EHFN24	COS	REQUIRED RECORDS AVAILABLE		2/10/2017	18	HL1B
			All products in store must be labeled with the common name, ingredients, manufacturer contact information, weight, and common allergens. *Repeat Violation*				
	EHFN29	COS	ACCURATE THERMOMETERS PROVIDED		2/10/2017		
			Chlorine test strips needed. Must have test strips to check the strength of the sanitizer bleach water.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		2/10/2017		
			a)Repair all holes in ceiling. b)Repair/replace all broken or missing floor tiles.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/10/2017		
			Plumbing at 3-compartment sink must be indirectly plumbed.				
	EHFN46	H180 DAY	SERVICE SINK PROVIDED		2/10/2017		
			Restroom doors must be self closing.				

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

BLUE SKY ASIAN MARKET LLC

HF2364	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER	2/10/2017	18	HL1B
--------	--------	---------	-------------------------	-----------	----	------

All employees who handle food must obtain a food handlers card within 45 days.

	EHFN07	COS	FOOD AND ICE FROM APPROVED SRC	2/10/2017		
--	--------	-----	--------------------------------	-----------	--	--

Bean sprouts found for sale that were obtained from an unapproved source. All products sold in store must come from a licensed, and inspected source.

	EHFN31	COS	HANDWASHING FACILITY ADEQUATE	2/10/2017		
--	--------	-----	-------------------------------	-----------	--	--

Paper towels needed in employee restroom.

	EHFN42	H180 DAY	NON-FOOD CONTACT SURFACES	2/10/2017		
--	--------	----------	---------------------------	-----------	--	--

a)Clean behind all equipment including freezers. b)Clean below all pallets in walk in cooler.

	EHFN34	H30 DAY	NO EVIDENCE OF INSECT CONTAMIN	2/10/2017		
--	--------	---------	--------------------------------	-----------	--	--

a)Live roaches found. Establishment must to treated for pest by a licensed pest control operator. b)Back doors need to be sealed to prevent insects from entering.

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

**BULSHO FOODS & CAFE
2380 FRITCH HWY**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2934	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		2/9/2017	0	H PREOPEN
			Food manager certificate needed within 45 days.				
	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER		2/9/2017		
			All employees must have a food handlers card within 45 days.				
	EHFN29	H45 DAY	ACCURATE THERMOMETERS PROVIDED		2/9/2017		
			Probe thermometer needed.				
	EHFN47	H45 DAY	OTHER VIOLATIONS		2/9/2017		
			1st aid kit needed.				
	EHFN31	H45 DAY	HANDWASHING FACILITY ADEQUATE		2/9/2017		
			Hand sink needed at front counter before any drinks can be prepared at counter.				

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

CASTAWAYS BAR & GRILL

4523 CANYON DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2930					2/15/2017	0	H PREOPEN

CRYSTALS COUNTRY STORE

6701 ROCKWELL RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR83					2/14/2017	0	HL1B

2/14/2017

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT**DANIELS DRIVE IN
2911 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF75	EHFN47	H90 DAY	OTHER VIOLATIONS		2/9/2017	5	HL1B
			Vent hood needs to be inspected.				
	EHFN34	COS	NO EVIDENCE OF INSECT CONTAMIN		2/9/2017		
			Backdoor must remain closed to prevent insects from entering.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		2/9/2017		
			Three-compartment sink must be indirectly plumbed with an air gap.				

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

**EASTRIDGE LANES INC
5405 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF186	EHFN22	H30 DAY	AUTHORIZED FOOD HANDLER		2/15/2017	7	HFOL
			All employees must have food handlers cards.				
	EHFN21	H30 DAY	CERTIFIED FOOD MANAGER		2/15/2017		
			Food manager card needed.				
	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		2/15/2017		
			Four door cooler bottom shelf needs repaired.				
	EHFN45	IN	PHYSICAL FACILITIES INSTALLED		2/15/2017		
			Ceiling tiles replaced in bar area. In compliance.				
	EHFN20	IN	APPROVED SEWAGE/WASTEWATER SYS		2/15/2017		
			Sinks repaired. In compliance.				

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

EASTRIDGE LANES INC

HF186

EHFN47

H180 DAY

OTHER VIOLATIONS

2/15/2017

7

HFOL

Residential cooler is being replaced.

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

**EL TEJAVAN
3801 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF339	EHFN32	H90 DAY	FOOD CONTACT SURFACE CONSTRUCT		2/15/2017	7	HFOL
			A)Shelves in walk-in need to be replaced or re-painted.(Repeat) B) Gaskets on coolers still need to be cleaned. (Repeat)				
	EHFN22	H90 DAY	AUTHORIZED FOOD HANDLER		2/15/2017		
			Food handler cards still needed. (Repeat)				
	EHFN43	H90 DAY	ADEQUATE VENTILATION AND LIGHT		2/15/2017		
			A) Cardboard needs to be removed in light and vent hood. B) Vent hood needs to be inspected.				
	EHFN34	H90 DAY	NO EVIDENCE OF INSECT CONTAMIN		2/15/2017		
			A) Back door and or door sweep still needed. B) Self closing door needed for back door. C) Screen needed for fan in kitchen.				
	EHFN37	H90 DAY	ENVIRONMENTAL CONTAMINATION		2/15/2017		
			Splash guard is needed on sink, next to 3 compartment sink to protect clean dishes drying on rack. Dishes drying on rack need to be moved to prevent contamination from hand washing.				

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

EVOCATION COFFEE ROASTERS CO**4132 BUSINESS PARK DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2222					2/15/2017	0	HL1B

FANELIS PASTA & LASAGNA SAUCE**2300 N WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM762	EHFN47	COS	OTHER VIOLATIONS		2/10/2017	0	H PREOPEN

Permit numbers, name and general description of food being sold must be on 2 sides of unit.

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

**H & H DISCOUNT
941 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2176	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		2/10/2017	5	HL1B
			A)Soda nozzles need to be cleaned. B) Reach in coolers need to be cleaned.				
	EHFN35	COS	PERSONAL CLEANLINESS / EATING		2/10/2017		
			Personal items need to be kept separate from customer product.				
	EHFN46	COS	SERVICE SINK PROVIDED		2/10/2017		
			Mop sink needs to be accessible at all times.				

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

HIGHLAND PARK SCHOOL

3801 N FM 1912

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF760	EHFN02	IN	PROPER COLD HOLDING TEMP. All cold hold units holding at 41F or below. In compliance.		2/10/2017	0	HL1B

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

**HOUSTON MIDDLE SCHOOL
815 S INDEPENDENCE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF674	EHFN09	IN	FOOD SEPARATION AND PROTECTION		2/9/2017	3	HL1B
			Condensation leak in walk-in freezer corrected.				
	EHFN37	H180 DAY	ENVIRONMENTAL CONTAMINATION		2/9/2017		
			Closet where hot water is located needs to be cleaned thoroughly. Two corrections from previous inspection.				
	EHFN39	H180 DAY	PROPER USE OF UTENSILS		2/9/2017		
			One correction from previous inspection.				
	EHFN41	COS	ORIGINAL CONTAINER LABELING		2/9/2017		
			Bulk containers not labeled. Corrected on site.				
	EHFN42	IN	NON-FOOD CONTACT SURFACES		2/9/2017		
			Three corrections from previous inspection.				

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

HOUSTON MIDDLE SCHOOL

HF674	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED	2/9/2017	3	HL1B
-------	--------	----------	-------------------------------	----------	---	------

Small holes in ceiling panels in kitchen, around piping, and cracked ceiling panels need to be repaired/sealed. Two corrections from previous inspection.

**KWIK STOP
937 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
----------	----------------	-------------	-------------	----------	-----------------	----------	-----------------

HF2265	EHFN28	COS	PROPER DATE MARKING		2/10/2017	3	HL1B
--------	--------	-----	---------------------	--	-----------	---	------

All food held over 24hrs. has to have a date labeled.

	EHFN37	COS	ENVIRONMENTAL CONTAMINATION		2/10/2017		
--	--------	-----	-----------------------------	--	-----------	--	--

Food in walk-in cooler needs to be covered.

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

**LEGEND CUSTOM SHOP LLC
10411 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1756					2/10/2017	0	HL1B

**ROBINSONS FAMILY FEED INC
7451 S LAKESIDE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR71					2/14/2017	0	HL1B

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

ROCKIN' ZEBRA SODA SHOPPE

404 15TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC325					2/15/2017	0	HL1B

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT**SCHLOTZSKYS/CINNABON**

1612 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2797	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE		2/13/2017	8	HL1B
			Sides of ice machine needs to be cleaned.				
	EHFN39	H180 DAY	PROPER USE OF UTENSILS		2/13/2017		
			Dishes found wet stacking. Alternative air drying method needs to be used. If wet stacking is found again, a \$75 reinspection fee will be charged.				
	EHFN31	COS	HANDWASHING FACILITY ADEQUATE		2/13/2017		
			Hand sinks cannot be used for anything but hand washing. Ice found in hand sink during inspection.				
	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		2/13/2017		
			A) All broken gaskets on coolers need to be replaced by next routine inspection or a \$75 re inspection fee will be charged. B) Ice scoop is cracked and needs to be replaced.				

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT**SUBWAY #11143-326****105 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC358	EHFN47	IN	OTHER VIOLATIONS		2/14/2017	0	HFOL

Obtained certificate of occupancy and passed Fire Marshall inspection. Establishment may open.

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT**TORTILLERIA LUPITA
4013 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF462	EHFN28	IN	PROPER DATE MARKING		2/15/2017	0	HFOL
			Food items all had date labeled.				
	EHFN42	IN	NON-FOOD CONTACT SURFACES		2/15/2017		
			Gaskets are on order.				
	EHFN43	IN	ADEQUATE VENTILATION AND LIGHT		2/15/2017		
			Vent hood is being remodeled, inspection to follow.				

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

UNITED MARKET STREET #526**2530 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1309					2/15/2017	0	H PREOPEN

UNITED SUPERMARKET #523**5601 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1679	EHFN22	H30 DAY	AUTHORIZED FOOD HANDLER	Food Manager needs to be registered.	2/14/2017	0	H PREOPEN

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

**VVS CANTEEN
5000 N FM 1912**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF317	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		2/15/2017	10	HL1B
			Wall behind three compartment sink has wear and needs to be repaired.				
	EHFN34	H180 DAY	NO EVIDENCE OF INSECT CONTAMIN		2/15/2017		
			Back door needs to be sealed and must be self closing.				
	EHFN39	COS	PROPER USE OF UTENSILS		2/15/2017		
			Pans found stacked wet. Dry pans before stacking to prevent bacterial growth.				
	EHFN38	COS	APPROVED THAWING METHODS		2/15/2017		
			a)Hamburger meat being thawed improperly. Thaw meat under cold running water, under refrigeration, in microwave, or as part of the cooking process. b)Fish being thawed improperly. Remove fish from vacuum packaging prior to thawing.				
	EHFN31	COS	HANDWASHING FACILITY ADEQUATE		2/15/2017		
			Hand sink being used for other purposes than hand washing. Hand sink is for hand washing only.				

Food Establishment Public Inspection Report

From 2/9/17 thru 2/15/17

ESTABLISHMENT

VVS CANTEEN

HF317

EHFN10

COS

FOOD CONTACT SURFACES SANITIZE

2/15/2017

10

HL1B

a)Bleach wipe down sanitizer mixed above 400 ppm. Must be mixed at 100 ppm. b)Store plastic wrap in a smooth, durable, non-absorbent, easily cleaned container. c)Inside of ice machine needed to be cleaned.