

Food Establishment Public Inspection Report**From 5/18/17 thru 5/24/17****ESTABLISHMENT****100 CLUB OF THE TX PANHANDLE****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7445	EHFN30	COS	FOOD ESTABLISHMENT PERMIT		5/18/2017	4	HL1B FOOD
			Hand washing station needed in booth.				
	EHFN31	H24 HOUR	HANDWASHING FACILITY ADEQUATE		5/18/2017		
			Temp permit needed for where the food is being served and where it was cooked. A \$20 permit must be paid for by Friday 5/19/2017.				

AMARILLO FAIRFIELD INN & STES**6600 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2654					5/18/2017	5	HL1B

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT**AMARILLO FIRE DEPARTMENT****3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7440					5/18/2017	0	HL1B FOOD

**ARBORS, THE
7000 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1261					5/18/2017	0	HL1B

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

B & G CONCESSIONS DBA PRIME KT

1415 SUNRISE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7453					5/20/2017	0	HL1B FOOD

BEEF O BRADYS BEEFS AT THE BAL

3901 S GRAND ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2362	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		5/22/2017	3	HL1B
			Food manager needed.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/22/2017		
			Vents and ceiling needs to be cleaned.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

BOYDSTON CONCESSIONS

1415 SUNRISE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7450					5/20/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

**BURRITO STOP
114 SE 9TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2210	EHFN34	H10DAY	NO EVIDENCE OF INSECT CONTAMIN		5/18/2017	19	HFOL
			Evidence of insects found during inspection. Insects must be removed by a commercial pest control company.				
	EHFN10	H45 DAY	FOOD CONTACT SURFACES SANITIZE		5/18/2017		
			A) All food contact surfaces must be cleaned and sanitized B) Sanitizer must be utilized by the cook and prep cooks.				
	EHFN32	H45 DAY	FOOD CONTACT SURFACE CONSTRUCT		5/18/2017		
			A) Gaskets on walk in and reach ins need to be repaired or replaced B) Cutting boards need to be resurfaced or replaced. Correct by 6/30/17.				
	EHFN37	COS	ENVIRONMENTAL CONTAMINATION		5/18/2017		
			Containers of beans and rice holding in walk in without lids. Repeat violation.				
	EHFN43	H45 DAY	ADEQUATE VENTILATION AND LIGHT		5/18/2017		
			Vent cover is needed above the tortilla area and in kitchen.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

BURRITO STOP

HF2210	EHFN45	H45 DAY	PHYSICAL FACILITIES INSTALLED	5/18/2017	19	HFOL
			A) Cardboard in window needs to be removed and replaced with a smooth, and non absorbent material B) Ceiling fans and air ducts in dining room need to be dusted			
	EHFN46	H180 DAY	SERVICE SINK PROVIDED	5/18/2017		
			Ceiling tiles in restroom need to be smooth, easily cleanable, and non absorbent by 11/11/17.			
	EHFN02	H 3 DAYS	PROPER COLD HOLDING TEMP.	5/18/2017		
			Beans holding at 48F. Sausage at 48F. Food being held in the walk in cooler must be 41F or below.			
	EHFN33	COS	WAREWASHING FACILITY INSTALLED	5/18/2017		
			Food and ice found in hand washing sink during inspection. Corrected on site.			
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS	5/18/2017		
			Sink used for fruit and vegetable washing needs to be indirectly connected to the sewer by 11/11/17.			
	EHFN27	H 3 DAYS	PROPER COOLING METHODS	5/18/2017		
			Walk in cooler is not maintaining proper temperature. Food cannot be stored in cooler until it is holding at 41F or below.			

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT**BURRITO STOP**

HF2210	EHFNO2	IN	PROPER COLD HOLDING TEMP.		5/23/2017	0	HFOL
--------	--------	----	---------------------------	--	-----------	---	------

Beans holding at 39F. In compliance. Walk in fridge was fixed and is now at the correct temperature.

CLIFFSIDE COFFEE**600 S TYLER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2772					5/19/2017	0	HFOL

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

**CRAZY LARRYS PIT BBQ
4315 TECKLA BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF407	EHFN37	COS	ENVIRONMENTAL CONTAMINATION		5/18/2017	5	HL1B
			a) Single service items must be kept/stored 6" off the floor. b) Items in the walk in must be covered during storage.				
	EHFN35	H180 DAY	PERSONAL CLEANLINESS / EATING		5/18/2017		
			Effective hair restraints must be worn.				
	EHFN42	H180 DAY	NON-FOOD CONTACT SURFACES		5/18/2017		
			a) Rapid chill freezer shelves need to be cleaned. b) Prep line reach-in cooler gaskets need to be cleaned.				
	EHFN47	H180 DAY	OTHER VIOLATIONS		5/18/2017		
			Household freezer will need to be replaced with a commercial unit. If more time is needed, please contact Shanda with Environmental Health @ 806-378-5284.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/18/2017		
			Ceiling tiles about areas exposed to moisture (prep line out front, below soda & tea station) must be smooth, durable, and easily cleanable.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

**DJS BURGERS
2309 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1525	EHFN34	H180 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/18/2017	6	HFOL
			Back door needs weather stripping at bottom.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/18/2017		
			Ceiling tiles in entire establishment need to be replaced with non-absorbent, non-porous, and easily cleanable ceiling tiles.				
	EHFN32	H10DAY	FOOD CONTACT SURFACE CONSTRUCT		5/18/2017		
			Freezer needs to be defrosted to prevent the buildup of excessive ice.				
	EHFN43	H180 DAY	ADEQUATE VENTILATION AND LIGHT		5/18/2017		
			a. Vent hood and fire extinguisher need to be inspected as soon as possible. b. Vent cover above reach in cooler needs to be cleaned and properly covering vent.				
	EHFN47	H180 DAY	OTHER VIOLATIONS		5/18/2017		
			a. Mini fridge needs to be commercial grade. Fix by 5/18/18. b. Freezers need to be changed to commercial grade when they stop working.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

DUNKIN DONUTS/BASKIN ROBBINS

2813 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2768	EHFN14	IN	PROPER HAND WASHING / GLOVES		5/18/2017	5	HFOL
			In compliance. Corrected from previous inspection.				
	EHFN10	IN	FOOD CONTACT SURFACES SANITIZE		5/18/2017		
			In compliance. Corrected from previous inspection.				
	EHFN21	IN	CERTIFIED FOOD MANAGER		5/18/2017		
			In compliance. Corrected from previous inspection.				
	EHFN35	IN	PERSONAL CLEANLINESS / EATING		5/18/2017		
			In compliance. Corrected from previous inspection.				
	EHFN43	IN	ADEQUATE VENTILATION AND LIGHT		5/18/2017		
			In compliance. Corrected from previous inspection.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

DUNKIN DONUTS/BASKIN ROBBINS

HF2768	EHFN39	H180 DAY	PROPER USE OF UTENSILS	5/18/2017	5	HFOL
--------	--------	----------	------------------------	-----------	---	------

Wares need to be air dried completely before storage.

	EHFN37	H180 DAY	ENVIRONMENTAL CONTAMINATION	5/18/2017		
--	--------	----------	-----------------------------	-----------	--	--

a) Ice bin needs to remain closed when not in use. b) Coffee liners need to be kept in a cleanable container.

	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT	5/18/2017		
--	--------	----------	--------------------------------	-----------	--	--

Can opener blade needs to be replaced.

	EHFN42	H180 DAY	NON-FOOD CONTACT SURFACES	5/18/2017		
--	--------	----------	---------------------------	-----------	--	--

a) Mixer needs to be cleaned. b) Can opener needs to be cleaned.

Food Establishment Public Inspection Report**From 5/18/17 thru 5/24/17**

ESTABLISHMENT**EL TIGRE
6817 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFM425	EHFN30	H180 DAY	FOOD ESTABLISHMENT PERMIT		5/24/2017	5	HL1B	
			Food establishment permit must be visibly displayed on vehicle. If seen again a \$75 reinspection fee will be charged.					
	EHFN03	H180 DAY	PROPER HOT HOLDING TEMP.		5/24/2017			
			Beef burrito held at 125F. Hot food must be held at least 135F.					

Food Establishment Public Inspection Report**From 5/18/17 thru 5/24/17**

ESTABLISHMENT

GREENWAYS INTERMEDIATE SCHOOL**8100 PINERIDGE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF302	EHFN42	H90 DAY	NON-FOOD CONTACT SURFACES		5/18/2017	2	HL1B
			Air duct in dish room and air duct in kitchen near office need to be cleaned.				
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/18/2017		
			Ceiling tiles in restroom need to be smooth, durable, and non-absorbent.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

HERBALIFE NUTRITION

3703 WOLFLIN AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2980	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		5/19/2017	0	H PREOPEN
			Food manager needed, register with city within 45 days.				
	EHFN37	H10DAY	ENVIRONMENTAL CONTAMINATION		5/19/2017		
			Single service straws must not be available for customers to serve themselves.				
	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES		5/19/2017		
			General cleaning in bar/prep area. (Dust).				
	EHFN43	H10DAY	ADEQUATE VENTILATION AND LIGHT		5/19/2017		
			Lights over prep area must be shatter resistant or have light shields.				
	EHFN46	H10DAY	SERVICE SINK PROVIDED		5/19/2017		
			Covered trashcan needed in employee and customer bathroom.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

HERBALIFE NUTRITION

HF2980	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED	5/19/2017	0	H PREOPEN
Seal or paint exposed wood in bar/prep area.						

**HOFFBRAU STEAKS
7203 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2980	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED		5/19/2017	0	H PREOPEN
HF2980					5/20/2017	0	HL1B

Food Establishment Public Inspection Report**From 5/18/17 thru 5/24/17****ESTABLISHMENT****HUDD RESTAURANT
7311 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1173	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/18/2017	6	HL1B
			228.153(b) (3) Nonabsorbent for areas subject to moisture such as food prep...toilet rooms.				
	EHFN19	H90 DAY	APPROVED WATER SOURCE		5/18/2017		
			228.146(b)(4)sec. Backflow prevention, air gap. An air gap between the water supply inlet and the flood level rim of the plumbing fixture, equipment, or nonfood equipment, or nonfood equipment shall be at least twice the diameter of the water supply..				
	EHFN21	H90 DAY	CERTIFIED FOOD MANAGER		5/18/2017		
			228.32 (3)N(d) Except in a temporary food establishment and the certified food manager, all food employees shall successfully complete and accredited food handler training course within 60 days of hire.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

I-40 GROCERY & MORE

900 SPUR 228

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP57	EHFN20	IN	APPROVED SEWAGE/WASTEWATER SYS		5/18/2017	0	H PREOPEN
			Three-compartment sink must be indirectly plumbed if used for food prep. *note-currently not being used for food prep.				
	EHFN34	H10DAY	NO EVIDENCE OF INSECT CONTAMIN		5/18/2017		
			Approved pest control needed, cannot use bait traps.				
	EHFN46	H10DAY	SERVICE SINK PROVIDED		5/18/2017		
			Restroom door must be self-closing. Springs have been purchased.				
	EHFN47	H10DAY	OTHER VIOLATIONS		5/18/2017		
			a)Grounds around est. must be cleaned and mowed. b)1st aid kit needed. c)water sample test results needed. d)Conditional permit issued, BOD sample must be submitted in 2 months.				
	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER		5/18/2017		
			All employees who handle food must obtain food handler cards within 45 days.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

I-40 GROCERY & MORE

HFP57	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE	5/18/2017	0	H PREOPEN
			Ice machine needed to be cleaned.			
	EHFN42	H10DAY	NON-FOOD CONTACT SURFACES	5/18/2017		
			Shelves behind soda machine need to be cleaned.			
	EHFN29	H10DAY	ACCURATE THERMOMETERS PROVIDED	5/18/2017		
			A)Thermometer needed in all cold hold units. b)Probe thermometer needed. c)Sanitizer and sanitize test strips needed.			
	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED	5/18/2017		
			a)Coving needed in walk in. b)All holes in ceiling need to be repaired. c)Holes above soda machine need to be sealed.			

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT**IOWA STEAK CO
6329 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM769					5/19/2017	0	H PREOPEN
HFRM460					5/19/2017	0	HL1B
					5/19/2017		
HFRM461					5/19/2017	0	HL1B

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

IOWA STEAK CO

HFRM690 5/19/2017 0 HL1B

HFRM700 5/19/2017 0 HL1B

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

**KWAHADI HERITAGE INC
9151 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1037	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		5/18/2017	6	HL1B
			Food manager needed.				
	EHFN29	H180 DAY	ACCURATE THERMOMETERS PROVIDED		5/18/2017		
			Test strips needed.				
	EHFN47	H180 DAY	OTHER VIOLATIONS		5/18/2017		
			Fire extinguisher needs to be inspected. NSF equipment needed.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/18/2017		
			Ceiling tiles in mop room, bathroom, and kitchen must be smooth, non absorbent, easy cleanable.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

MARBLE SLAB CREAMERY

3000 SW 6TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM780	EHFN20	H45 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/24/2017	0	H PREOPEN
			Wastewater connection and potable water connection must be labeled. Must be indirectly connected.				
	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		5/24/2017		
			Register food manager with Environmental Health Department. \$40, within 45 days.				
	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER		5/24/2017		
			Any employees handling or prepping food need to obtain Food Handler certifications within 45 days.				
	EHFN29	H45 DAY	ACCURATE THERMOMETERS PROVIDED		5/24/2017		
			a) Thermometer for 3rd freezer needed in unit. b) Chemical test strips needed.				
	EHFN30	H45 DAY	FOOD ESTABLISHMENT PERMIT		5/24/2017		
			Permit # and Establishment name needed in 3" lettering on both sides of unit.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

MARBLE SLAB CREAMERY

HFM780	EHFN47	H45 DAY	OTHER VIOLATIONS	5/24/2017	0	H PREOPEN
--------	--------	---------	------------------	-----------	---	-----------

Variance for non-commercial equipment is not applicable to new units.

OPPORTUNITY SCHOOL**1525 N GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD42	EHFN31	H90 DAY	HANDWASHING FACILITY ADEQUATE		5/22/2017	0	HL1B

Handsink does not have adequate water pressure and needs to be repaired.

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

**PANTEX FIRE DEPT
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7447					5/18/2017	0	HL1B FOOD

Food Establishment Public Inspection Report**From 5/18/17 thru 5/24/17****ESTABLISHMENT****PHILLIPS 66
9525 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1021	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER		5/18/2017	1	HL1B
			Food handlers cards needed.				
	EHFN47	H180 DAY	OTHER VIOLATIONS		5/18/2017		
			Fire extinguisher needs to be inspected.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/18/2017		
			Ceiling tiles in kitchen and bathroom need to be smooth, easy cleanable, non absorbent tiles.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

PLEASANT VALLEY BAPTIST CHURCH**555 E HASTINGS AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD41					5/22/2017	0	HL1B

PORK N THINGS BBQ**1415 SUNRISE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7435					5/20/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

POTTER COUNTY SHERIFF OFFICE

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT7444	EHFNO3	COS	PROPER HOT HOLDING TEMP.		5/18/2017	3	HL1B FOOD	
			Sausage holding at 90 degrees. Must be held above 135 degrees at all times.					

RANDALL COUNTY SHERIFFS ASSOC

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7441					5/18/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT**RETIREEES COOKING TEAM**

3301 SE 10TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7446					5/18/2017	0	HL1B FOOD

ROASTERS COFFEE & TEA

3429 S SONCY RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1406	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE	Inside of ice machine has mold and needs to be cleaned.	5/18/2017	3	HL1B

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

SCHWANS HOME SERVICE #511739**10300 HIGHWAY 60**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFRM357	EHFN30	H10DAY	FOOD ESTABLISHMENT PERMIT		5/19/2017	2	HL1B	
			Mobile unit need I.D number in 3" lettering on each side of unit					

SCHWANS HOME SERVICE #519511**10300 W US HIGHWAY 60**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFRM363					5/19/2017	0	HL1B

Food Establishment Public Inspection Report**From 5/18/17 thru 5/24/17****ESTABLISHMENT****SCHWANS HOME SERVICE #519512****10300 W US HIGHWAY 60**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFRM412	EHFN30	H10DAY	FOOD ESTABLISHMENT PERMIT		5/19/2017	2	HL1B
			Mobile unit need I.D in 3 inch lettering on each side of unit				

SCHWANS HOME SERVICE #519607**10300 HIGHWAY 60**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFRM358	EHFN30	H10DAY	FOOD ESTABLISHMENT PERMIT		5/19/2017	2	HL1B
			Mobile unit need I.D in 3 inch lettering on each side of unit				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

SCHWANS HOME SERVICE #519690

10300 W US HIGHWAY 60

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFRM355	EHFN30	H10DAY	FOOD ESTABLISHMENT PERMIT		5/19/2017	2	HL1B	
			Mobile unit need I.D number in 3 inch lettering on each side					

SCHWANS HOME SERVICE INC

10300 HIGHWAY 60

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFRM467	EHFN30	H10DAY	FOOD ESTABLISHMENT PERMIT		5/19/2017	2	HL1B	
			Mobile unit does not have proper I.D. marks. All trucks must have 3 inch I.D number on each side of vehicle.					

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

SUBWAY #25567-216

1412 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1205	EHFN02	IN	PROPER COLD HOLDING TEMP. Tuna holding at 39F. Tomatoes holding at 35F. In compliance.		5/19/2017	5	HL1B
	EHFN03	IN	PROPER HOT HOLDING TEMP. Meatballs holding at 156F. In compliance.		5/19/2017		
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS An indirect waste connection is needed at 3 compartment sink by 11/19/17.		5/19/2017		
	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT A) Gasket on reach in cooler needs to be replaced by 11/19/17. B) Gaskets on reach in coolers need to be cleaned.		5/19/2017		

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

**TACO BELL #032695
2000 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2890	EHFN44	H 3 DAYS	GARBAGE AND REFUSE DISPOSAL		5/18/2017	3	HL1B
			228.224(h)(k) Garbage receptacles. Impervious receptacles shall be provided for storage of garbage and refuse.				
	EHFN37	H30 DAY	ENVIRONMENTAL CONTAMINATION		5/18/2017		
			228.105(c) If water tight joint is not provided: an apron designed to deflect condensation, drips, and dust from openings into the food....228.68(g)(3)(A) Food shall be protected by contamination by storing at least six inches above the floor.				
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/18/2017		
			228.172(c) Floors, Walls & Ceilings. Cleanable, ceilings shall be designed, constructed, and installed so they are smooth and easily cleanable.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT**THE CHURCH OF GOD OF THE FIRST**

821 S JOHNSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM759	EHFN29	H180 DAY	ACCURATE THERMOMETERS PROVIDED		5/19/2017	0	H PREOPEN
			Probe thermometer needed.				
	EHFN30	H180 DAY	FOOD ESTABLISHMENT PERMIT		5/19/2017		
			Establishment name and permit number needed in 3" lettering.				

823 S JOHNSON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM758	EHFN29	H180 DAY	ACCURATE THERMOMETERS PROVIDED		5/19/2017	0	H PREOPEN
			Probe thermometer needed.				
	EHFN30	H180 DAY	FOOD ESTABLISHMENT PERMIT		5/19/2017		
			Establishment name and permit # needed in 3" lettering.				

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT

THE CHURCH OF GOD OF THE FIRST

Food Establishment Public Inspection Report**From 5/18/17 thru 5/24/17****ESTABLISHMENT****TRAIL BOSS RANCH COOKING LLC****2813 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2866	EHFN18	H30 DAY	PROPER IDENTIFY TOXIC SUBSTANC		5/24/2017	0	H PREOPEN
			All unlabeled chemical bottles need to be labeled.				
	EHFN20	H30 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/24/2017		
			Ice bin condensate line needs an air gap.				
	EHFN34	H30 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/24/2017		
			Front and side door need to be self closing.				
	EHFN21	H30 DAY	CERTIFIED FOOD MANAGER		5/24/2017		
			Food manager card expires in July. Once card expires food manager will need to take state accredited food manager course.				
	EHFN22	H60 DAY	AUTHORIZED FOOD HANDLER		5/24/2017		
			Food handlers cards are needed within 60 days of employment.				

Food Establishment Public Inspection Report**From 5/18/17 thru 5/24/17****ESTABLISHMENT****TRAIL BOSS RANCH COOKING LLC**

License No.	Establishment No.	Inspection Type	Inspection Date	Violations	Score	Status
HF2866	EHFN29	H30 DAY	5/24/2017	ACCURATE THERMOMETERS PROVIDED Test strips to test sanitizer are needed.	0	H PREOPEN
	EHFN31	H30 DAY	5/24/2017	HANDWASHING FACILITY ADEQUATE Soap and paper towels are needed for hand washing sink.		
	EHFN47	H30 DAY	5/24/2017	OTHER VIOLATIONS Fire extinguisher and ANSUL system need to be inspected.		
	EHFN43	H30 DAY	5/24/2017	ADEQUATE VENTILATION AND LIGHT Vent hood filter is missing. Must be replaced		
	EHFN45	H30 DAY	5/24/2017	PHYSICAL FACILITIES INSTALLED Garbage in back of restaurant needs to be thrown away.		

Food Establishment Public Inspection Report

From 5/18/17 thru 5/24/17

ESTABLISHMENT**TXDPS
3301 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7442					5/18/2017	0	HL1B FOOD

**VIRDINSKIS BBQ RUB SHACK
3701 OLSEN BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK127					5/20/2017	0	HFOL