

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**212 CLUB LLC, THE
212 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF323	EHFN21	H10DAY	CERTIFIED FOOD MANAGER		5/10/2017	3	HL1B
			Food manager needed as soon as possible.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/10/2017		
			Smooth, non-absorbent, easily cleanable ceiling needed above bar area.				

ABC LEARNING CENTER**2707 S BIVINS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD71	EHFN19	IN	APPROVED WATER SOURCE		5/10/2017	0	HL1B
			Coorected from last inspection.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**AFFILIATED FOODS INC**

402 S GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7356					5/5/2017	0	HL1B FOOD

ALZHEIMERS ASSOCIATION

402 S GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7354					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**AMARILLO HISPANIC CHAMBER****402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7367					5/5/2017	0	HL1B FOOD

AMARILLO NATIONAL BANK**402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7363					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**AMERIPRIDE SERVICES INC****402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7368					5/5/2017	0	HL1B FOOD

AMIGOS**402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7374					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**ANDY PRIEST
5120 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7396					5/6/2017	0	HL1B FOOD

**ASARCO
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7365					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**ATMOS ENERGY
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7366					5/5/2017	0	HL1B FOOD

**AUTISM UNITED
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7353					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**BELL HELICOPTER
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7364					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**BELMAR ELEMENTARY
6342 ADIRONDACK TRL**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF761	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/5/2017	6	HL1B
			228.171 3. Drop in tile above the reach in fridge does not meet smooth durable and easily cleanable mandate. (3rd violation)				
	EHFN39	H90 DAY	PROPER USE OF UTENSILS		5/5/2017		
			228.68 (b)1 In use utensils must be above the top of food and container.				
	EHFN43	H90 DAY	ADEQUATE VENTILATION AND LIGHT		5/5/2017		
			228.185 B (d) Intake and exhaust air ducts shall be cleaned and filters changed so they are not a source of contamination by dust, dirt and other materials. Light must be at least 20 foot candles in reach in cooler.				
	EHFN09	H90 DAY	FOOD SEPARATION AND PROTECTION		5/5/2017		
			228.70A Counter or service line is not protected by a food guard.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**BEVANDA LLC
2501 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7378					5/7/2017	0	HL1B FOOD

**BRANDY RATLIFF
5120 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7395					5/6/2017	0	HL1B FOOD

Food Establishment Public Inspection Report**From 5/4/17 thru 5/10/17**

ESTABLISHMENT

BRITKARE HOME MEDICAL**402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7361	EHFN35	COS	PERSONAL CLEANLINESS / EATING		5/5/2017	5	HL1B FOOD
			Several workers seen eating and drinking in the booth.				
	EHFN29	COS	ACCURATE THERMOMETERS PROVIDED		5/5/2017		
			No thermometer at time of inspection.				
	EHFN31	COS	HANDWASHING FACILITY ADEQUATE		5/5/2017		
			No hand washing station at time of inspection.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**BUNS OVER TEXAS
6045 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2015	EHFN32	H10DAY	FOOD CONTACT SURFACE CONSTRUCT		5/9/2017	16	HL1B
			Gaskets in maketable fridge need to be repaired. Ice scoops are broken and need to be replaced. Prep table needs to be resealed & any cracks or gaps need to be sealed. Handles for reach in freezer fridge need to be repaired with no insulataion showing.				
	EHFN18	H 3 DAYS	PROPER IDENTIFY TOXIC SUBSTANC		5/9/2017		
			Spray bottles need to be labeled.				
	EHFN10	H 3 DAYS	FOOD CONTACT SURFACES SANITIZE		5/9/2017		
			a. Inside of ice machines needs to be cleaned. b. Trays and shelves that trays are being stored on need to be cleaned.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/9/2017		
			3 compartment sink is directly connected to the sewer. An indirect connection is needed with an air gap. Fix by 11/9/17.				
	EHFN36	H90 DAY	WIPING CLOTHS PROPERLY USED		5/9/2017		
			Dirty towel found inside to go container. Towels must be stored in sanitizer buckets when not in use. Corrected on Site.				

Food Establishment Public Inspection Report**From 5/4/17 thru 5/10/17****ESTABLISHMENT****BUNS OVER TEXAS**

HF2015	EHFN37	H 3 DAYS	ENVIRONMENTAL CONTAMINATION	5/9/2017	16	HL1B
			Food contacts in make table are currently being subjected to condensate leak. This must be fixed as soon as possible.			
	EHFN42	H90 DAY	NON-FOOD CONTACT SURFACES	5/9/2017		
			a) Inside of maketable cooler needs to be cleaned. b) Wire racks need to be cleaned. c) Fan in reach in cooler needs to be cleaned.			
	EHFN39	H90 DAY	PROPER USE OF UTENSILS	5/9/2017		
			Dishes were stacked wet. Dishes must be air dried completely before stacking.			
	EHFN46	H180 DAY	SERVICE SINK PROVIDED	5/9/2017		
			Toilet located in office must be removed or office must be converted to a restroom and meet all standards required by the Texas Food Establishment Rules.			

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

BUSHLAND HIGH SCHOOL

1201 S FM 2381

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFP20	EHFN06	H90 DAY	TIME AS PUBLIC HEALTH CONTROL		5/8/2017	3	HL1B	
			228.75(h)1b). Discard if in a container or package that does not bear a date or day. Discard if appropriately marked with a date or day that exceeds a temp or time combination.					

BUSHLAND ISD MS CAFETERIA

20101 25TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFP54	EHFN43	H90 DAY	ADEQUATE VENTILATION AND LIGHT		5/10/2017	1	HL1B	
			228.177 1.A. 20 foot candles in above the floor, walk in, and inside equipment such as reach ins, and under counter refrigerators.					

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

BUTLERS MARTINI BAR

703 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1993	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/4/2017	4	HL1B	
			Ceiling tiles in mop room needs to be smooth, easily cleanable, and non absorbant by 11/4/17.					
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/4/2017			
			3 compartment sink is directly connected to the sewer. 3 compartment sink needs to have an air gap by 11/4/17.					

CANYON KETTLE CORN 2501 S WASHINGTON ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7388					5/7/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**CLIFFSIDE COFFEE
600 S TYLER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2772	EHFN03	COS	PROPER HOT HOLDING TEMP.		5/10/2017	10	HL1B
			TCS food not being properly held at 135F for hot holding. TCS food found at room temperature.				
	EHFN24	H 3 DAYS	REQUIRED RECORDS AVAILABLE		5/10/2017		
			Any food not prepared on the premise must be labeled with the common name, a list of ingredients and thier quantity, the name and place of business for manufacturer and the name of the food source for any major allergen. 228.79				
	EHFN32	H 3 DAYS	FOOD CONTACT SURFACE CONSTRUCT		5/10/2017		
			Once utensils, such as ice scoops or measuring cups, are chipped, pitted, cracked, stained or no longer cleanable, they must be replaced.				
	EHFN31	H 3 DAYS	HANDWASHING FACILITY ADEQUATE		5/10/2017		
			Hand washing facility needs to be easily accessible at all times with hand soap and paper towels.				
	EHFN39	H 3 DAYS	PROPER USE OF UTENSILS		5/10/2017		
			Cleaning cloths must be kept in sanitizing water at all times. Utensils, such as spoons, must be stored in compliance with TFER 228.68(b)				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**CNS PANTEX
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7359					5/5/2017	0	HL1B FOOD

**COCA COLA
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7351					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**COUNTRY GOURMET
1932 CIVIC CIR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7418					5/8/2017	0	HL1B FOOD

**COWBOY GELATO SMOKEHOUSE
6103 S COULTER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFRK166					5/7/2017	0	HL1B

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**COX PEYTON
5120 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7399					5/6/2017	0	HL1B FOOD

**DEAN BOYD LAW FIRM
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7347	EHFNO3	IN	PROPER HOT HOLDING TEMP.	Smoker set at 160F for hot hold. In compliance.	5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report**From 5/4/17 thru 5/10/17****ESTABLISHMENT****DELVIN RESTAURANT & CATERING****1300 N HUGHES ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2752	EHFN21	IN	CERTIFIED FOOD MANAGER		5/10/2017	5	HL1B	
			Food manager must register certificate with City of Amarillo Environmental Health Dept.					
	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER		5/10/2017			
			Food Handler cards needed for all employees within 45 days of today's date.					
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/10/2017			
			Personal items must be stored separate from kitchen equipment and utensils. Items stored in establishment must be organized in a manner that promotes cleanliness.					
	EHFN39	H 3 DAYS	PROPER USE OF UTENSILS		5/10/2017			
			Gaskets on reach in cooler need to be replaced or repaired. All utensils must air dry before stacking.					
	EHFN44	H90 DAY	GARBAGE AND REFUSE DISPOSAL		5/10/2017			
			Condensate leak in walk in must be repaired.					

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**DJS BURGERS
2309 SW 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1525	EHFN45	H10DAY	PHYSICAL FACILITIES INSTALLED		5/8/2017	26	HFOL
			Ceiling tiles needs replaced w/non-absorbent, non-porous, easily cleanable ceiling tiles. These are both repeat violations & a plan for fixing these deficiencies needs established to avoid reinspection fee in future. Coving needs to be replaced.				
	EHFN43	H10DAY	ADEQUATE VENTILATION AND LIGHT		5/8/2017		
			A) Vent hood needs to be inspected as soon as possible. b) Fire extinguisher needs to be inspected. c) Vent cover above reach-in cooler needs to be cleaned and properly covering vent.				
	EHFN34	H10DAY	NO EVIDENCE OF INSECT CONTAMIN		5/8/2017		
			Back door is not properly sealed. Weather stripping must be replaced.				
	EHFN47	H10DAY	OTHER VIOLATIONS		5/8/2017		
			All coolers and freezers must be NSF certified and Commercial grade.				
	EHFN27	H10DAY	PROPER COOLING METHODS		5/8/2017		
			Coolers not maintained to keep TCS food at temperature of 41F or below. COS				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

DJS BURGERS

HF1525	EHFN28	H10DAY	PROPER DATE MARKING	5/8/2017	26	HFOL
All TCS food must be date marked for the day it is prepped, cooked or opened and discarded after 7 days.						
	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER	5/8/2017		
Employees need Food Handler Cards within 45 days.						
	EHFN32	H10DAY	FOOD CONTACT SURFACE CONSTRUCT	5/8/2017		
Freezer need to be defrosted to prevent the build-up of excessive ice.						
	EHFN02	H10DAY	PROPER COLD HOLDING TEMP.	5/8/2017		
Not properly cold holding TCS good. Cut tomatoes found at 48F in back cooler and 57F in front cooler, cut onions at 50F.						
	EHFN09	H10DAY	FOOD SEPARATION AND PROTECTION	5/8/2017		
TCS food kept in reach-in cooler is currently being subjected to condensate leak and water is collecting in and on packaging.						
	EHFN10	H10DAY	FOOD CONTACT SURFACES SANITIZE	5/8/2017		
Reach in cooler in back has excessive mold on shelves and must be cleaned. Shelves in reach-in need rust removed and to be resealed.						

Food Establishment Public Inspection Report**From 5/4/17 thru 5/10/17**

ESTABLISHMENT**DJS BURGERS**

HF1525	EHFN21	H10DAY	CERTIFIED FOOD MANAGER	5/8/2017	26	HFOL
--------	--------	--------	------------------------	----------	----	------

Food Manager card is currently expired. This needs to be renewed immediately!

	EHFN20	H10DAY	APPROVED SEWAGE/WASTEWATER SYS	5/8/2017		
--	--------	--------	--------------------------------	----------	--	--

Food prep sink is directly plumbed to the sewage system. This must be indirectly plumbed with an air gap.
Please see handout provided by inspector.

Food Establishment Public Inspection Report**From 5/4/17 thru 5/10/17****ESTABLISHMENT****DOLLAR GENERAL STORE #12249****2726 SW 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1953	EHFN29	H10DAY	ACCURATE THERMOMETERS PROVIDED		5/4/2017	7	HL1B
			Thermometers needed in reach-in coolers containing food product. 228.106(l)(1)				
	EHFN32	COS	FOOD CONTACT SURFACE CONSTRUCT		5/4/2017		
			Dented cans found for sale to the public. COS 228.63(e)				
	EHFN46	H90 DAY	SERVICE SINK PROVIDED		5/4/2017		
			Bathrooms need covered trash cans. 228.152(h)				
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/4/2017		
			All ceilings in establishment that are subject to moisture must be smooth, durable, non-absorbent and easily cleanable, to include above water fountains and in bathrooms. 228.171(3)				
	EHFN42	H90 DAY	NON-FOOD CONTACT SURFACES		5/4/2017		
			All non-food contact surfaces should be kept free of accumulation of dirt, dust, food residue and other debris. Floors, walls and shelves need to be cleaned. Bathrooms need to be cleaned daily and trash should be removed before it begins to overflow.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

Food Establishment Public Inspection Report**From 5/4/17 thru 5/10/17****ESTABLISHMENT****DOLLAR GENERAL STORE #7285****403 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF54	EHFN42	H180 DAY	NON-FOOD CONTACT SURFACES		5/10/2017	10	HL1B
			Floors, walls and shelves need to be free of dirt, dust and food residue.				
	EHFN32	COS	FOOD CONTACT SURFACE CONSTRUCT		5/10/2017		
			Dented cans being sold to the public. These items were removed from the shelf and discarded.				
	EHFN34	H180 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/10/2017		
			Wall in backroom must be repaired of all holes and damages to prevent insect/ rodent contamination.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/10/2017		
			Ceiling tiles above areas subject to moisture, such as above freezers coolers & bathrooms, must be smooth non-absorbent, easily cleanable. Walls must be repaired to maintain a smooth, easily cleanable surface. Coving in bathroom must be repaired.				
	EHFN29	H 3 DAYS	ACCURATE THERMOMETERS PROVIDED		5/10/2017		
			Thermometers needed for all reach-in coolers containing food product.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

DOLLAR GENERAL STORE #7285

HF54

EHFN10

H 3 DAYS

FOOD CONTACT SURFACES SANITIZE

5/10/2017

10

HL1B

Mold found growing in reach-in cooler containing food product.

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**DRUNKEN DRAGON
717 SW 16TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2505	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/4/2017	11	HL1B
			3 comp sink/ food prep sink is directly plumbed to sewage system. There must be an indirect connection with air gap. Condensate line from ice machine cannot drain into the mop sink. This must drain into an approved sewage drainage system.				
	EHFN21	H 3 DAYS	CERTIFIED FOOD MANAGER		5/4/2017		
			Food manager needed for establishment as soon as possible.				
	EHFN32	H90 DAY	FOOD CONTACT SURFACE CONSTRUCT		5/4/2017		
			Broken and detached gaskets on reach-in cooler must be replaced/ repaired.				
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/4/2017		
			All personal items must be separated from food establishment equipment and utensils. Ceilings above any area subject to moisture, such as the bar area or bathroom, must be smooth, non-porous & non-absorbent.				
	EHFN47	H90 DAY	OTHER VIOLATIONS		5/4/2017		
			All coolers and freezers must be NSF certified and commercial grade.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

DRUNKEN DRAGON

HF2505 EHFN34 H90 DAY NO EVIDENCE OF INSECT CONTAMIN 5/4/2017 11 HL1B

Front and back door must be self closing and seal completely.

EHFN42 H90 DAY NON-FOOD CONTACT SURFACES 5/4/2017

Reach-in cooler needs to be cleaned.

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**EL CHIHUAHUENSE
7908 TRIANGLE DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2185	EHFN42	COS	NON-FOOD CONTACT SURFACES		5/4/2017	7	HL1B
			Cooler shelves needed to be cleaned.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/4/2017		
			Ceiling in backroom needs to be scraped.				
	EHFN31	COS	HANDWASHING FACILITY ADEQUATE		5/4/2017		
			a)Hand sink had dishes stored in it at time of inspection. b)Soap and paper towels needed at hand sink.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/4/2017		
			3-comp sink must be indirectly plumbed with an air gap.				

Food Establishment Public Inspection Report**From 5/4/17 thru 5/10/17****ESTABLISHMENT****FAMILY DOLLAR STORE #2344****433 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF92	EHFN29	H10DAY	ACCURATE THERMOMETERS PROVIDED		5/10/2017	5	HL1B
			Thermometers needed for reach-in coolers containing food product.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/10/2017		
			Any area subject to moisture, such as bathrooms, above mop sinks and water fountains, must have a smooth, non-absorbent, easily cleanable ceiling. To include above freezers & coolers.				
	EHFN34	H10DAY	NO EVIDENCE OF INSECT CONTAMIN		5/10/2017		
			Weather stripping needs to be replaced on back door.				
	EHFN46	H10DAY	SERVICE SINK PROVIDED		5/10/2017		
			Bathroom must have covered trash can, soap and paper towels.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**FIRE & ICE
2610 S ROBERTS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM703					5/6/2017	0	HL1B

**FIRST UNITED BANK
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7357					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**FIRSTBANK SOUTHWEST
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7375					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**GAMBOAS BALLROOM
4416 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF920	EHFN46	H180 DAY	SERVICE SINK PROVIDED		5/4/2017	9	HL1B
			All restroom doors must be self-closing.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/4/2017		
			a)Ceiling tiles above bar & in restrooms must be smooth, durable, non-absorbent & easily cleaned. b)All missing floor tiles must be replaced. c)Ceiling in backroom must be patched. d)All items that are not necessary for the operation must be removed				
	EHFN42	H180 DAY	NON-FOOD CONTACT SURFACES		5/4/2017		
			a)Cooler shelves need to be cleaned. b)Floor needs to be cleaned.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/4/2017		
			3-comp sink must be indirectly plumbed with an air gap.				
	EHFN10	COS	FOOD CONTACT SURFACES SANITIZE		5/4/2017		
			Lime slicer needed to be cleaned.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

GOONEYS BAR & GRILL

705 S POLK ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2334	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS	5/4/2017	10	HL1B	3 compartment sink is directly connected to the sewer. An indirect waste connection is needed by 11/4/17. Repeat violation.
	EHFN31	H 3 DAYS	HANDWASHING FACILITY ADEQUATE	5/4/2017			Hand washing sink is blocked by multiple times. Hand washing sink needs to be easily accessible at all times.
	EHFN42	H45 DAY	NON-FOOD CONTACT SURFACES	5/4/2017			A) Grease behind the grill area needs to be cleaned B) Inside of coolers and freezers need to be cleaned.
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED	5/4/2017			Ceiling tiles in kitchen need to be smooth, easily cleanable and non absorbant tiles by 11/4/17. Repeat violation.
	EHFN37	H 3 DAYS	ENVIRONMENTAL CONTAMINATION	5/4/2017			A) Food being stored needs to be covered at all times to prevent any type of contamination. B) Rice and other food items need to be stored at least 6" off of the ground in dry storage.

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

GOONEYS BAR & GRILL

HF2334	EHFN46	H180 DAY	SERVICE SINK PROVIDED	5/4/2017	10	HL1B
--------	--------	----------	-----------------------	----------	----	------

A) Restroom doors need to be self closing. Repeat violation. B) Women's restroom needs a Spanish hand washing sign.

	EHFN47	H180 DAY	OTHER VIOLATIONS	5/4/2017		
--	--------	----------	------------------	----------	--	--

All items not being used needs to be removed from the establishment.

**HAPPY STATE BANK
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7346	EHFN45	COS	PHYSICAL FACILITIES INSTALLED		5/5/2017	1	HL1B FOOD

A tarp is needed in the booth to ensure floor is cleanable.

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

HERNANDEZ BROWNING SHOWALTER**402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7372					5/5/2017	0	HL1B FOOD

**J & JS RED ROCK
1306 NE 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2415	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		5/8/2017	5	HL1B
			A certified food manager is needed in 45 days.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/8/2017		
			An indirect waste connection is needed by 11/8/17.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**LAMAR ELEMENTARY
3800 S LIPSCOMB ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF663	EHFN32	H90 DAY	FOOD CONTACT SURFACE CONSTRUCT		5/10/2017	2	HL1B	
			a) Cutting boards must be resurfaced or removed. b) Any tupperware with pithing or cracking must be replaced.					
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/10/2017			
			Kitchen ceiling must be smooth, durable, and non-absorbent. Repeat violation.					

**LEO RAMOS STATE FARM
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7358					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**M & M CONCESSIONS
1932 CIVIC CIR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7417					5/6/2017	0	HL1B FOOD

**MARK JONES
5120 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7397					5/6/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**MIMIS SNACK BAR
3520 SE 27TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2814	EHFN47	H180 DAY	OTHER VIOLATIONS		5/9/2017	3	HL1B
			Fire extenguisher needs inspected. Vent hood needs inspected.				
	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER		5/9/2017		
			Food handler cards needed.				
	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		5/9/2017		
			Food manager needed.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**MOMMA LU'S - JOHN MEYER****5120 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7401	EHFNO3	IN	PROPER HOT HOLDING TEMP. Corn dogs holding at 139F.		5/6/2017	0	HL1B FOOD

MUROS METAL WORKS**402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7385					5/8/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**NAVAMEX (JARRITOS)**

402 S GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7348					5/5/2017	0	HL1B FOOD

NORTHWEST TEXAS HEALTHCARE SYS

402 S GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7362					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

OLSEN PARK ELEMENTARY

2409 ANNA ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF661	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/10/2017	6	HL1B
			a) Bathroom ceiling exposed to moisture need to be smooth, durable, and easily cleanable. b) Peeling paint, cracks and holes need to be repaired/resealed. c) Clean air ducting near wares storage rack.				
	EHFN38	COS	APPROVED THAWING METHODS		5/10/2017		
			Food may only be thawed: Under refrigeration; Submerged under cold running water; As part of the cooking process				
	EHFN04	IN	PROPER COOKING TIME AND TEMP.		5/10/2017		
			Corn dogs cooked to 172F. In compliance.				
	EHFN10	IN	FOOD CONTACT SURFACES SANITIZE		5/10/2017		
			Corrected from previous inspection.				
	EHFN20	H90 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/10/2017		
			Any and all prep sinks & ice machine must have an air gap per IPC.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

OLSEN PARK ELEMENTARY

HF661	EHFN32	H90 DAY	FOOD CONTACT SURFACE CONSTRUCT	5/10/2017	6	HL1B
-------	--------	---------	--------------------------------	-----------	---	------

a) Wood prep table with deep scars must be resurfaced or removed. b) Cutting boards need to be resurfaced.

**PANHANDLE PBS
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7350					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**PAPAS CONCESSIONS
2501 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7391					5/7/2017	0	HL1B FOOD

**PEPSI
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7352					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**PRIME VENDING
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7360					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**RATLIFF BRANDY
5120 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7393					5/6/2017	0	HL1B FOOD
HFT7394					5/6/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

RUDYS COUNTRY STORE & BAR B Q

3751 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK84	EHFN03	IN	PROPER HOT HOLDING TEMP. BBQ 145F. In compliance.		5/7/2017	0	HL1B

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**RUFFLED CUP THE
3440 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2438	EHFN02	COS	PROPER COLD HOLDING TEMP.		5/9/2017	7	HL1B
			Eggs held at room temperature past 4 hours. Corrected on site.				
	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/9/2017		
			Ceiling tiles in restroom, and above cookie dough stand need to be smooth, non-absorbent, and easily cleanable. Floor tile below mixer needs to be replaced.				
	EHFN39	H90 DAY	PROPER USE OF UTENSILS		5/9/2017		
			Reach in fridge gasket needs to be repaired.				
	EHFN34	H90 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/9/2017		
			Back door needs to be self closing.				
	EHFN42	H90 DAY	NON-FOOD CONTACT SURFACES		5/9/2017		
			Vents need to be cleaned.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

SAIGON RESTAURANT 2909 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2381	EHFN34	H180 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/8/2017	4	HFOL
			a) Back door gasket needs to be replaced. b) Continue to treat for pests.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/8/2017		
			a) Missing coving needs to be replaced. b) Leaks in walk in need to be repaired. c) Floor tiles in walk in need repair. d) Floor in storage area must be made cleanable and cleaned.				
	EHFN02	IN	PROPER COLD HOLDING TEMP.		5/8/2017		
			In compliance, sprouts and meat holding at 39F.				
	EHFN29	H180 DAY	ACCURATE THERMOMETERS PROVIDED		5/8/2017		
			Probe thermometer needed to verify temperatures.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

SNAPPLE OF THE TEXAS PANHANDLE

402 S GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7349					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**SNOWBALL EXPRESSO
2200 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFM34	EHFN30	H180 DAY	FOOD ESTABLISHMENT PERMIT		5/4/2017	6	HL1B
			"Snowball Espresso" needs to be on the outside of the trailer				
	EHFN33	H180 DAY	WAREWASHING FACILITY INSTALLED		5/4/2017		
			A 3 comp sink is needed by next summer.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/4/2017		
			An indirect waste connection is needed.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**SOFTBALL TEAM
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7355					5/5/2017	0	HL1B FOOD

**SOUTH DOCK CAFETERIA
1401 W FARMERS AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1949	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/10/2017	1	HL1B
Ceiling tiles in restroom need to be smooth, durable, easily cleanable, and non-absorbent.							

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

SPRINGHILL SUITES

2301 CINEMA DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2983	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		5/9/2017	0	H PREOPEN
			Food manager certificate must be registerd w/the City of Amarillo.				
	EHFN20	H30 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/9/2017		
			Air gap is needed on all dish machines and three compartment sink drain lines.				
	EHFN10	H30 DAY	FOOD CONTACT SURFACES SANITIZE		5/9/2017		
			Sanitizer is dispensing too high and dispenser needs to be recalibrated.				
	EHFN29	H30 DAY	ACCURATE THERMOMETERS PROVIDED		5/9/2017		
			Thermometer needed in front counter freezer.				
	EHFN22	H45 DAY	AUTHORIZED FOOD HANDLER		5/9/2017		
			All employees must obtain food handler cards.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**STREET AUTOMOTIVE GROUP**

402 S GRANT ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7371	EHFN31	H 2 HOUR	HANDWASHING FACILITY ADEQUATE		5/5/2017	2	HL1B FOOD
			Water and soap needed for hand washing.				

SUNRISE ELEMENTARY

5123 SE 14TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF666	EHFN19	H180 DAY	APPROVED WATER SOURCE		5/4/2017	4	HL1B
			Indirect drain needed on prep sink w/ air gap. Repeat.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/4/2017		
			Ceiling tiles in kitchen need to be smooth, non-absorbent, easily cleanable tiles. Repeat				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**TEXAS BAR & GRILL
2801 W AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2714	EHFN45	H90 DAY	PHYSICAL FACILITIES INSTALLED		5/9/2017	5	HL1B
			All exposed wood must be sealed.				
	EHFN34	H90 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/9/2017		
			Back door needs door sweep replaced.				
	EHFN20	H90 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/9/2017		
			Food prep sink cannot be directly plumbed to sewer line and must have an indirect connection with an air gap.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**TEXAS BODY SHOP
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7384					5/5/2017	0	HL1B FOOD

**TEXAS PLUM LINE
1932 CIVIC CIR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7386					5/6/2017	0	HL1B FOOD

Food Establishment Public Inspection Report**From 5/4/17 thru 5/10/17****ESTABLISHMENT****TEXAS STEAK EXPRESS
2600 S KENTUCKY ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2277	EHFN02	IN	PROPER COLD HOLDING TEMP.		5/4/2017	3	HL1B
			In compliance, beef burgers holding at 40F.				
	EHFN04	IN	PROPER COOKING TIME AND TEMP.		5/4/2017		
			In compliance, beef burgers cooked to 165F.				
	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		5/4/2017		
			a) Replace dull can opener. b) Clean cookie cooling racks. c) Replace any broken tupperware.				
	EHFN45	H180 DAY	PHYSICAL FACILITIES INSTALLED		5/4/2017		
			a) Replace coving around walk-in. b) Paint or re-seal floor in walk-in cooler.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**TRAVIS HALE
5120 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7400					5/6/2017	0	HL1B FOOD

**TWINS DISCOUNT 2
1312 N HUGHES ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2809					5/10/2017	0	HL1B

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**TWO KNIVES CATERING
5500 BLUEBIRD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK161					5/6/2017	0	HL1B
HFK161					5/6/2017	0	HL1B

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**TYSON FRESH MEATS
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7369					5/5/2017	0	HL1B FOOD

**UNIFIRST CORP
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7373					5/5/2017	0	HL1B FOOD

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT**VIVA MEDIA
402 S GRANT ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT7370					5/5/2017	0	HL1B FOOD

**WIENERSCHNITZEL
600 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2891	EHFNO2	IN	PROPER COLD HOLDING TEMP.		5/8/2017	0	HFOL
Cooler is maintaining proper temp. Tomatoes holding at 38F. In compliance.							

Food Establishment Public Inspection Report**From 5/4/17 thru 5/10/17****ESTABLISHMENT****WTAMU MEAT LAB
2501 RUSSELL LONG BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC272	EHFN31	COS	HANDWASHING FACILITY ADEQUATE		5/10/2017	5	HL1B
			Utensils found in hand sink. Hand sink is for hand washing only.				
	EHFN21	H45 DAY	CERTIFIED FOOD MANAGER		5/10/2017		
			No food manager. Food manager needed by 6/25/2017				
	EHFN43	H90 DAY	ADEQUATE VENTILATION AND LIGHT		5/10/2017		
			Lights in meat area a out. All lights must be in working order.				

Food Establishment Public Inspection Report

From 5/4/17 thru 5/10/17

ESTABLISHMENT

**ZOMBIEZ GRILL
711 SW 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2867	EHFN34	H180 DAY	NO EVIDENCE OF INSECT CONTAMIN		5/4/2017	6	HFOL
			Back door and front door need door sweep replaced to seal completely.				
	EHFN31	IN	HANDWASHING FACILITY ADEQUATE		5/4/2017		
			Demerit corrected from last inspection.				
	EHFN32	H180 DAY	FOOD CONTACT SURFACE CONSTRUCT		5/4/2017		
			Torn gaskets on walk-in cooler and deep freeze must be replaced.				
	EHFN20	H180 DAY	APPROVED SEWAGE/WASTEWATER SYS		5/4/2017		
			Currently only an air break at 3 compartment sink/ food prep sink. There must be an air gap.				