

## City Of Amarillo Department of Building Safety

**To**: Department of building Safety Customer

**Subject**: Spray Applied Protective Coating

Date: October 4, 2017

## Spray applied protective coating

**Spray applied protective coating** is allowed over existing two layer roof, providing the top layer is polyurethane foam under the following conditions.

Those conditions are set out as follows:

- 1. A permit is required. Submittal shall include a completed commercial roofing permit application and a copy of manufacturer's approved instructions. [2015 IBC, sec 105-107]
- 2. Must be installed in accordance with manufacturer's approved instructions. [2015 IBC, sec 1511.3.1 par. 1]
- 3. Only allowed over polyurethane foam roofing, no other type of roof covering. [2015 IBC, sec 1511.3.1 par. 4]
- 4. May not be applied over existing polyurethane foam roof covering that is water soaked or has deteriorated to a point that it is not an adequate base for an application of spray applied protective coating. [2015 IBC, sec 1511.3.1.1 par. 1]
- 5. Preliminary inspection to include: [2015 IBC, sec 110.3.8]
  - a. Coring or Thermal Scan to assure the existing roof is not holding water
  - b. Assure the surface is properly prepared and will achieve positive drainage, IE: no pock marks/indents present that will hold water, etc.
- 6. Final inspection to verify compliance, positive drainage and others as required. [2015 IBC, sec 110.3.10]

Please consider this a working document subject to amendments. My office is available to discuss should you have any question or concerns.

Thank you

Randy W Schuster

Building Official, CBO, CSI Department of Building Safety 808 S Buchanan St. Amarillo, TX 79105-1971 randy.schuster@amarillo.gov 806.378.6258

> City Of Amarillo – Department of Building Safety 808 S Buchanan St, Amarillo, TX 79105 Phone # (806)378-3041 Fax # (806)378-3085 TDD # (806)378-4229